



**HYDROLOGIC
DATA REPORT**

**VOLUME II
SURFACE WATER DATA**

WATER YEAR 2005

PREFACE

This publication presents the surface water data collected by the Flood Control District of Maricopa County's automated water-level gage network. This telemetered network is located primarily throughout Maricopa County, Arizona with additional gages in Yavapai, Pinal, and La Paz Counties.

The surface water data contained in this report were collected, compiled and edited by the Flood Warning Branch of the Engineering Division. Data include mean daily, total, maximum, and minimum discharges at the flow sites; mean daily, maximum, and minimum pool levels at the storage locations; and mean daily, maximum, and minimum volumes stored at the storage locations. Also included are maximum discharges, pool levels, and storage volumes for flood events of interest at each site.

This particular report represents a break from the traditional printed format. The edition you are looking at no longer includes hydrographs and flood flow frequency tables. Because much of this information is on-line, an interactive HTML version of this report is also available. It allows the user to view a wealth of information with the click of a mouse. If you are viewing this document on line, select this link to go to the HTML version. As previously, flow frequency tables are included at sites where information is available either from statistical analysis of gage records or from rainfall/runoff models. These estimates of flood flow frequency do not necessarily correspond to regulatory discharges for the channel reaches near the gage sites. Always refer to official regulatory documents for such flood frequency information.

The information contained herein is as accurate and complete as possible within the limitations of real-time data collection technology currently available. Wherever possible, notes have been included to identify questionable data. Reliance upon the accuracy, reliability, and authority of this information is solely the responsibility of the user.

Revisions to any of these data for any reason will be published in the following years' reports immediately following the data for the current year for the site where the revisions have been made.

Copies of this report may be purchased from:

Flood Control District of Maricopa County
2801 W. Durango Street
Phoenix, Arizona 85009
(602) 506-1501

TABLE OF CONTENTS

| | |
|--|----------|
| Preface | ii |
| Contents | iii |
| Introduction | iv |
| Definition of Terms | viii |
| Surface Water Gage Location Map | xii |
| List of New Gage Locations in Water Year 2005 | xiii |
| List of Stations Sorted By Sensor ID# | xiv |
| List of Stations Sorted By Name | xvii |
| Summary of Significant Streamflow Events | xx |
| Surface Water Streamflow and Storage Facility Discharge Data | Tab 1 |
| Pool Levels at Storage Facilities (Reservoir Depths) | Tab 2 |
| Storage Volumes at Storage Facilities | Tab 3 |
| Comment/Errata Sheet | Appendix |

INTRODUCTION

The Flood Control District of Maricopa County in cooperation with federal, state, and local agencies collects a large amount of data pertaining to surface water runoff in and around Maricopa County. These data provide a valuable resource for information not otherwise furnished by the traditional sources of this type of material. To make these data readily available to interested parties outside the Flood Control District, the data are published annually in this report entitled "Annual Hydrologic Data Report, Volume II -- Surface Water Data." On-line users of this document have additional resources available by selecting hyperlinks.

This report includes records on discharge at stream gages and at flood control storage structures, on depths at flood control storage structures, and on contents at flood control storage structures. Specifically it contains: (1) Streamflow records at 89 stream gages and 40 flood control storage structures; (2) Pool levels of stored water at 43 flood control storage structures; and (3) Storage volumes at 43 flood control storage structures where stage-storage relationships are available. Records included are only averages of data collected at each site during this water year.

Several streamflow gages are operated cooperatively between the FCDMC and the United States Geological Survey (USGS). Although real-time data for these sites are collected by the FCDMC ALERT System for the purposes of flood event monitoring, quality control for the data at these gages lies with the USGS. The official records for these sites are published in the USGS Surface Water Data Reports each water year or for current data go to <http://az.water.usgs.gov/>. The cooperative gages collected jointly for Water year 2004 were:

| <u>USGS Gage Name</u> | <u>FCDMC ID</u> | <u>USGS ID</u> |
|--|-----------------|----------------|
| Gila River near Maricopa, AZ* | 0788 | 09479350 |
| Salt River at Priest Drive | 4523 | 09512165 |
| Cave Cr. below Cottonwood Cr. | 4923 | 09512280 |
| Skunk Creek near Phoenix, AZ | 5568 | 09513860 |
| Gila River @ Estrella Parkway | 6853 | 09514100 |
| Hassayampa River nr Morristown | 5223 | 09516500 |
| Centennial Wash at SPRR | 5103 | 09517490 |

*Gage is a cooperative between ADOT and USGS.

There are three additional continuous cooperative gages which the USGS operates, but are not ALERT equipped.

| <u>Gage Site Name</u> | <u>USGS ID Number</u> |
|--|-----------------------|
| Indian Bend Wash at Curry Drive, Tempe | 09512162 |
| New River near Rock Springs | 09513780 |
| Hassayampa River near Arlington | 09517000 |

In addition to the continuous cooperative stations, the FCDMC also cooperates with the USGS in the collection of peak discharges at a number of crest stage gage sites. The data for these crest stage gage sites are also published by the USGS in its Surface Water Data Reports each water year.

The cooperative crest-stage gage sites for Water Year 2004 were:

| <u>Gage Site Name</u> | <u>USGS ID</u> |
|--|----------------|
| Vekol Wash near Stanfield, AZ | 09488650 |
| Tortilla Creek at Tortilla Flat | 09501300 |
| Camp Creek near Sunflower | 09510170 |
| Rock Creek near Sunflower | 09510180 |
| Indian Bend Wash at Shea Blvd | 09512090 |
| Salt River Trib in South Mountain Park | 09512200 |
| Agua Fria R. Trib. No. 2 | 09512700 |
| Deadman Wash near New River | 09513820 |
| Waterman Wash near Buckeye | 09514200 |
| Hartman Wash near Wickenburg | 09515800 |
| Ox Wash near Morristown | 09516600 |
| Jackrabbit Wash near Tonopah | 09516800 |
| Centennial Wash Trib. nr Wenden | 09517200 |
| Tiger Wash near Aguila | 09517280 |
| Winters Wash near Tonopah | 09517400 |
| Rainbow Wash Trib. near Buckeye | 09519600 |
| Bender Wash near Gila Bend | 09519750 |
| Sauceda Wash near Gila Bend | 09519760 |
| Military Wash near Sentinel | 09520100 |
| Crater Range Wash near Ajo | 09520230 |
| Star Wash | 09516790 |

ALERT water-level sensors are located on two Corps of Engineers structures. Tat Momolikot and Whitlow Ranch Dams are monitored by the Corps of Engineers. Again, these data are collected in real-time by the FCDMC for the purpose of flood monitoring. The District will publish data for Tat Momolikot since data are no longer collected by the Corps. Please refer to the Los Angeles District office for official data for Whitlow Ranch Dam at <http://www.spl.usace.army.mil/resreg/>.

This is the twelfth annual surface water report published by the District. Prior to water year 1994, surface water data collected by the FCDMC ALERT System were not quality controlled, and therefore, not published. However, there are data resident in archives prior to water year 1994 that may have value to specific individuals. Data are available back to October 1987 for some stations.

The data are collected as a depth of flow in feet (or stage). The discharge and/or contents is then obtained by applying the stage to a rating curve of stage versus discharge in cubic feet per second (cfs), or stage versus contents in acre-feet (ac-ft). The discharge rating curves have been developed at stream gages by using field surveyed cross sections in a HEC-2 or HECRAS step backwater computer model to obtain a range of stage versus discharge points to be plotted on a curve. These step backwater ratings are refined whenever possible using direct and/or indirect measurements made at or near the gage site. For flood control storage structures, discharge ratings were obtained in one of two ways. First, the design ratings may be used. In most cases however, the discharge rating curves were developed by application of the Federal Highway Administration's HY-8 computer model for culvert flow and U.S. Geological Survey methods for weir flow over the uncontrolled emergency spillways. The storage rating curves were obtained from published as-built or construction plans or developed from digital elevation data.

Daily mean discharges are computed by applying the daily mean stages (gage heights) to the stage-discharge curves or tables. The same is similarly true for storage facility contents. The minimum and maximum values are based on instantaneous readings and the volumes for discharge stations are based on accumulations of daily means. Those gages in section 2, Pool Levels at Storage Facilities, which show a continuous gage height during obvious periods of no storage, do so because the orifice to the pressure transducer is set at that gage height above or below 0.0 feet gage datum.

All data in this report have been reviewed and edited in an attempt to provide the most accurate data possible. A blank or blanks within the data set is an indication that data was lost either due to hardware, software, or radio problems, or that the gage had not yet been installed. Where possible, these data are flagged with footnotes describing the time the gage was down. In the event that published records require revision, revisions are printed in later reports. Listed in the heading for each gage where records have been revised are all the reports in which revisions have been published for the station and the water years to which the revisions apply (e.g. WY1999: WY1994-95 means that the data for Water Years 1994-1995 were revised in the report for Water Year 1999).

Comments about this report or errors discovered may be forwarded to the Flood Warning Branch using the comment/errata sheet found at the back of this

document. Alternately, comments or errors may be sent via Internet e-mail from the FCDMC ALERT System Home Page or directly to deg@mail.maricopa.gov.

An index of gage names, numbers, locations, and other descriptors is included following the Definition of Terms in this report.

Additional, more detailed, or historical surface water data are available on the FCD ALERT Internet site at <http://www.fcd.maricopa.gov/Services/ALERT/default.asp>. For information about the Internet site, contact the Flood Control District, Engineering Division, Flood Warning and Data Collection Branch at (602) 506-1501.

DEFINITION OF TERMS

Terms related to streamflow and other hydrologic data, as used in this report are defined below.

Acre-foot (ac-ft) is the quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet or about 326,000 gallons or 1,233 cubic meters.

Contents is the volume of water in a reservoir or lake. Unless otherwise indicated, volume is computed on the basis of a level pool.

Control designates a feature downstream from the gage that determines the stage-discharge relation at the gage. This feature may be a natural constriction of the channel, an artificial structure, or a uniform cross section over a long reach of the channel.

Control structure as used in this report is a structure on a stream or canal that is used to regulate the flow or stage of the stream.

Cubic foot per second (cfs) is the rate of discharge representing a volume of 1 cubic foot passing a given point during 1 second and is equivalent to approximately 7.48 gallons per second or 448.8 gallons per minute or 0.02832 cubic meters per second.

Cubic foot per second-day is the volume of water represented by a flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, approximately 1.9835 acre-feet, or about 646,000 gallons or 2,445 cubic meters.

Daily mean discharge is the average discharge in cfs for a 24 hour period from midnight to midnight the following day.

Discharge is the volume of water (or more broadly, total fluid plus suspended sediment), that passes a given point within a given period of time.

Drainage area of a stream at a specified location is that area, measured in a horizontal plane, enclosed by a topographic divide from which direct surface runoff from precipitation normally drains by gravity into the stream above the specified point.

Drainage basin is a part of the surface of the Earth that is occupied by a drainage system, which consists of a surface stream or body of impounded surface water, together with all tributary surface streams and bodies of impounded surface water.

El Niño is a condition where sea surface temperatures are warmer in the eastern Pacific Ocean and cooler in the western Pacific Ocean in the lower latitudes. Normal conditions of sea surface temperatures are opposite with warmer waters in the western Pacific and cooler waters in the eastern Pacific. El Niño conditions may result in higher than normal precipitation in the southwestern United States.

Flood Elevation Frequency refers to the magnitude (in terms of depth or elevation) and probability of floods at a given flood control impoundment structure. The flood elevation frequency is usually given as a depth or elevation of impoundment associated with a given recurrence interval at a particular flood control impoundment structure.

Flood Flow Frequency refers to the magnitude (in terms of peak discharge) and probability of floods at a given gaging station. The flood flow frequency is usually given as a peak discharge associated with a given recurrence interval at a particular gaging station.

Gage datum is the elevation of the zero point of the reference gage from which gage height is determined. This elevation is established by a system of levels from known bench marks or by approximation from topographic maps or arbitrarily established to a known point such as a culvert invert elevation.

Gage height is the water-surface elevation referred to some arbitrary gage datum. Gage height is often used interchangeably with the more general term "stage," although gage height is more appropriate when used with a reading on a gage.

Gaging station is a particular site on a river, stream, canal, lake, or reservoir where systematic observations of hydrologic data are obtained.

Instantaneous discharge is the discharge at a particular instant of time.

La Niña is when above normal sea surface temperatures exist in the western Pacific Ocean and cooler than normal sea surface temperatures exist in the eastern Pacific Ocean. La Niña conditions usually result in drier than normal conditions in the southwestern United States.

Maximum Level is the highest pool level recorded or observed at a particular gaging station at a flood control impoundment structure for a given event.

Maximum Storage is the greatest volume of water stored behind or within a flood control impoundment structure for a given event. This occurs at the maximum pool level and is obtained from the stage-storage relation for that maximum level for a particular flood control impoundment structure.

Mean discharge (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period.

National Geodetic Vertical Datum of 1929 (NGVD 1929) is a geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. It was formerly called "Sea Level Datum of 1929" or "mean sea level." Although the datum was derived from the average sea level over a period of many years at 26 tide stations along the Atlantic, Gulf of Mexico, and Pacific Coasts, it does not necessarily represent local mean sea level at any particular place.

North American Vertical Datum of 1988 (NAVD 1988) is a datum based on the mass or density of the Earth instead of the varying values of the heights of the seas. Measurements of the acceleration of gravity are made at observation points in a network. Only one point is defined as the datum point. The vertical reference surface is then defined by the surface on which the gravity values are equal to the datum point value. This is called an equipotential surface.

Peak Discharge is the maximum instantaneous discharge for a given flood event.

Period of Record is the time period for which data exists for a given stream gaging station.

Pressure transducer is an instrument used to measure the depth of water. It is an analog instrument which measures a pressure change over a diaphragm. The depth of water is related to the change in pressure over the diaphragm created by the weight of the water over the instrument.

Recurrence interval is the reciprocal of the probability of a flood occurring in any given year. Thus, the flood having a 1% (1/100, or 1 in 100) chance of occurring in any given year has a recurrence interval of 100 years and is referred to as the 100-year flood. Similarly, the flood having a 50% (1/2 or 1 in 2) chance of occurring in any given year has a recurrence interval of 2 years and is referred to as the 2-year flood.

Staff gage is a device located at the gaging station to provide a visual reference to the depth of water at a gage in terms of gage height above the water level measuring instrument.


Stage-discharge relation is the relation between gage height (stage) and the volume of water, per unit of time, flowing in a channel.

Stage-storage relation is the relation between gage height (stage) and the volume of water stored behind or within a flood control impoundment structure.

Streamflow is the discharge that occurs in a natural channel. Although the term "discharge" can be applied to the flow of a canal, the word "streamflow" uniquely describes the discharge in a surface stream course. The term "streamflow" is more general than "runoff" as streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

Water year dealing with surface-water data is the 12-month period, October 1 through September 30. The water year is designated by the calendar year in which it ends and includes 9 of the 12 months. Thus, the water year beginning October 1, 2004 and ending September 30, 2006, is called the "2006 Water Year."

FCD STAGE GAGE LOCATIONS – WY 2005



New Installations in Water Year 2005

Four new streamgages were installed during Water Year 2005. The table below provides details about the streamgages. Selecting the hyperlink of the gage name will take the user to the Internet page for the gage. Selecting the hyperlink of the page will take the user to the data page within this document.

| ID # | Gage Name | Installed | T-R-S | Latitude | Longitude | Elev. | Page #s |
|------|--|-----------|----------|----------|-----------|-------|----------------------|
| 4568 | Granite Reef | 7/21/05 | 2N-7E-18 | 33 30 43 | 111 41 02 | 1330 | 1:9 |
| 4948 | Cave Creek Fire | 7/18/05 | 7N-4E-11 | 33 58 03 | 111 54 58 | 2960 | 1:45 |
| 5303 | Sun Valley at Northern | 8/2/05 | 3N-4W-32 | 33 33 12 | 112 40 41 | 1395 | 1:70 |
| 5638 | New River Fire | 7/18/05 | 7N-3E-04 | 33 58 33 | 112 03 38 | 2483 | 1:92 |

Granite Reef



Cave Creek Fire



Sun Valley at Northern



New River Fire



Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2005 -- Sorted by Sensor ID

| ID # | Gage Name | Installed | T-R-S | Latitude | Longitude | Elev. | Page #s |
|------|---|-----------|----------|----------|-----------|-------|--|
| 0773 | Tat Momolikot Dam | 1/21/98 | 9S-4E-30 | 32 30 46 | 111 57 06 | 1540 | 1:1 ; 2:1 ; 3:1 |
| 0778 | Gila @ Maricopa Rd | 4/9/95 | 3S-3E-13 | 33 10 19 | 112 00 20 | 1120 | 1:2 |
| 0783 | Gila R. @ Olberg | 4/12/95 | 4S-6E-12 | 33 05 15 | 111 41 11 | 1290 | 1:3 |
| 0788 | Santa Cruz @ SR 84 | 3/16/94 | 7S-5E-21 | 32 52 47 | 111 49 43 | 1311 | 1:4 |
| 0793 | Greene Wash @ SR 84 | 3/23/94 | 7S-4E-21 | 32 52 48 | 111 56 01 | 1350 | 1:5 |
| 0798 | Santa Rosa @ SR 84 | 3/16/94 | 7S-4E-20 | 32 52 49 | 111 56 46 | 1305 | 1:6 |
| 4523 | Salt R. @ Priest Dr. | 12/7/93 | 1N-4E-17 | 33 26 00 | 111 57 43 | 1133 | 1:7 |
| 4563 | Spookhill FRS | 3/13/84 | 2N-7E-31 | 33 28 01 | 111 40 48 | 1595 | 1:8 ; 2:2 ; 3:2 |
| 4568 | Granite Reef | 7/21/05 | 2N-7E-18 | 33 30 43 | 111 41 02 | 1330 | 1:9 |
| 4573 | Price Drain at Loop 202 | 2/18/01 | 1N-5E-18 | 33 26 04 | 111 53 25 | 1215 | 1:10 |
| 4588 | Reata Pass Wash | 5/15/01 | 4N-5E-17 | 33 41 52 | 111 51 51 | 2170 | 1:11 |
| 4603 | IBW nr McKellips Rd. | 5/21/85 | 1N-4E-11 | 33 26 58 | 111 54 58 | 1187 | 1:12 |
| 4613 | IBW @ Indian Bend Rd. | 9/28/83 | 2N-4E-11 | 33 32 01 | 111 54 48 | 1280 | 1:13 |
| 4618 | IBW @ Indian School Rd | 11/25/97 | 2N-4E-23 | 33 29 42 | 111 54 38 | 1235 | 1:14 |
| 4623 | IBW @ Interceptor | 4/21/94 | 2N-4E-12 | 33 32 00 | 111 53 55 | 1280 | 1:15 |
| 4628 | IBW @ McDonald | 11/24/97 | 2N-4E-11 | 33 31 26 | 111 54 33 | 1262 | 1:16 |
| 4638 | Tatum Wash Basin Inflow | 5/6/98 | 3N-4E-30 | 33 34 54 | 111 59 01 | 1397 | 1:17 |
| 4643 | IBW @ Sweetwater | 12/27/90 | 3N-3E-13 | 33 36 15 | 112 00 18 | 1400 | 1:18 |
| 4648 | East Fork CC #1 | 3/2/94 | 4N-3E-23 | 33 40 11 | 112 01 29 | 1515 | 1:19 ; 2:3 ; 3:3 |
| 4653 | Tatum Wash Basin | 5/8/98 | 3N-4E-30 | 33 34 57 | 111 58 58 | 1394 | 1:20 ; 2:4 ; 3:4 |
| 4658 | East Fork CC #4 | 1/18/94 | 4N-3E-25 | 33 38 55 | 112 00 35 | 1456 | 1:21 ; 2:5 ; 3:5 |
| 4668 | EFCC nr 7th Ave. | 5/21/97 | 3N-3E-05 | 33 37 40 | 112 04 49 | 1325 | 1:22 |
| 4678 | Lake Marguerite | 11/25/97 | 3N-4E-36 | 33 33 49 | 111 53 56 | 1325 | 1:23 |
| 4683 | East Fork CC #3 | 9/13/94 | 4N-3E-34 | 33 38 45 | 112 02 19 | 1456 | 1:24 ; 2:6 ; 3:6 |
| 4688 | Berneil Wash | 7/30/98 | 3N-4E-34 | 33 34 01 | 111 56 17 | 1320 | 1:25 |
| 4693 | IBW @ Shea | 6/9/98 | 3N-4E-29 | 33 34 55 | 111 58 03 | 1350 | 1:26 |
| 4748 | Old X-cut @ McDowell | 7/27/94 | 1N-4E-06 | 33 27 56 | 111 58 48 | 1250 | 1:27 |
| 4803 | Dreamy Draw Dam | 1/24/84 | 3N-3E-34 | 33 33 45 | 112 01 54 | 1407 | 1:28 ; 2:7 ; 3:7 |
| 4808 | ACDC @ 36th St. | 2/24/94 | 2N-3E-13 | 33 30 49 | 111 59 56 | 1260 | 1:29 |
| 4813 | ACDC @ 14th St. | 2/9/94 | 2N-3E-04 | 33 32 31 | 112 02 35 | 1230 | 1:30 |
| 4818 | 10th Street Wash Basin #1 | 11/26/96 | 3N-3E-28 | 33 34 47 | 112 03 14 | 1150 | 1:31 ; 2:8 ; 3:8 |
| 4823 | ACDC @ 43rd Ave. | 11/14/90 | 3N-2E-22 | 33 35 03 | 112 09 16 | 1225 | 1:32 |
| 4828 | Phoenix Basin #3 | 12/18/01 | 3N-3E-22 | 33 35 12 | 112 02 49 | 1356 | 1:33 ; 2:9 ; 3:9 |
| 4833 | Cave Creek @ Cactus | 6/27/91 | 3N-2E-13 | 33 35 59 | 112 06 39 | 1280 | 1:34 |
| 4848 | Phoenix East Park Dam | 11/28/01 | 3N-3E-29 | 33 34 45 | 112 04 37 | 1348 | 1:35 ; 2:10 ; 3:10 |
| 4853 | Phoenix Basin #7 | 12/19/01 | 3N-3E-17 | 33 36 04 | 112 04 21 | 1369 | 1:36 ; 2:11 ; 3:11 |
| 4858 | Phoenix West Park Dam | 11/29/01 | 3N-3E-20 | 33 35 23 | 112 04 55 | 1312 | 1:37 ; 2:12 ; 3:12 |
| 4863 | Rawhide Wash | 7/26/99 | 5N-4E-36 | 33 44 27 | 111 53 55 | 2205 | 1:38 |
| 4893 | Cave Creek | 5/29/03 | 6N-4E-29 | 33 49 48 | 111 58 04 | 1995 | 1:39 |
| 4899 | Cave Buttes Pool | 1/25/84 | 4N-3E-15 | 33 42 58 | 112 02 43 | 1649 | 2:13 ; 3:13 |
| 4903 | Cave Buttes Outlet | 1/25/84 | 4N-3E-15 | 33 42 58 | 112 02 43 | 1649 | 1:40 |
| 4913 | Stagecoach Wash | 6/13/01 | 5N-5E-06 | 33 48 42 | 111 53 27 | 2550 | 1:41 |
| 4918 | Cave Cr. nr Cave Cr. | 5/27/94 | 5N-3E-12 | 33 47 28 | 112 00 05 | 1800 | 1:42 |
| 4923 | Cave Cr.@ Spur Cross | 6/16/93 | 6N-4E-04 | 33 53 05 | 111 57 17 | 2280 | 1:43 |
| 4938 | Reata Pass Dam | 10/2/01 | 5N-5E-33 | 33 44 06 | 111 50 39 | 2600 | 1:44 ; 2:14 ; 3:14 |
| 4948 | Cave Creek Fire | 7/18/05 | 7N-4E-11 | 33 58 03 | 111 54 58 | 2960 | 1:45 |

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2005 -- Sorted by Sensor ID

| ID # | Gage Name | Installed | T-R-S | Latitude | Longitude | Elev. | Page #s |
|------|---|-----------|-----------|----------|-----------|-------|--|
| 4963 | Seven Springs Wash | 3/12/02 | 7N-5E-09 | 33 57 39 | 111 50 45 | 3470 | 1:46 |
| 5013 | Columbus Wash | 9/22/99 | 4S-10W-06 | 33 06 27 | 113 19 57 | 685 | 1:47 |
| 5033 | Copper Wash | 2/22/01 | 2S-10W-33 | 33 12 17 | 113 17 07 | 1070 | 1:48 |
| 5043 | Fourth of July Wash | 3/14/02 | 2S-9W-01 | 33 16 39 | 113 07 48 | 1110 | 1:49 |
| 5078 | Cruff Wash | 5/14/02 | 2S-6W-20 | 33 14 46 | 112 53 41 | 968 | 1:50 |
| 5093 | Centennial @ Wenden | 9/16/98 | 6N-12W-32 | 33 49 30 | 113 31 55 | 1860 | 1:51 |
| 5103 | Centennial Railroad | 2/9/90 | 1S-6W-28 | 33 18 35 | 112 52 56 | 850 | 1:52 |
| 5108 | Delaney Wash | 12/21/99 | 2N-7W-34 | 33 28 11 | 112 58 30 | 1110 | 1:53 |
| 5113 | Saddleback FRS | 12/16/88 | 2N-10W-34 | 33 27 55 | 113 04 21 | 1177 | 1:54 ; 2:15 ; 3:15 |
| 5118 | Winters Wash | 7/11/00 | 2N-6W-18 | 33 30 33 | 112 54 44 | 1125 | 1:55 |
| 5123 | Centennial Levee | 7/9/03 | 2N-10W-17 | 33 31 10 | 113 15 38 | 1280 | 1:56 |
| 5128 | Harquahala FRS | 3/1/94 | 2N-8W-05 | 33 32 56 | 113 05 47 | 1420 | 1:57 ; 2:16 ; 3:16 |
| 5163 | Tiger Wash | 9/15/99 | 5N-10W-26 | 33 45 30 | 113 16 43 | 1960 | 1:58 |
| 5178 | Centennial nr Aguila | 6/5/01 | 7N-8W-11 | 33 58 02 | 113 04 09 | 2340 | 1:59 |
| 5203 | Buckeye FRS #1 | 7/26/83 | 1N-5W-03 | 33 27 31 | 112 45 02 | 1097 | 1:60 ; 2:17 ; 3:17 |
| 5208 | Buckeye FRS #2 | 11/11/92 | 1N-3W-07 | 33 26 26 | 112 35 47 | 1150 | 1:61 ; 2:18 ; 3:18 |
| 5218 | Jackrabbit Wash | 10/31/00 | 4N-6W-04 | 33 42 57 | 112 52 54 | 2130 | 1:62 |
| 5223 | Hassy R. nr Morristown | 5/7/96 | 6N-4W-03 | 33 53 05 | 112 39 42 | 1830 | 1:63 |
| 5228 | Hassy R. @ US 60 | 3/14/94 | 7N-5W-12 | 33 58 13 | 112 43 31 | 2035 | 1:64 |
| 5233 | Sunset FRS | 2/12/89 | 7N-5W-11 | 33 57 50 | 112 44 33 | 2100 | 1:65 ; 2:19 ; 3:19 |
| 5248 | Sunnycove FRS | 7/31/86 | 7N-5W-11 | 33 57 25 | 112 44 24 | 2200 | 1:66 ; 2:20 ; 3:20 |
| 5273 | Box Wash | 3/11/03 | 6N-5W-20 | 33 50 57 | 112 47 57 | 2260 | 1:67 |
| 5276 | Sols Wash at SR 71 | 9/10/01 | 9N-7W-14 | 34 07 07 | 112 57 45 | 2740 | 1:68 |
| 5283 | Hassy R. @ I-10 | 11/9/94 | 1N-5W-03 | 33 27 27 | 112 45 43 | 1035 | 1:69 |
| 5303 | Sun Valley at Northern | 8/2/05 | 3N-4W-32 | 33 33 12 | 112 40 41 | 1395 | 1:70 |
| 5308 | Hassy R. @ Box Canyon | 11/17/83 | 8N-4W-07 | 34 02 41 | 112 42 32 | 2245 | 1:71 |
| 5352 | Hassy R. @ Wagoner Rd. | 9/26/91 | 11N-3W-09 | 34 18 38 | 112 34 05 | 3785 | 1:72 |
| 5403 | Agua Fria @ Buckeye | 10/12/88 | 1N-1W-14 | 33 26 05 | 112 19 55 | 940 | 1:73 |
| 5408 | Colter @ El Mirage | 6/29/94 | 2N-1W-13 | 33 30 28 | 112 19 24 | 1025 | 1:74 |
| 5413 | Dysart Drain @ LAFB | 8/22/96 | 2N-1W-03 | 33 32 38 | 112 20 59 | 1090 | 1:75 |
| 5418 | White Tanks 3 | 3/12/86 | 2N-2W-09 | 33 32 01 | 112 28 14 | 1190 | 1:76 ; 2:21 ; 3:21 |
| 5422 | Dysart Chnl @ El Mirage | 3/7/97 | 2N-1W-01 | 33 32 36 | 112 19 24 | 1023 | 1:77 |
| 5428 | Ford Canyon Wash | 2/5/02 | 3N-2W-18 | 33 35 48 | 112 29 57 | 1468 | 1:78 |
| 5438 | McMicken Floodway | 9/3/92 | 4N-1E-18 | 33 41 04 | 112 24 24 | 1337 | 1:79 |
| 5443 | McMicken Dam South | 2/13/02 | 3N-2W-21 | 33 35 13 | 112 28 37 | 1343 | 2:22 ; 3:22 |
| 5448 | McMicken Dam | 3/24/83 | 4N-2W-24 | 33 40 38 | 112 25 23 | 1361 | 1:80 ; 2:23 ; 3:23 |
| 5488 | Upper Trilby Wash | 9/26/01 | 7N-3W-12 | 33 57 39 | 112 31 43 | 3040 | 1:81 |
| 5503 | Agua Fria @ Grand Ave. | 4/27/94 | 3N-1E-18 | 33 36 26 | 112 18 16 | 1125 | 1:82 |
| 5508 | New River @ Glendale | 3/21/90 | 3N-1E-08 | 33 32 14 | 112 17 00 | 1050 | 1:83 |
| 5523 | ACDC @ 67th Ave. | 6/7/90 | 3N-1E-12 | 33 37 26 | 112 12 10 | 1220 | 1:84 |
| 5534 | Adobe Dam Pool | 10/28/82 | 4N-2E-21 | 33 40 37 | 112 09 12 | 1413 | 2:24 ; 3:24 |
| 5538 | Adobe Dam Outlet | 10/28/82 | 4N-2E-21 | 33 40 37 | 112 09 12 | 1413 | 1:85 |
| 5543 | Scatter Wash | 9/18/96 | 4N-2E-27 | 33 40 09 | 112 08 25 | 1340 | 1:86 |
| 5568 | Skunk Creek @ I-17 | 10/26/89 | 5N-2E-35 | 33 43 47 | 112 07 21 | 1475 | 1:87 |
| 5583 | Cline Creek | 11/20/01 | 7N-3E-33 | 33 54 03 | 112 03 19 | 2171 | 1:88 |
| 5588 | Skunk Cr. nr New R. | 6/21/95 | 7N-3E-29 | 33 55 34 | 112 04 56 | 1854 | 1:89 |

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2005 -- Sorted by Sensor ID

| ID # | Gage Name | Installed | T-R-S | Latitude | Longitude | Elev. | Page #s |
|------|--|-----------|-----------|----------|-----------|-------|---|
| 5598 | New River @ Bell Rd. | 4/4/90 | 3N-1E-03 | 33 38 18 | 112 14 27 | 1200 | 1:90 |
| 5609 | New River Pool | 4/15/86 | 5N-1E-35 | 33 44 09 | 112 13 31 | 1498 | 2:25 ; 3:25 |
| 5613 | New River Outlet | 4/15/86 | 5N-1E-35 | 33 44 09 | 112 13 31 | 1498 | 1:91 |
| 5638 | New River Fire | 7/20/05 | 7N-3E-04 | 33 58 33 | 112 03 38 | 2483 | 1:92 |
| 5923 | McDowell Mountain Road | 5/18/04 | 4N-6E-26 | 33 39 24 | 111 42 23 | 1620 | 1:93 |
| 5968 | Stoneridge Dam | 12/11/96 | 3N-6E-22 | 33 35 41 | 111 43 57 | 1710 | 1:94 ; 2:26 ; 3:26 |
| 5973 | Sunridge Canyon Dam | 2/4/97 | 3N-6E-16 | 33 36 23 | 111 45 01 | 1932 | 1:95 ; 2:27 ; 3:27 |
| 5978 | Golden Eagle Park Dam | 12/12/96 | 3N-6E-10 | 33 37 08 | 111 44 04 | 1722 | 1:96 ; 2:28 ; 3:28 |
| 5983 | North Heights Dam | 10/11/96 | 3N-6E-09 | 33 37 17 | 111 44 52 | 1819 | 1:97 ; 2:29 ; 3:29 |
| 5988 | Aspen Dam | 1/2/97 | 3N-6E-04 | 33 37 34 | 111 44 41 | 1840 | 1:98 ; 2:30 ; 3:30 |
| 5993 | Hesperus Dam | 12/18/96 | 3N-6E-04 | 33 38 11 | 111 44 44 | 1894 | 1:99 ; 2:31 ; 3:31 |
| 6503 | Guadalupe FRS | 6/29/89 | 1S-4E-05 | 33 22 16 | 111 58 10 | 1250 | 1:100 ; 2:32 ; 3:32 |
| 6563 | South Mountain Fan | 6/9/93 | 1S-2E-26 | 33 18 56 | 112 07 59 | 1420 | 1:101 |
| 6573 | EMF @ Broadway | 8/10/89 | 1N-6E-26 | 33 24 21 | 111 42 42 | 1349 | 1:102 |
| 6583 | EMF @ Queen Creek Rd. | 1/18/89 | 2S-6E-15 | 33 15 50 | 111 43 35 | 1317 | 1:103 |
| 6598 | EMF @ Arizona Ave. | 2/10/89 | 3S-5E-15 | 33 09 57 | 111 49 56 | 1214 | 1:104 |
| 6603 | Guadalupe Channel | 8/07/98 | 1S-7E-06 | 33 21 55 | 111 40 32 | 1345 | 1:105 |
| 6608 | Freestone Park Basin | 12/19/95 | 1S-6E-08 | 33 21 28 | 111 46 19 | 1450 | 2:33 ; 3:33 |
| 6623 | Crossroads Park Basin | 12/18/95 | 1S-6E-21 | 33 19 39 | 111 44 40 | 1270 | 2:34 ; 3:34 |
| 6628 | Signal Butte FRS | 11/10/87 | 1N-7E-12 | 33 26 25 | 111 35 25 | 1650 | 1:106 ; 2:35 ; 3:35 |
| 6673 | Apache Junction FRS | 12/16/81 | 1N-8E-08 | 33 26 28 | 111 33 07 | 1989 | 1:107 ; 2:36 ; 3:36 |
| 6683 | Powerline FRS | 12/3/92 | 1S-8E-09 | 33 21 22 | 111 32 14 | 1580 | 1:108 ; 2:37 ; 3:37 |
| 6688 | Vineyard FRS | 11/2/83 | 1S-8E-09 | 33 21 10 | 111 32 06 | 1582 | 1:109 ; 2:38 ; 3:38 |
| 6703 | Rittenhouse FRS | 9/27/88 | 2S-8E-02 | 33 17 22 | 111 29 49 | 1580 | 1:110 ; 2:39 ; 3:39 |
| 6707 | Queen Ck @ Rittenhouse | 9/14/93 | 2S-7E-25 | 33 13 50 | 111 35 41 | 1400 | 1:111 |
| 6723 | Queen Creek at CAP | 1/14/99 | 2S-8E-26 | 33 12 22 | 111 30 15 | 1565 | 1:112 |
| 6739 | Whitlow Ranch Dam | 1/8/98 | 1S-10E-36 | 33 17 55 | 111 16 35 | 2199 | 1:113 ; 2:40 ; 3:40 |
| 6813 | Buckeye FRS #3 | 11/23/92 | 1N-3W-10 | 33 26 49 | 112 33 20 | 1200 | 1:114 ; 2:41 ; 3:41 |
| 6823 | White Tanks FRS #4 | 1/9/86 | 1N-2W-05 | 33 27 04 | 112 29 40 | 1044 | 1:115 ; 2:42 ; 3:42 |
| 6833 | Waterman at Rainbow | 3/18/99 | 2S-2W-14 | 33 15 40 | 112 26 38 | 1085 | 1:116 |
| 6848 | Gila @ 116th Ave. | 12/16/98 | 1N-1W-36 | 33 23 24 | 112 18 28 | 940 | 1:117 |
| 6853 | Gila @ Estrella Pkwy. | 12/2/92 | 1N-1W-31 | 33 23 19 | 112 23 33 | 900 | 1:118 |
| 6863 | Bullard Wash | 3/30/00 | 1N-1W-29 | 33 23 47 | 112 23 16 | 920 | 1:119 |
| 6893 | Estrella Fan | 4/30/93 | 2S-1W-12 | 33 16 02 | 112 18 53 | 1425 | 1:120 |
| 6923 | Sauceda Wash | 2/28/90 | 6S-5W-04 | 32 52 27 | 112 44 57 | 726 | 1:121 |
| 6933 | Sand Tank Wash at I-8 | 5/31/01 | 6S-4W-06 | 32 55 59 | 112 42 20 | 775 | 1:122 |
| 6953 | Rainbow Wash at SR 85 | 11/06/00 | 2S-4W-23 | 33 14 08 | 112 38 22 | 900 | 1:123 |
| 6963 | Bender Wash | 5/12/04 | 6S-3W-15 | 32 54 24 | 112 33 06 | 1200 | 1:124 |
| 6983 | Vekol Wash | 3/7/90 | 7S-1E-03 | 32 50 30 | 112 14 58 | 1720 | 1:125 |
| 7013 | Martinez Creek | 11/23/94 | 8N-5W-17 | 34 01 44 | 112 47 30 | 2300 | 1:126 |
| 7028 | Sols Trib near US 93 | 1/30/02 | 8N-6W-11 | 34 03 10 | 112 50 59 | 2580 | 1:127 |
| 7043 | Sols Wash nr Matthie | 8/4/95 | 8N-5W-32 | 33 59 14 | 112 47 33 | 2220 | 1:128 |
| 7063 | Hartman Wash | 7/6/94 | 7N-5W-12 | 33 57 45 | 112 49 42 | 2488 | 1:129 |
| 7083 | Flying E Wash | 7/12/94 | 7N-5W-09 | 33 57 44 | 112 46 55 | 2302 | 1:130 |
| 7093 | Casandro Wash | 7/12/94 | 7N-5W-10 | 33 57 44 | 112 45 55 | 2240 | 1:131 |
| 7113 | Powder House Wash | 5/18/95 | 7N-4W-06 | 33 58 50 | 112 42 59 | 2120 | 1:132 |

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2005 -- Sorted by Sensor ID

| ID # | Gage Name | Installed | T-R-S | Latitude | Longitude | Elev. | Page #s |
|-------------|--------------------------------|------------------|--------------|-----------------|------------------|--------------|---|
| 7133 | Casandro Dam | 8/15/96 | 7N-5W-11 | 33 57 57 | 112 45 01 | 2163 | 1:133 ; 2:43 ; 3:43 |
| 7168 | Antelope Creek | 7/9/03 | 8N-5W-09 | 34 02 56 | 112 46 46 | 2470 | 1:134 |

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2005 – Sorted by Name

| ID # | Gage Name | Installed | T-R-S | Latitude | Longitude | Elev. | Page #s |
|------|---|-----------|-----------|----------|-----------|-------|---|
| 4818 | 10th Street Wash Basin #1 | 11/26/96 | 3N-3E-28 | 33 34 47 | 112 03 14 | 1150 | 1:31 ; 2:8 ; 3:8 |
| 4813 | ACDC @ 14th St. | 2/9/94 | 2N-3E-04 | 33 32 31 | 112 02 35 | 1230 | 1:30 |
| 4808 | ACDC @ 36th St. | 2/24/94 | 2N-3E-13 | 33 30 49 | 111 59 56 | 1260 | 1:29 |
| 4823 | ACDC @ 43rd Ave. | 11/14/90 | 3N-2E-22 | 33 35 03 | 112 09 16 | 1225 | 1:32 |
| 5523 | ACDC @ 67th Ave. | 6/7/90 | 3N-1E-12 | 33 37 26 | 112 12 10 | 1220 | 1:84 |
| 5538 | Adobe Dam Outlet | 10/28/82 | 4N-2E-21 | 33 40 37 | 112 09 12 | 1413 | 1:85 |
| 5534 | Adobe Dam Pool | 10/28/82 | 4N-2E-21 | 33 40 37 | 112 09 12 | 1413 | 2:24 ; 3:24 |
| 5403 | Agua Fria @ Buckeye | 10/12/88 | 1N-1W-14 | 33 26 05 | 112 19 55 | 940 | 1:73 |
| 5503 | Agua Fria @ Grand Ave. | 4/27/94 | 3N-1E-18 | 33 36 26 | 112 18 16 | 1125 | 1:82 |
| 7168 | Antelope Creek | 7/9/03 | 8N-5W-09 | 34 02 56 | 112 46 46 | 2470 | 1:134 |
| 6673 | Apache Junction FRS | 12/16/81 | 1N-8E-08 | 33 26 28 | 111 33 07 | 1989 | 1:107 ; 2:36 ; 3:36 |
| 5988 | Aspen Dam | 1/2/97 | 3N-6E-04 | 33 37 34 | 111 44 41 | 1840 | 1:98 ; 2:30 ; 3:30 |
| 6963 | Bender Wash | 5/12/04 | 6S-3W-15 | 32 54 24 | 112 33 06 | 1200 | 1:124 |
| 4688 | Berneil Wash | 7/30/98 | 3N-4E-34 | 33 34 01 | 111 56 17 | 1320 | 1:25 |
| 5273 | Box Wash | 3/12/03 | 6N-5W-20 | 33 50 57 | 112 47 57 | 2260 | 1:67 |
| 5203 | Buckeye FRS #1 | 7/26/83 | 1N-5W-03 | 33 27 31 | 112 45 02 | 1097 | 1:60 ; 2:17 ; 3:17 |
| 5208 | Buckeye FRS #2 | 11/11/92 | 1N-3W-07 | 33 26 26 | 112 35 47 | 1150 | 1:61 ; 2:18 ; 3:18 |
| 6813 | Buckeye FRS #3 | 11/23/92 | 1N-3W-10 | 33 26 49 | 112 33 20 | 1200 | 1:114 ; 2:41 ; 3:41 |
| 6863 | Bullard Wash | 3/30/00 | 1N-1W-29 | 33 23 47 | 112 23 16 | 920 | 1:119 |
| 7133 | Casandro Dam | 8/15/96 | 7N-5W-11 | 33 57 57 | 112 45 01 | 2163 | 1:133 ; 2:43 ; 3:43 |
| 7093 | Casandro Wash | 7/12/94 | 7N-5W-10 | 33 57 44 | 112 45 55 | 2240 | 1:131 |
| 4903 | Cave Buttes Outlet | 1/25/84 | 4N-3E-15 | 33 42 58 | 112 02 43 | 1649 | 1:40 |
| 4899 | Cave Buttes Pool | 1/25/84 | 4N-3E-15 | 33 42 58 | 112 02 43 | 1649 | 2:13 ; 3:13 |
| 4893 | Cave Creek | 5/28/03 | 6N-4E-29 | 33 49 48 | 111 58 04 | 1995 | 1:39 |
| 4948 | Cave Creek Fire | 7/18/05 | 7N-4E-11 | 33 58 03 | 111 54 58 | 2960 | 1:45 |
| 4918 | Cave Cr. nr Cave Cr. | 5/27/94 | 5N-3E-12 | 33 47 28 | 112 00 05 | 1800 | 1:42 |
| 4923 | Cave Cr. @ Spur Cross | 6/16/93 | 6N-4E-04 | 33 53 05 | 111 57 17 | 2280 | 1:43 |
| 4833 | Cave Creek @ Cactus | 6/27/91 | 3N-2E-13 | 33 35 59 | 112 06 39 | 1280 | 1:34 |
| 5123 | Centennial Levee | 7/9/03 | 2N-10W-17 | 33 31 10 | 113 15 38 | 1280 | 1:56 |
| 5178 | Centennial nr Aguila | 6/5/01 | 7N-8W-11 | 33 58 02 | 113 04 09 | 2340 | 1:59 |
| 5093 | Centennial @ Wenden | 9/16/98 | 6N-12W-32 | 33 49 30 | 113 31 55 | 1860 | 1:51 |
| 5103 | Centennial Railroad | 2/9/90 | 1S-6W-28 | 33 18 35 | 112 52 56 | 850 | 1:52 |
| 5583 | Cline Creek | 11/20/01 | 7N-3E-33 | 33 54 03 | 112 03 19 | 2171 | 1:88 |
| 5408 | Colter @ El Mirage | 6/29/94 | 2N-1W-13 | 33 30 28 | 112 19 24 | 1025 | 1:74 |
| 5013 | Columbus Wash | 9/22/99 | 4S-10W-06 | 33 06 27 | 113 19 57 | 685 | 1:47 |
| 5033 | Copper Wash | 2/22/01 | 2S-10W-33 | 33 12 17 | 113 17 07 | 1070 | 1:48 |
| 6623 | Crossroads Park Basin | 12/18/95 | 1S-6E-21 | 33 19 39 | 111 44 40 | 1270 | 2:34 ; 3:34 |
| 5078 | Cruff Wash | 5/14/02 | 2S-6W-20 | 33 14 46 | 112 53 41 | 968 | 1:50 |
| 5108 | Delaney Wash | 12/21/99 | 2N-7W-34 | 33 28 11 | 112 58 30 | 1110 | 1:53 |
| 4803 | Dreamy Draw Dam | 1/24/84 | 3N-3E-34 | 33 33 45 | 112 01 54 | 1407 | 1:28 ; 2:7 ; 3:7 |
| 5422 | Dysart Chnl @ El Mirage | 3/7/97 | 2N-1W-01 | 33 32 36 | 112 19 24 | 1023 | 1:77 |
| 5413 | Dysart Drain @ LAFB | 8/22/96 | 2N-1W-03 | 33 32 38 | 112 20 59 | 1090 | 1:75 |
| 4648 | East Fork CC #1 | 3/2/94 | 4N-3E-23 | 33 40 11 | 112 01 29 | 1515 | 1:19 ; 2:3 ; 3:3 |
| 4683 | East Fork CC #3 | 9/13/94 | 4N-3E-34 | 33 38 45 | 112 02 19 | 1456 | 1:24 ; 2:6 ; 3:6 |
| 4658 | East Fork CC #4 | 1/18/94 | 4N-3E-25 | 33 38 55 | 112 00 35 | 1456 | 1:21 ; 2:5 ; 3:5 |
| 4668 | EFCC nr 7th Ave. | 5/21/97 | 3N-3E-05 | 33 37 40 | 112 04 49 | 1325 | 1:22 |

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2005 – Sorted by Name

| ID # | Gage Name | Installed | T-R-S | Latitude | Longitude | Elev. | Page #s |
|------|--|-----------|-----------|----------|-----------|-------|-----------------------------------|
| 6598 | EMF @ Arizona Ave. | 2/10/89 | 3S-5E-15 | 33 09 57 | 111 49 56 | 1214 | 1:104 |
| 6573 | EMF @ Broadway | 8/10/89 | 1N-6E-26 | 33 24 21 | 111 42 42 | 1349 | 1:102 |
| 6583 | EMF @ Queen Creek Rd. | 1/18/89 | 2S-6E-15 | 33 15 50 | 111 43 35 | 1317 | 1:103 |
| 6893 | Estrella Fan | 4/30/93 | 2S-1W-12 | 33 16 02 | 112 18 53 | 1425 | 1:120 |
| 7083 | Flying E Wash | 7/12/94 | 7N-5W-09 | 33 57 44 | 112 46 55 | 2302 | 1:130 |
| 5043 | Fourth of July Wash | 3/14/02 | 2S-9W-01 | 33 16 39 | 113 07 48 | 1110 | 1:49 |
| 5428 | Ford Canyon Wash | 3/12/02 | 3N-2W-18 | 33 35 48 | 112 29 57 | 1468 | 1:78 |
| 6608 | Freestone Park Basin | 12/19/95 | 1S-6E-08 | 33 21 28 | 111 46 19 | 1450 | 2:33; 3:33 |
| 6848 | Gila @ 116th Ave. | 12/16/98 | 1N-1W-36 | 33 23 24 | 112 18 28 | 940 | 1:117 |
| 6853 | Gila @ Estrella Pkwy. | 12/2/92 | 1N-1W-31 | 33 23 19 | 112 23 33 | 900 | 1:118 |
| 0778 | Gila @ Maricopa Rd | 4/9/95 | 3S-3E-13 | 33 10 19 | 112 00 20 | 1120 | 1:2 |
| 0783 | Gila R. @ Olberg | 4/12/95 | 4S-6E-12 | 33 05 15 | 111 41 11 | 1290 | 1:3 |
| 5978 | Golden Eagle Park Dam | 12/12/96 | 3N-6E-10 | 33 37 08 | 111 44 04 | 1722 | 1:96; 2:28; 3:28 |
| 4568 | Granite Reef | 7/21/05 | 2N-7E-18 | 33 30 43 | 111 41 02 | 1330 | 1:9 |
| 0793 | Greene Wash @ SR 84 | 3/23/94 | 7S-4E-21 | 32 52 48 | 111 56 01 | 1350 | 1:5 |
| 6603 | Guadalupe Channel | 8/07/98 | 1S-7E-06 | 33 21 55 | 111 40 32 | 1345 | 1:105 |
| 6503 | Guadalupe FRS | 6/29/89 | 1S-4E-05 | 33 22 16 | 111 58 10 | 1250 | 1:100; 2:32; 3:32 |
| 5128 | Harquahala FRS | 3/1/94 | 2N-8W-05 | 33 32 56 | 113 05 47 | 1420 | 1:57; 2:16; 3:16 |
| 7063 | Hartman Wash | 7/6/94 | 7N-5W-12 | 33 57 45 | 112 49 42 | 2488 | 1:129 |
| 5308 | Hassy R. @ Box Canyon | 11/17/83 | 8N-4W-07 | 34 02 41 | 112 42 32 | 2245 | 1:71 |
| 5283 | Hassy R. @ I-10 | 11/9/94 | 1N-5W-03 | 33 27 27 | 112 45 43 | 1035 | 1:69 |
| 5228 | Hassy R. @ US 60 | 3/14/94 | 7N-5W-12 | 33 58 13 | 112 43 31 | 2035 | 1:64 |
| 5352 | Hassy R. @ Wagoner Rd. | 9/26/91 | 11N-3W-09 | 34 18 38 | 112 34 05 | 3785 | 1:72 |
| 5223 | Hassy R. nr Morristown | 5/7/96 | 6N-4W-03 | 33 53 05 | 112 39 42 | 1830 | 1:63 |
| 5993 | Hesperus Dam | 12/18/96 | 3N-6E-04 | 33 38 11 | 111 44 44 | 1894 | 1:99; 2:31; 3:31 |
| 4613 | IBW @ Indian Bend Rd. | 9/28/83 | 2N-4E-11 | 33 32 01 | 111 54 48 | 1280 | 1:13 |
| 4618 | IBW @ Indian School Rd | 11/25/97 | 2N-4E-23 | 33 29 42 | 111 54 38 | 1235 | 1:14 |
| 4623 | IBW @ Interceptor | 4/21/94 | 2N-4E-12 | 33 32 00 | 111 53 55 | 1280 | 1:15 |
| 4628 | IBW @ McDonald | 11/24/97 | 2N-4E-11 | 33 31 26 | 111 54 33 | 1262 | 1:16 |
| 4693 | IBW @ Shea | 6/9/98 | 3N-4E-29 | 33 34 55 | 111 58 03 | 1350 | 1:26 |
| 4643 | IBW @ Sweetwater | 12/27/90 | 3N-3E-13 | 33 36 15 | 112 00 18 | 1400 | 1:18 |
| 4603 | IBW near McKellips Rd. | 5/21/85 | 1N-4E-11 | 33 26 58 | 111 54 58 | 1187 | 1:12 |
| 5218 | Jackrabbit Wash | 10/31/00 | 4N-6W-04 | 33 42 57 | 112 52 54 | 2130 | 1:62 |
| 4678 | Lake Marguerite | 11/25/97 | 3N-4E-36 | 33 33 49 | 111 53 56 | 1325 | 1:23 |
| 7013 | Martinez Creek | 11/23/94 | 8N-5W-17 | 34 01 44 | 112 47 30 | 2300 | 1:126 |
| 5923 | McDowell Mountain Road | 5/18/04 | 4N-6E-26 | 33 39 24 | 111 42 23 | 1620 | 1:93 |
| 5448 | McMicken Dam | 3/24/83 | 4N-2W-24 | 33 40 38 | 112 25 23 | 1361 | 1:80; 2:23; 3:23 |
| 5443 | McMicken Dam South | 2/13/02 | 3N-2W-21 | 33 35 13 | 112 28 37 | 1343 | 2:22; 3:22 |
| 5438 | McMicken Floodway | 9/3/92 | 4N-1E-18 | 33 41 04 | 112 24 24 | 1337 | 1:79 |
| 5598 | New River @ Bell Rd. | 4/4/90 | 3N-1E-03 | 33 38 18 | 112 14 27 | 1200 | 1:90 |
| 5508 | New River @ Glendale | 3/21/90 | 3N-1E-08 | 33 32 14 | 112 17 00 | 1050 | 1:83 |
| 5638 | New River Fire | 7/20/05 | 7N-3E-04 | 33 58 33 | 112 03 38 | 2483 | 1:92 |
| 5613 | New River Outlet | 4/15/86 | 5N-1E-35 | 33 44 09 | 112 13 31 | 1498 | 1:91 |
| 5609 | New River Pool | 4/15/86 | 5N-1E-35 | 33 44 09 | 112 13 31 | 1498 | 2:25; 3:25 |
| 5983 | North Heights Dam | 10/11/96 | 3N-6E-09 | 33 37 17 | 111 44 52 | 1819 | 1:97; 2:29; 3:29 |
| 4748 | Old X-cut @ McDowell | 7/27/94 | 1N-4E-06 | 33 27 56 | 111 58 48 | 1250 | 1:27 |

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2005 – Sorted by Name

| ID # | Gage Name | Installed | T-R-S | Latitude | Longitude | Elev. | Page #s |
|------|---|-----------|-----------|----------|-----------|-------|---|
| 4828 | Phoenix Basin #3 | 12/18/01 | 3N-3E-22 | 33 35 12 | 112 02 49 | 1356 | 1:33 ; 2:9 ; 3:9 |
| 4848 | Phoenix East Park Dam | 11/28/01 | 3N-3E-29 | 33 34 45 | 112 04 37 | 1348 | 1:35 ; 2:10 ; 3:10 |
| 4853 | Phoenix Basin #7 | 12/19/01 | 3N-3E-17 | 33 36 04 | 112 04 21 | 1369 | 1:36 ; 2:11 ; 3:11 |
| 4858 | Phoenix West Park Dam | 11/29/01 | 3N-3E-20 | 33 35 23 | 112 04 55 | 1312 | 1:37 ; 2:12 ; 3:12 |
| 7113 | Powder House Wash | 5/18/95 | 7N-4W-06 | 33 58 50 | 112 42 59 | 2120 | 1:132 |
| 6683 | Powerline FRS | 12/3/92 | 1S-8E-09 | 33 21 22 | 111 32 14 | 1580 | 1:108 ; 2:37 ; 3:37 |
| 4573 | Price Drain at Loop 202 | 2/18/01 | 1N-5E-18 | 33 26 04 | 111 53 25 | 1215 | 1:10 |
| 6707 | Queen Ck @ Rittenhouse | 9/14/93 | 2S-7E-25 | 33 13 50 | 111 35 41 | 1400 | 1:111 |
| 6723 | Queen Creek at CAP | 1/14/99 | 2S-8E-26 | 33 12 22 | 111 30 15 | 1565 | 1:112 |
| 6953 | Rainbow Wash at SR 85 | 11/06/00 | 2S-4W-23 | 33 14 08 | 112 38 22 | 900 | 1:123 |
| 4863 | Rawhide Wash | 7/26/99 | 5N-4E-36 | 33 44 27 | 111 53 55 | 2205 | 1:38 |
| 4938 | Reata Pass Dam | 10/2/01 | 5N-5E-33 | 33 44 06 | 111 50 39 | 2600 | 1:44 ; 2:14 ; 3:14 |
| 4588 | Reata Pass Wash | 5/15/01 | 4N-5E-17 | 33 41 52 | 111 51 51 | 2170 | 1:11 |
| 6703 | Rittenhouse FRS | 9/27/88 | 2S-8E-02 | 33 17 22 | 111 29 49 | 1580 | 1:110 ; 2:39 ; 3:39 |
| 5113 | Saddleback FRS | 12/16/88 | 2N-10W-34 | 33 27 55 | 113 04 21 | 1177 | 1:54 ; 2:15 ; 3:15 |
| 4523 | Salt R. @ Priest Dr. | 12/7/93 | 1N-4E-17 | 33 26 00 | 111 57 43 | 1133 | 1:7 |
| 6933 | Sand Tank Wash at I-8 | 5/31/01 | 6S-4W-06 | 32 55 59 | 112 42 20 | 775 | 1:122 |
| 0788 | Santa Cruz @ SR 84 | 3/16/94 | 7S-5E-21 | 32 52 47 | 111 49 43 | 1311 | 1:4 |
| 0798 | Santa Rosa @ SR 84 | 3/16/94 | 7S-4E-20 | 32 52 49 | 111 56 46 | 1305 | 1:6 |
| 6923 | Sauceda Wash | 2/28/90 | 6S-5W-04 | 32 52 27 | 112 44 57 | 726 | 1:121 |
| 5543 | Scatter Wash | 9/18/96 | 4N-2E-27 | 33 40 09 | 112 08 25 | 1340 | 1:86 |
| 4963 | Seven Springs Wash | 3/12/02 | 7N-5E-09 | 33 57 39 | 111 50 45 | 3470 | 1:46 |
| 6628 | Signal Butte FRS | 11/10/87 | 1N-7E-12 | 33 26 25 | 111 35 25 | 1650 | 1:106 ; 2:35 ; 3:35 |
| 5588 | Skunk Crk nr New River | 6/21/95 | 7N-3E-29 | 33 55 34 | 112 04 56 | 1854 | 1:89 |
| 5568 | Skunk Creek @ I-17 | 10/26/89 | 5N-2E-35 | 33 43 47 | 112 07 21 | 1475 | 1:87 |
| 7028 | Sols Trib near US 93 | 1/30/02 | 8N-6W-11 | 34 03 10 | 112 50 59 | 2580 | 1:127 |
| 5276 | Sols Wash at SR 71 | 9/10/01 | 9N-7W-14 | 34 07 07 | 112 57 45 | 2740 | 1:68 |
| 7043 | Sols Wash nr Matthie | 8/4/95 | 8N-5W-32 | 33 59 14 | 112 47 33 | 2220 | 1:128 |
| 6563 | South Mountain Fan | 6/9/93 | 1S-2E-26 | 33 18 56 | 112 07 59 | 1420 | 1:101 |
| 4563 | Spookhill FRS | 3/13/84 | 2N-7E-31 | 33 28 01 | 111 40 48 | 1595 | 1:8 ; 2:2 ; 3:2 |
| 4913 | Stagecoach Wash | 6/13/01 | 5N-5E-06 | 33 48 42 | 111 53 27 | 2550 | 1:41 |
| 5968 | Stoneridge Dam | 12/11/96 | 3N-6E-22 | 33 35 41 | 111 43 57 | 1710 | 1:94 ; 2:26 ; 3:26 |
| 5303 | Sun Valley at Northern | 8/2/05 | 3N-4W-32 | 33 33 12 | 112 40 41 | 1395 | 1:70 |
| 5248 | Sunnycove FRS | 7/31/86 | 7N-5W-11 | 33 57 25 | 112 44 24 | 2200 | 1:66 ; 2:20 ; 3:20 |
| 5973 | Sunridge Canyon Dam | 2/4/97 | 3N-6E-16 | 33 36 23 | 111 45 01 | 1932 | 1:95 ; 2:27 ; 3:27 |
| 5233 | Sunset FRS | 2/12/89 | 7N-5W-11 | 33 57 50 | 112 44 33 | 2100 | 1:65 ; 2:19 ; 3:19 |
| 0773 | Tat Momolikot Dam | 1/21/98 | 9S-4E-30 | 32 30 46 | 111 57 06 | 1540 | 1:1 ; 2:1 ; 3:1 |
| 4653 | Tatum Wash Basin | 5/8/98 | 3N-4E-30 | 33 34 57 | 111 58 58 | 1394 | 1:20 ; 2:4 ; 3:4 |
| 4638 | Tatum Wash Basin Inflow | 5/6/98 | 3N-4E-30 | 33 34 54 | 111 59 01 | 1397 | 1:17 |
| 5163 | Tiger Wash | 9/15/99 | 5N-10W-26 | 33 45 30 | 113 16 43 | 1960 | 1:58 |
| 5488 | Upper Trilby Wash | 9/26/01 | 7N-3W-12 | 33 57 39 | 112 31 43 | 3040 | 1:81 |
| 6983 | Vekol Wash | 3/7/90 | 7S-1E-03 | 32 50 30 | 112 14 58 | 1720 | 1:125 |
| 6688 | Vineyard FRS | 11/2/83 | 1S-8E-09 | 33 21 10 | 111 32 06 | 1582 | 1:109 ; 2:38 ; 3:38 |
| 6833 | Waterman at Rainbow | 3/18/99 | 2S-2W-14 | 33 15 40 | 112 26 38 | 1085 | 1:116 |
| 5418 | White Tanks 3 | 3/12/86 | 2N-2W-09 | 33 32 01 | 112 28 14 | 1190 | 1:76 ; 2:21 ; 3:21 |
| 6823 | White Tanks 4 | 1/9/86 | 1N-2W-05 | 33 27 04 | 112 29 40 | 1044 | 1:115 ; 2:42 ; 3:42 |

Flood Control District of Maricopa County
 ALERT System Water Level Sensors WY 2005 – Sorted by Name

| ID # | Gage Name | Installed | T-R-S | Latitude | Longitude | Elev. | Page #s |
|-------------|-----------------------------------|------------------|--------------|-----------------|------------------|--------------|---|
| 6739 | Whitlow Ranch Dam | 1/8/98 | 1S-10E-36 | 33 17 55 | 111 16 35 | 2199 | 1:113 ; 2:40 ; 3:40 |
| 5118 | Winters Wash | 7/11/00 | 2N-6W-18 | 33 30 33 | 112 54 44 | 1125 | 1:55 |

SUMMARY OF SIGNIFICANT STREAMFLOW EVENTS

The water year began as many an October does with some small storm events producing small amounts of runoff. The small events continued with some frequency in November and early December. In late December, precipitation increased significantly and more significant runoff began. The steady rain continued into early January with some significant runoff occurring from December 29 through January 5.

After the early January rains, the precipitation took a brief break. Some small events occurred in late January and early February. By mid-February, precipitation increased again producing runoff not seen in many years on the Hassayampa River and the Salt/Gila Rivers. The Hassayampa River in Wickenburg had peak flows of 16,000 - 19,000 cfs. The Salt River and Gila River had peaks over 30,000 cfs. Rainfall and runoff continued through February past the mid-month peaks, but slowly diminished by month's end. By March, significant precipitation was over.

The summer monsoon season got a late start, with the earliest runoff events occurring around July 23. Because significant burning occurred in the Cave Creek and New River watersheds, these areas had the potential for significant runoff.

Precipitation occurred in Wickenburg on July 30 producing record runoff in Hartman and Flying E Washes. The first significant event in the burn areas occurred on July 31 in the New River watershed, producing a peak discharge on New River of over 16,000 cfs. Several smaller, yet significant events occurred in August and early September. Meanwhile, a significant local event occurred on August 2-3 that affected northeast Phoenix and specifically Indian Bend Wash and ACDC. Some stations had the largest runoff of record. Several smaller events occurred in August.

The last noteworthy event in Water Year 2005 occurred from significant precipitation on September 3. The flood affected the Cave Creek and Camp Creek watersheds primarily. Cave Creek had very high runoff peaking at 17,500 cfs at Cave Creek Fire. Seven Springs Wash upstream of Cave Creek Fire had a peak discharge of 11,700 cfs in an 8 square mile watershed.

Thirty-nine stations had record flows or impoundments during Water Year 2005.

Maximum Flows and Impoundments for Water Year 2005 at Selected FCDMC Water Level Sensor Locations

| Location | Discharge (cfs) | Stage (feet) | Contents (ac-ft) | Contents (%full) | Date |
|---------------------------------------|--------------------|-----------------|---------------------|---------------------|---------|
| Gila River at Estrella Pkwy (6853) | 38,900 | 14.00 | | | 2/13/05 |
| Salt River at Priest (4523) | 28,034 | 8.50 | | | 2/13/05 |
| Hassayampa River at Box Canyon (5308) | 19,094 | 16.15 | | | 2/12/05 |
| Cave Creek Fire (4948) | 17,480 | 11.50 | | | 9/3/05 |
| New River Fire (5638) | 16,230 | 8.50 | | | 7/31/05 |
| Hassayampa at US60 (5228) | 16,089 | 4.32 | | | 2/12/05 |
| Hassayampa at Morristown (5223) | 14,962 | 14.05 | | | 2/12/05 |
| Cave Creek at Spur Cross (4923) | 13,250 | 16.40 | | | 9/3/05 |
| Seven Springs Wash (4963) | 11,700 | 10.68 | | | 9/3/05 |
| Cave Creek (4893) | 11,400 | 9.70 | | | 9/3/05 |
| Cave Creek near Cave Creek (4918) | 6,500 | 6.96 | | | 9/3/05 |
| Hassayampa River at I-10 (5283) | 5,775 | 4.17 | | | 2/12/05 |
| IBW at Shea Blvd (4693) | 5,616 | 4.68 | | | 8/2/05 |
| IBW near McKellips (4603) | 4,074 | 5.68 | | | 8/3/05 |
| EFCC near 7th Ave (4668) | 3,950 | 7.55 | | | 8/2/05 |
| ACDC at 43rd Ave (4823) | 3,849 | 5.20 | | | 8/2/05 |
| Flying E Wash (7083) | 3,740 | 5.74 | | | 7/30/05 |
| Hartman Wash (7063) | 3,400 | 9.38 | | | 7/30/05 |
| Cave Creek at Cactus (4833) | 3,247 | 12.85 | | | 8/3/05 |
| Queen Creek at CAP (6723) | 1,034 | 10.15 | | | 2/12/05 |
| Queen Creek at Rittenhouse (6707) | 472 | 3.49 | | | 2/13/05 |
| | | | | | |
| | | | | | |
| | | | | | |
| Tatum Basin (4653) | | 9.93 | 25 | 81 | 8/2/05 |
| New River Dam (5609) | | 20.71 | 11,885 | 27 | 2/12/05 |
| Rittenhouse FRS (6703) | | 12.58 | 919 | 26 | 2/12/05 |
| Whitlow Ranch Dam (6739) | | 58.20 | 6,965 | 20 | 2/12/05 |
| Cave Buttes Dam | | 30.31 | 1,463 | 3 | 2/16/05 |

DATA PRESENTATION

The following three sections present the data collected by the Flood Control District ALERT system. The first section is Surface Water Streamflow data. This section contains data from free-flowing stream sites and discharges from dams and detention basins. The second section contains Pool Level data from storage structures, both dams and basins. The third section presents Storage Volume data for both dams and basins. The data are in acre-feet of storage volume.

In the tables where there are dashes "- -" for a particular date or dates, the gage was down. Typically a gage is down when the gage itself fails, or a transmitter or repeater fails. In the case of transmitter failure or repeater failure, data for that date is available by manual download. However, when no event has occurred, the data will typically not be retrieved from the device.

The PDF version of the document is meant for printing and quick reference. There are some hyperlinks to aid in navigation.

The HTML version of this document directs the user to more detailed information on the corresponding Internet page on the FCDMC ALERT web site. **The HTML version is anticipated to be available no later than December 21, 2005.**

**SURFACE WATER
STREAMFLOW
DATA**

Flood Control District of Maricopa County ALERT System

| Tat Momolikot Dam | | | |
|---------------------------------|-------------------------------------|---------------|-----------------------|
| STATION ID | 0773* | DRAINAGE AREA | 1,780 MI ² |
| IN-SERVICE DATE | 01/24/2000 | | |
| PERIOD OF AVAILABLE RECORD | 01/24/2000 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 8.39 FEET | 08/04/2005 |
| EXTREME FOR PERIOD OF RECORD | 0 CFS | 10.49 FEET | 08/29/2003 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | 0 | | 0 |

*Gage ID was 0768 prior to January 24, 2000.

**FCD Operated gage since January 1998. However, previous gage did not work properly. A pressure transducer gage was installed January 24, 2000 and all previous data were deleted. Previously, the US Army Corps of Engineers, Los Angeles District maintained a gage at this location.

See also Pool Level and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Gila at Maricopa Road | | | |
|------------------------------|---------------------------|---------------|------------------------|
| STATION ID | 0778 | DRAINAGE AREA | 19,915 MI ² |
| IN-SERVICE DATE | 10/01/1998 | | |
| PERIOD OF AVAILABLE RECORD | 10/01/1998 - CURRENT YEAR | | |
| WY 2005 PEAK | 38 CFS | 1.91 FEET | 03/14/2005 |
| EXTREME FOR PERIOD OF RECORD | 1,270 CFS | 3.08 FEET | 08/13/2004 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | 10 | 5 | | | | | |
| 2 | | | | | | 7 | 3 | | | | | |
| 3 | | | | | | 4 | 3 | | | | | |
| 4 | | | | | | 5 | 2 | | | | | |
| 5 | | | | | | 6 | | | | | | |
| 6 | | | | | | 7 | | | | | | |
| 7 | | | | | | 13 | | | | | | |
| 8 | | | | | | 21 | | | | | | |
| 9 | | | | | | 22 | | | | | | |
| 10 | | | | | | 16 | | | | | | |
| 11 | | | | | | 13 | | | | | | |
| 12 | | | | | | 21 | | | | | --- | |
| 13 | | | | | | 20 | | | | | --- | |
| 14 | | | | | | 19 | | | | | --- | |
| 15 | | | | | | 20 | | | | | | |
| 16 | | | | | | 19 | | | | | | |
| 17 | | | | | | 20 | | | | | | |
| 18 | | | | | | 18 | | | | | | |
| 19 | | | | | | 17 | | | | | | |
| 20 | | | | | | 14 | | | | | | |
| 21 | | | | | | 12 | | | | | | |
| 22 | | | | | | 5 | | | | | | |
| 23 | | | | | | 10 | | | | | | |
| 24 | | | | | | 11 | | | | | | |
| 25 | | | | | | 8 | | | | | | |
| 26 | | | | | | 5 | --- | | | | | |
| 27 | | | | | 4 | 1 | | | | | | |
| 28 | | | | | 6 | 4 | | | | | | |
| 29 | | | | | --- | 4 | | | | | | |
| 30 | | | | | --- | 4 | | | | | | |
| 31 | | --- | | | --- | 5 | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 11 | 360 | 13 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 8 | 38 | 7 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 21 | 714 | 26 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 384 | MEAN | 1 | MAX | 38 | MIN | 0 | AC_FT | 761 | | |

NOTE: The USGS maintains a gage at this site in cooperation with ADOT. See USGS Gage #09479350

Flood Control District of Maricopa County ALERT System

| Gila at Olberg Road | | | |
|------------------------------|---------------------------|---------------|--------------|
| STATION ID | 0783 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 04/12/1995 | | |
| PERIOD OF AVAILABLE RECORD | 04/12/1995 - CURRENT YEAR | | |
| WY 2005 PEAK | 2,659 CFS | 3.42 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 2,659 CFS | 3.42 FEET | 08/02/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|------|------|-----|-----|-------|-------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 95 | | | | | | | | |
| 2 | | | | 27 | | | | | | | 249 | |
| 3 | | | | 4 | | 13 | | | | | 634 | |
| 4 | | | | 13 | | 39 | | | | | 104 | |
| 5 | | | 132 | 13 | | 32 | | | | | | |
| 6 | | | 20 | 31 | | 46 | | | | | | |
| 7 | | | | 35 | | 46 | | | | | | |
| 8 | | | | 107 | | 40 | | | | | | |
| 9 | | | | 129 | | 19 | | | | | | |
| 10 | | | | 127 | | | | | | | | |
| 11 | | | | 121 | | | | | | | | |
| 12 | | | | | 132 | | | | | | --- | |
| 13 | | | | | 1024 | | | | | | --- | |
| 14 | | | | | 1286 | | | | | | --- | |
| 15 | | | | | 176 | | | | | | | |
| 16 | | | | | 84 | | | | | | | |
| 17 | | | | | 188 | | | | | | | |
| 18 | | | | | 145 | | | | | | | |
| 19 | | | | | 150 | | | | | | | |
| 20 | | | | | 163 | | | | | | | |
| 21 | | | | | 177 | | | | | | | |
| 22 | | | | | 103 | | | | | | | |
| 23 | | 53 | | | 7 | | | | | 9 | | |
| 24 | | | | | | | | | | 82 | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 23 | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | 55 | | --- | | | | | | | |
| 31 | | --- | 6 | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 53 | 213 | 726 | 3635 | 234 | 0 | 0 | 0 | 92 | 988 | 0 |
| MEAN | 0 | 2 | 7 | 23 | 130 | 8 | 0 | 0 | 0 | 3 | 32 | 0 |
| MAX | 0 | 743 | 444 | 1263 | 1902 | 66 | 0 | 0 | 0 | 261 | 2659 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 105 | 422 | 1440 | 7211 | 464 | 0 | 0 | 0 | 182 | 1959 | 0 |
| WTR_YR_2005 | TOTAL | 5940 | MEAN | 16 | MAX | 2659 | MIN | 0 | AC_FT | 11782 | | |

*USGS maintained a gage at this site prior to October 1, 1998 (09478350)

Flood Control District of Maricopa County ALERT System

| Santa Cruz at SR 84 | | | |
|-------------------------------------|---------------------------|----------------------|--------------|
| STATION ID | 0788 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 03/16/1994 | | |
| PERIOD OF AVAILABLE RECORD | 03/16/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 205 CFS | 2.05 FEET | 08/26/2005 |
| EXTREME FOR PERIOD OF RECORD | 1,259 CFS | 3.90 FEET | 10/25/2000 |

Discharge, in cfs, Water Year October 1, 2004 to September 30, 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|------------|-------------|----------|------------|------------|------------|----------|--------------|-------------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | 18 | |
| 2 | | | | | | | | | | | | 4 |
| 3 | | | | 9 | | | | | | | 31 | 3 |
| 4 | | | 2 | 35 | | | | | | | 19 | 19 |
| 5 | | | 8 | 8 | | 10 | | | | | | 2 |
| 6 | | | | | | 22 | | | | | | 1 |
| 7 | | | | | | 24 | | | | | 11 | 17 |
| 8 | | | | | | 8 | | | | | 9 | 14 |
| 9 | | | | | | | | | | | 21 | 3 |
| 10 | | | | | | | | | | | 31 | 25 |
| 11 | | | | | | | | | | | 35 | 34 |
| 12 | | | | | | | | | | | --- | 3 |
| 13 | | | | | 7 | | | | | | --- | |
| 14 | | | | | 6 | | | | | | --- | 2 |
| 15 | | | | | | | | | | | 11 | |
| 16 | | | | | | | | | | | 27 | |
| 17 | | | | | | | | | | | 7 | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | 8 | |
| 20 | | | | | | | | | | | 2 | |
| 21 | | | | | 18 | | | | | 1 | | |
| 22 | | | | | 15 | | | | | | | |
| 23 | | | 2 | | 30 | | | | | | | |
| 24 | | | 1 | | 24 | | | | | 1 | 13 | |
| 25 | | | | | 19 | | | | | 1 | 12 | |
| 26 | | | | | 12 | | | | | | 104 | |
| 27 | | | | | 6 | | | | | | 49 | |
| 28 | | | | | | | | | | | 24 | |
| 29 | | | | | | | | | | | 24 | |
| 30 | | | | | | | | | | 2 | | |
| 31 | | --- | | | | | | --- | | 11 | | --- |
| TOTAL | 0 | 0 | 13 | 51 | 138 | 64 | 0 | 0 | 0 | 16 | 578 | 127 |
| MEAN | 0 | 0 | 0 | 2 | 5 | 2 | 0 | 0 | 0 | 1 | 19 | 4 |
| MAX | 0 | 0 | 21 | 53 | 33 | 28 | 0 | 0 | 0 | 17 | 205 | 53 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 26 | 101 | 273 | 127 | 0 | 0 | 0 | 31 | 1146 | 252 |
| WTR YR 2005 | TOTAL | 986 | MEAN | 3 | MAX | 205 | MIN | 0 | AC_FT | 1956 | | |

Flood Control District of Maricopa County ALERT System

| Greene Wash at SR 84 | | | |
|------------------------------|---------------------------|---------------|--------------|
| STATION ID | 0793 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 03/23/1994 | | |
| PERIOD OF AVAILABLE RECORD | 03/23/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 205 CFS | 2.05 FEET | 08/26/2005 |
| EXTREME FOR PERIOD OF RECORD | 1,154 CFS | 3.28 FEET | 10/25/2000 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | --- | |
| 13 | | | | | | | | | | | --- | |
| 14 | | | | | | | | | | | --- | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 0 | MEAN | 0 | MAX | 1 | MIN | 0 | AC_FT | | 1 |

Flood Control District of Maricopa County ALERT System

| Santa Rosa at SR 84 | | | |
|----------------------------------|---------------------------|---------------|--------------|
| STATION ID | 0798 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 03/16/1994 | | |
| PERIOD OF AVAILABLE RECORD | 03/16/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 396 CFS | -0.02 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 576 CFS | 0.41 FEET | 10/25/2000 |
| EXTREME OUTSIDE PERIOD OF RECORD | 53,100 CFS | USGS | 09/27/1962 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | 51 |
| 3 | | | | | | | | | | | | 272 |
| 4 | | | | | | | | | | | | 124 |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | --- | |
| 13 | | | | | | | | | | | --- | |
| 14 | | | | | | | | | | | --- | |
| 15 | | | | | | | | | | | --- | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | 75 | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 75 | 0 | 0 | 0 | 0 | 0 | 447 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 14 | 0 |
| MAX | 0 | 0 | 0 | 0 | 290 | 0 | 0 | 0 | 0 | 0 | 396 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 149 | 0 | 0 | 0 | 0 | 0 | 888 | 0 |
| WTR YR 2005 | TOTAL | 523 | MEAN | 1 | MAX | 396 | MIN | 0 | AC_FT | 1037 | | |

Flood Control District of Maricopa County ALERT System

| Salt River at Priest | | | |
|------------------------------|---------------------------|---------------|------------------------|
| STATION ID | 4523 | DRAINAGE AREA | 13,223 MI ² |
| IN-SERVICE DATE | 12/07/1993 | | |
| PERIOD OF AVAILABLE RECORD | 12/07/1993 - CURRENT YEAR | | |
| WY 2005 PEAK | 28,034 CFS | 8.50 FEET | 02/13/2005 |
| EXTREME FOR PERIOD OF RECORD | 78,850 CFS | 12.57 FEET | 02/16/1995 |

See *USGS Water-Data Report AZ-05-1* for official data for this site.

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-------|------|--------|--------|-------|-----|-----|-------|--------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 452 | 2616 | 2299 | | | | | | |
| 2 | | | | 371 | 2162 | 1198 | | | | | | |
| 3 | | | | 9949 | 1569 | 1123 | | | | | 363 | |
| 4 | | | | 17551 | 1381 | 472 | | | | | | |
| 5 | | | | 13309 | 846 | 1343 | | | | | | |
| 6 | | | | 6078 | 448 | 1800 | | | | | | |
| 7 | | | | 5783 | 274 | 1060 | | | | | | |
| 8 | | | | 8601 | 256 | 1201 | | | | | | |
| 9 | | | | 5820 | 475 | 1295 | | | | | | |
| 10 | | | | 3396 | 1131 | 371 | | | | | | |
| 11 | | | | 2843 | 7152 | 76 | | | | --- | | |
| 12 | | | | 6773 | 17546 | 492 | | | | --- | | |
| 13 | | | | 9997 | 21740 | 598 | | | | | | |
| 14 | | | | 5599 | 20138 | 102 | | | | | | |
| 15 | | | | 2696 | 18828 | 210 | | | | | | |
| 16 | | | | 1429 | 15848 | 257 | | | | | | |
| 17 | | | | 817 | 15023 | | | | | | | |
| 18 | | | | 684 | 14070 | | | | | | | |
| 19 | | | | 630 | 9601 | | | | | | | |
| 20 | | | | 535 | 10097 | | | | | | | |
| 21 | | | | 558 | 13887 | 208 | | | | | | |
| 22 | | | | 1212 | 13439 | 802 | | | | | | |
| 23 | | | | 1847 | 11972 | 944 | | | | | | |
| 24 | | | | 1767 | 8117 | 99 | | | | | | |
| 25 | | | | 1860 | 3984 | | | | | | | |
| 26 | | | | 3842 | 2323 | 21 | | | | | | |
| 27 | | | | 9458 | 1612 | 151 | | --- | | | | |
| 28 | | | | 9771 | 2380 | 32 | | | | | | |
| 29 | 67 | | | 5896 | --- | | | | | | | |
| 30 | | | | 4428 | --- | | | | | | | |
| 31 | | --- | 318 | 4040 | --- | | --- | | --- | | | --- |
| TOTAL | 67 | 0 | 318 | 14799 | 21891 | 16155 | 0 | 0 | 0 | 0 | 363 | 0 |
| MEAN | 2 | 0 | 10 | 4774 | 7818 | 521 | 0 | 0 | 0 | 0 | 12 | 0 |
| MAX | 1321 | 0 | 606 | 20097 | 28034 | 3542 | 0 | 0 | 0 | 0 | 4060 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 134 | 0 | 632 | 293533 | 434215 | 32043 | 0 | 0 | 0 | 0 | 721 | 0 |
| WTR YR 2005 | TOTAL | 38381 | MEAN | 1052 | MAX | 28034 | MIN | 0 | AC_FT | 761277 | | |

Flood Control District of Maricopa County ALERT System

| Spookhill FRS | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 4563 | DRAINAGE AREA | 13.6 MI ² |
| IN-SERVICE DATE | 03/13/1984 | | |
| PERIOD OF AVAILABLE RECORD | 12/30/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | 43 CFS | 6.26 FEET | 07/23/2005 |
| EXTREME FOR PERIOD OF RECORD | 43 CFS | 6.26 FEET | 07/23/2005 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 9 | | | | | | | | |
| 2 | | | | 7 | | | | | | | | |
| 3 | | | | 9 | | | | | | | | |
| 4 | | | | 29 | | | | | | | | |
| 5 | | | | 23 | | | | | | | | |
| 6 | | | 7 | 1 | | | | | | | | |
| 7 | | | 7 | | | | | | | | | |
| 8 | | | 5 | | | | | | | | | |
| 9 | | | 1 | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 4 | | | | | | | |
| 12 | | | | | 31 | | | | | | | |
| 13 | | | | | 31 | | | | | | | |
| 14 | | | | | 21 | | | | | | | |
| 15 | | | | | 3 | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 19 | | | | | | | |
| 20 | | | | | 6 | | | | | | | |
| 21 | | | | | 4 | | | | | | | |
| 22 | | | | | 4 | | | | | | | |
| 23 | | | | | 3 | | | | | 4 | | |
| 24 | | | | | 1 | | | | | 1 | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 1 | | | | | | | | |
| 27 | | | | 9 | | | | | | | | |
| 28 | | | | 7 | | | | | | | | |
| 29 | | | 4 | 4 | --- | | | | | | | |
| 30 | | | 15 | | --- | | | | | | | |
| 31 | | --- | 11 | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 51 | 98 | 128 | 0 | 0 | 0 | 0 | 5 | 0 | 0 |
| MEAN | 0 | 0 | 2 | 3 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 16 | 30 | 34 | 0 | 0 | 0 | 0 | 43 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 100 | 195 | 254 | 0 | 0 | 0 | 0 | 10 | 0 | 0 |
| WTR YR 2005 | TOTAL | 282 | MEAN | 1 | MAX | 43 | MIN | 0 | AC_FT | 560 | | |

Outflow controlled by gated outlet below 11.5 feet gage height.

See also Pool Level and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Granite Reef | | | |
|------------------------------|---------------------------|---------------|--------------|
| STATION ID | 4568 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 07/21/2005 | | |
| PERIOD OF AVAILABLE RECORD | 07/21/2005 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 0.55 CFS | NONE |
| EXTREME FOR PERIOD OF RECORD | 0 CFS | 0.55 CFS | NONE |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| TOTAL | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0 | 0 | 0 |
| MEAN | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0 | 0 | 0 |
| MAX | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0 | 0 | 0 |
| MIN | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0 | 0 | 0 |
| AC_FT | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | 0 | | |

Flood Control District of Maricopa County ALERT System

| Price Drain at Loop 202 | | | |
|------------------------------|---------------------------|---------------|--------------|
| STATION ID | 4573 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 02/18/2001 | | |
| PERIOD OF AVAILABLE RECORD | 02/18/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 369 CFS | 5.01 FEET | 02/11/2005 |
| EXTREME FOR PERIOD OF RECORD | 993 CFS | 8.50 FEET | 03/04/2004 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|------|-----|------|------|-------|-------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 18 | 8 | 12 | 12 | 88 | 9 | 13 | 13 | 15 | 20 | 25 | 2 |
| 2 | 19 | 9 | 8 | 9 | 86 | 8 | 17 | 18 | 19 | 17 | 34 | 2 |
| 3 | 19 | 9 | 9 | 55 | 49 | 7 | 19 | 18 | 22 | 16 | 95 | 2 |
| 4 | 19 | 11 | 14 | 91 | 50 | 7 | 22 | 19 | 19 | 18 | 80 | 2 |
| 5 | 19 | 11 | 16 | 41 | 55 | 26 | 22 | 21 | 18 | 14 | 43 | 2 |
| 6 | 19 | 12 | 29 | 28 | 50 | 28 | 23 | 22 | 19 | 12 | 43 | 2 |
| 7 | 20 | 15 | 12 | 25 | 50 | 17 | 23 | 20 | 15 | 18 | 34 | 2 |
| 8 | 17 | 12 | 8 | 17 | 45 | 15 | 26 | 20 | 16 | 14 | 42 | 2 |
| 9 | 19 | 12 | 7 | 10 | 67 | 17 | 27 | 18 | 18 | 13 | 59 | 2 |
| 10 | 18 | 12 | 6 | 10 | 88 | 14 | 23 | 14 | 17 | 10 | 99 | 2 |
| 11 | 15 | 9 | 6 | 10 | 187 | 13 | 21 | 16 | 14 | 9 | 92 | 2 |
| 12 | 15 | 10 | 5 | 12 | 256 | 13 | 23 | 18 | 11 | 9 | 88 | 2 |
| 13 | 13 | 12 | 5 | 9 | 137 | 8 | 19 | 17 | 13 | 15 | 63 | 2 |
| 14 | 16 | 12 | 7 | 10 | 63 | 7 | 17 | 13 | 13 | 20 | 47 | 2 |
| 15 | 16 | 12 | 6 | 10 | 43 | 7 | 14 | 17 | 12 | 18 | 26 | 2 |
| 16 | 15 | 14 | 5 | 7 | 27 | 6 | 13 | 18 | 19 | 15 | 11 | 2 |
| 17 | 13 | 13 | 9 | 6 | 25 | 7 | 18 | 18 | 20 | 16 | 15 | 2 |
| 18 | 8 | 11 | 7 | 8 | 22 | 8 | 16 | 18 | 19 | 18 | 24 | 2 |
| 19 | 6 | 10 | 5 | 7 | 40 | 11 | 20 | 20 | 16 | 12 | 22 | 2 |
| 20 | 6 | 7 | 5 | 8 | 20 | 16 | 21 | 21 | 17 | 15 | 12 | 2 |
| 21 | 17 | 6 | 9 | 14 | 24 | 18 | 26 | 21 | 17 | 19 | 11 | 2 |
| 22 | 37 | 10 | 7 | 19 | 18 | 18 | 21 | 17 | 17 | 17 | 7 | 2 |
| 23 | 9 | 12 | 7 | 18 | 19 | 17 | 20 | 17 | 18 | 20 | 4 | 2 |
| 24 | 7 | 10 | 7 | 20 | 17 | 18 | 28 | 13 | 15 | 20 | 2 | 2 |
| 25 | 6 | 10 | 6 | 12 | 10 | 14 | 19 | 13 | 14 | 17 | 2 | 2 |
| 26 | 8 | 7 | 7 | 24 | 9 | 16 | 14 | 14 | 11 | 24 | 2 | 2 |
| 27 | 10 | 6 | 6 | 25 | 8 | 15 | 16 | 13 | 14 | 34 | 4 | 2 |
| 28 | 8 | 8 | 5 | 22 | 9 | 15 | 14 | 18 | 16 | 25 | 7 | 2 |
| 29 | 9 | 7 | 26 | 87 | --- | 10 | 13 | 14 | 18 | 30 | 2 | 2 |
| 30 | 7 | 9 | 43 | 111 | --- | 12 | 11 | 12 | 19 | 25 | 2 | 2 |
| 31 | 6 | --- | 16 | 92 | --- | 13 | --- | 14 | --- | 22 | 2 | --- |
| TOTAL | 434 | 305 | 322 | 828 | 1565 | 410 | 579 | 526 | 491 | 553 | 1001 | 56 |
| MEAN | 14 | 10 | 10 | 27 | 56 | 13 | 19 | 17 | 16 | 18 | 32 | 2 |
| MAX | 101 | 20 | 93 | 189 | 369 | 136 | 46 | 38 | 24 | 49 | 228 | 3 |
| MIN | 4 | 4 | 2 | 5 | 4 | 4 | 8 | 9 | 8 | 8 | 2 | 2 |
| AC_FT | 861 | 605 | 639 | 1643 | 3104 | 813 | 1148 | 1044 | 973 | 1097 | 1985 | 110 |
| WTR YR 2005 | TOTAL | 7070 | MEAN | 19 | MAX | 369 | MIN | 2 | AC_FT | 14022 | | |

Flood Control District of Maricopa County ALERT System

| Reata Pass Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4588 | DRAINAGE AREA | 7.9 MI ² |
| IN-SERVICE DATE | 05/15/2001 | | |
| PERIOD OF AVAILABLE RECORD | 05/15/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 339 CFS | 1.15 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 339 CFS | 1.15 FEET | 08/09/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 7 | | | | | | | | |
| 4 | | | | 23 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | 2 | |
| 8 | | | | | | | | | | | 5 | |
| 9 | | | | | | | | | | | 18 | |
| 10 | | | | | | | | | | | 5 | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | 8 | | | | | | | |
| 13 | | | | | 14 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | 14 | | | | | | | |
| 17 | | | | | 15 | | | | | | | |
| 18 | | | | | 12 | | | | | | | |
| 19 | | | | | 20 | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 8 | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | 5 | | --- |
| TOTAL | 0 | 0 | 8 | 30 | 82 | 0 | 0 | 0 | 0 | 5 | 29 | 0 |
| MEAN | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 0 | 0 | 42 | 57 | 63 | 0 | 0 | 0 | 0 | 63 | 339 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 17 | 59 | 163 | 0 | 0 | 0 | 0 | 10 | 58 | 0 |
| WTR YR 2005 | TOTAL | | 154 | MEAN | 0 | MAX | 339 | MIN | 0 | AC_FT | 306 | |

Flood Control District of Maricopa County ALERT System

| IBW near McKellips Road | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4603 | DRAINAGE AREA | 101 MI ² |
| IN-SERVICE DATE | 05/21/1985 | | |
| PERIOD OF AVAILABLE RECORD | 11/10/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | 4,074 CFS | 5.68 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 4,784 CFS | 6.20 FEET | 10/06/1993 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|------|------|-----|-----|-------|------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | 9 | | | | | | 27 | |
| 2 | | | | | 4 | | | | | | 11 | |
| 3 | | | | | 2 | | | | | | 1044 | |
| 4 | | | | 31 | 2 | | | | | | 85 | 30 |
| 5 | | | | 156 | 2 | 1 | | | | | 19 | 9 |
| 6 | | | | 40 | 1 | 2 | | | | | 2 | |
| 7 | | | | 18 | | | | | | | 3 | |
| 8 | | | | 10 | | | | | | | 100 | |
| 9 | | | | 8 | | | | | | | 5 | 16 |
| 10 | | | | 5 | | | | | | | | 14 |
| 11 | | | | 2 | 10 | | | | | | | |
| 12 | | | | 2 | 202 | | | | | | | |
| 13 | | | | 2 | 105 | | | | | | | |
| 14 | | | | 2 | 35 | | | | | | | |
| 15 | | | | 2 | 13 | | | | | | | |
| 16 | | | | 1 | 9 | | | | | | | |
| 17 | | | | | 8 | | | | | | | |
| 18 | | | | | 19 | | | | | | | |
| 19 | | | | | 300 | | | | | | | |
| 20 | | | | | 132 | | | | | | | |
| 21 | | | | | 52 | | | | | | | |
| 22 | | | | | 25 | | | | | | | |
| 23 | | | | | 27 | | | | | 2 | | |
| 24 | | | | 1 | 14 | | | | | 1 | | |
| 25 | | | | | 9 | | | | | | | |
| 26 | | | | 14 | 2 | | | | | | | |
| 27 | | | | 45 | | | | | | | | |
| 28 | | | | 25 | | | | | | | | |
| 29 | | | | 10 | --- | | | | | | | |
| 30 | | | | 8 | --- | | | | | 4 | | |
| 31 | | --- | | 9 | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 391 | 980 | 4 | 0 | 0 | 0 | 7 | 1297 | 69 |
| MEAN | 0 | 0 | 0 | 13 | 35 | 0 | 0 | 0 | 0 | 0 | 42 | 2 |
| MAX | 1 | 0 | 0 | 1269 | 591 | 4 | 0 | 0 | 0 | 51 | 4074 | 102 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 1 | 0 | 0 | 775 | 1944 | 7 | 0 | 0 | 0 | 13 | 2572 | 138 |
| WTR YR 2005 | TOTAL | 2747 | MEAN | 8 | MAX | 4074 | MIN | 0 | AC_FT | 5449 | | |

Flood Control District of Maricopa County ALERT System

| IBW near Indian Bend Road | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 4613 | DRAINAGE AREA | 88 MI ² |
| IN-SERVICE DATE | 09/28/1983 | | |
| PERIOD OF AVAILABLE RECORD | 03/27/1992 - CURRENT YEAR | | |
| WY 2005 PEAK | 3,890 CFS | 5.47 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 9,324 CFS | 5.85 FEET | 07/24/1992 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|------|------|-----|------|-----|-----|-----|-------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 14 | 2 | 3 | | | | | | |
| 2 | | | | 9 | | 1 | | | | | 68 | |
| 3 | | | | 108 | | | | | | | 726 | |
| 4 | | | | 388 | | | | | | | 34 | |
| 5 | | | | 100 | | 5 | | | | | 15 | |
| 6 | | | 25 | 25 | | 6 | | | | | 12 | |
| 7 | | | 21 | 20 | | 6 | | | | | 6 | |
| 8 | | | 4 | 16 | | 3 | | | | | 14 | |
| 9 | | | 1 | 10 | | 4 | | | | | 12 | |
| 10 | | | 2 | 2 | | 4 | | | | | 12 | |
| 11 | | | | | 52 | 3 | | | | | 14 | |
| 12 | | | | 4 | 305 | 1 | | | | | 22 | |
| 13 | | | | 11 | 128 | | | | | | 73 | |
| 14 | | | | 3 | 25 | | | | | | 15 | |
| 15 | | | | 5 | 21 | | | | | | 13 | |
| 16 | | | | 1 | 18 | | | | | | 13 | |
| 17 | | | | | 15 | | | | | | 13 | |
| 18 | | | | | 73 | | | | | | 12 | |
| 19 | | | | | 375 | | | | | | 8 | |
| 20 | | | | | 127 | | | | | | 4 | |
| 21 | | | | 2 | 36 | | | | | | 1 | |
| 22 | | | | | 46 | | | | | | | |
| 23 | | | | | 26 | | | | | | | |
| 24 | | | | | 19 | | | | | | | |
| 25 | | | | | 17 | | | | | | | |
| 26 | | | | 42 | 10 | | | | | | | |
| 27 | | | | 74 | 6 | | | | | | | |
| 28 | 1 | | | 18 | 3 | | | | | | | |
| 29 | | | 144 | 13 | --- | | | | | | | |
| 30 | | | 79 | 29 | --- | | | | | | | |
| 31 | | --- | 24 | 13 | --- | | --- | | --- | | | --- |
| TOTAL | 1 | 0 | 300 | 910 | 1305 | 36 | 0 | 0 | 0 | 0 | 1089 | 0 |
| MEAN | 0 | 0 | 10 | 29 | 47 | 1 | 0 | 0 | 0 | 0 | 35 | 0 |
| MAX | 4 | 0 | 513 | 540 | 772 | 6 | 0 | 0 | 0 | 0 | 3890 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 2 | 0 | 596 | 1805 | 2589 | 72 | 0 | 0 | 0 | 0 | 2159 | 0 |
| WTR YR 2005 | TOTAL | | 3641 | MEAN | 10 | MAX | 3890 | MIN | | 0 | AC_FT | 7222 |

Flood Control District of Maricopa County ALERT System

| IBW at Indian School Road | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 4618 | DRAINAGE AREA | 90 MI ² |
| IN-SERVICE DATE | 11/25/1997 | | |
| PERIOD OF AVAILABLE RECORD | 11/25/1997 - CURRENT YEAR | | |
| WY 2005 PEAK | 2,182 CFS | 5.18 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 2,182 CFS | 5.18 FEET | 08/03/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|-----|------|------|-----|-----|-------|------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | 19 | |
| 3 | | | | | | | | | | | 436 | |
| 4 | | | | | | | | | | | 7 | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | 6 | |
| 8 | | | | | | | | | | | 4 | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 2 | | | | | | | |
| 12 | | | | | 152 | | | | | | | |
| 13 | | | | | 59 | | | | | | 11 | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 26 | | | | | | | |
| 19 | | | | | 214 | | | | | | | |
| 20 | | | | | 88 | | | | | | | |
| 21 | | | | | 2 | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | 32 | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 32 | 544 | 0 | 0 | 0 | 0 | 0 | 482 | 0 |
| MEAN | 0 | 0 | 0 | 1 | 19 | 0 | 0 | 0 | 0 | 0 | 16 | 0 |
| MAX | 0 | 0 | 0 | 131 | 422 | 0 | 0 | 0 | 0 | 0 | 2182 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 64 | 1079 | 0 | 0 | 0 | 0 | 0 | 957 | 0 |
| WTR YR 2005 | TOTAL | 1059 | MEAN | 3 | MAX | 2182 | MIN | 0 | AC_FT | 2100 | | |

Flood Control District of Maricopa County ALERT System

| IBW Interceptor Channel | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 4623 | DRAINAGE AREA | 35 MI ² |
| IN-SERVICE DATE | 04/21/1994 | | |
| PERIOD OF AVAILABLE RECORD | 04/21/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 269 CFS | 2.50 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 269 CFS | 2.50 FEET | 08/03/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | |
| 1 | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | 13 | |
| 3 | | | | | | | | | | | | 35 | |
| 4 | | | 1 | 9 | | | | | | | | | |
| 5 | | | 1 | | | | | | | | | | |
| 6 | | | 1 | | | | | | | | | | |
| 7 | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | |
| 12 | | | | | 4 | | | | | | | | |
| 13 | | | | | | | | | | | 1 | | |
| 14 | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | |
| 19 | | | | | 11 | | | | | | | | |
| 20 | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | | |
| 30 | | | | | --- | | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- | |
| TOTAL | 0 | 0 | 3 | 10 | 15 | 0 | 0 | 0 | 0 | 0 | 49 | 0 | |
| MEAN | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | |
| MAX | 0 | 0 | 4 | 26 | 37 | 0 | 0 | 0 | 0 | 0 | 269 | 0 | |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| AC_FT | 0 | 0 | 6 | 20 | 29 | 0 | 0 | 0 | 0 | 0 | 97 | 0 | |
| WTR YR 2005 | TOTAL | | 77 | MEAN | | 0 | MAX | 269 | MIN | | 0 | AC_FT | 152 |

Flood Control District of Maricopa County ALERT System

| IBW at McDonald Drive | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 4628 | DRAINAGE AREA | 88 MI ² |
| IN-SERVICE DATE | 11/24/1997 | | |
| PERIOD OF AVAILABLE RECORD | 11/24/1997 - CURRENT YEAR | | |
| WY 2005 PEAK | 3,551 CFS | 3.73 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 3,551 CFS | 3.73 FEET | 08/03/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | | |
|-------------|-------------------|-----|------|------|------|-----|-----|------|-----|-----|------|-------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | |
| 1 | | | | 1 | | | | | | | | | |
| 2 | | | | | | | | | | | 27 | | |
| 3 | | | | 54 | | | | | | | 519 | | |
| 4 | | | | 193 | | | | | | | 13 | | |
| 5 | | | | 39 | | | | | | | 4 | | |
| 6 | | | 5 | 3 | | | | | | | 3 | | |
| 7 | | | 3 | 2 | | | | | | | 1 | | |
| 8 | | | | 1 | | | | | | | 4 | | |
| 9 | | | | 1 | | | | | | | 5 | | |
| 10 | | | | | | | | | | | 3 | | |
| 11 | | | | | 16 | | | | | | 3 | | |
| 12 | | | | | 169 | | | | | | 10 | | |
| 13 | | | | | 55 | | | | | | 44 | | |
| 14 | | | | | 2 | | | | | | 4 | | |
| 15 | | | | | 2 | | | | | | 3 | | |
| 16 | | | | | 2 | | | | | | 3 | | |
| 17 | | | | | 1 | | | | | | 4 | | |
| 18 | | | | | 29 | | | | | | 3 | | |
| 19 | | | | | 229 | | | | | | 2 | | |
| 20 | | | | | 59 | | | | | | 1 | | |
| 21 | | | | | 9 | | | | | | | | |
| 22 | | | | | 15 | | | | | | | | |
| 23 | | | | | 2 | | | | | | | | |
| 24 | | | | | 1 | | | | | | | | |
| 25 | | | | | | | | | | | | | |
| 26 | | | | 10 | | | | | | | | | |
| 27 | | | | 30 | | | | | | | | | |
| 28 | | | | 2 | | | | | | | | | |
| 29 | | | 69 | 1 | --- | | | | | | | | |
| 30 | | | 35 | 3 | --- | | | | | | | | |
| 31 | | --- | 3 | 1 | --- | | --- | | --- | | | --- | |
| TOTAL | 0 | 0 | 115 | 342 | 592 | 1 | 0 | 0 | 0 | 0 | 657 | 0 | |
| MEAN | 0 | 0 | 4 | 11 | 21 | 0 | 0 | 0 | 0 | 0 | 21 | 0 | |
| MAX | 2 | 2 | 460 | 429 | 596 | 2 | 0 | 0 | 0 | 0 | 3551 | 0 | |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| AC_FT | 1 | 0 | 228 | 678 | 1175 | 2 | 0 | 0 | 0 | 0 | 1303 | 0 | |
| WTR YR 2005 | TOTAL | | 1707 | MEAN | | 5 | MAX | 3551 | MIN | | 0 | AC_FT | 3387 |

Flood Control District of Maricopa County ALERT System

| Tatum Wash Inflow | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4638 | DRAINAGE AREA | 2.17 MI ² |
| IN-SERVICE DATE | 06/03/1994 | | |
| PERIOD OF AVAILABLE RECORD | 06/03/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 686 CFS | 2.05 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 686 CFS | 2.05 FEET | 08/02/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | 18 | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 686 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 35 | 0 |
| WTR YR 2005 | TOTAL | | 18 | MEAN | 0 | MAX | 686 | MIN | 0 | AC_FT | 35 | |

Flood Control District of Maricopa County ALERT System

| IBW at Sweetwater | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4643 | DRAINAGE AREA | 9.2 MI ² |
| IN-SERVICE DATE | 12/27/1990 | | |
| PERIOD OF AVAILABLE RECORD | 12/27/1990 - CURRENT YEAR | | |
| WY 2005 PEAK | 2,093 CFS | 4.90 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 2,093 CFS | 4.90 FEET | 08/02/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|------|-----|-----|-------|------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | 2 |
| 2 | | | | | | | | | | | 101 | |
| 3 | | | | | | | | | | | 35 | |
| 4 | | | | 61 | | | | | | | | |
| 5 | | | | 6 | | 29 | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | 1 | | | | | | | | | 3 | |
| 9 | | | | | | | | | | | 1 | |
| 10 | | | | | | | | | | | 3 | |
| 11 | | | | | 61 | | | | | | | |
| 12 | | | | | 67 | | | | | | | |
| 13 | | | | | 1 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 14 | | | | | | | |
| 19 | | | | | 75 | | | | | | | |
| 20 | | | | | 62 | | | | | | | |
| 21 | 3 | | | | 12 | | | | | | | |
| 22 | | | | | 18 | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | 38 | | | | | | | |
| 25 | | | | | | 32 | | | | | | |
| 26 | | | | 28 | | | | | | 5 | | |
| 27 | | | | 2 | | | | | | | | |
| 28 | 2 | | | | | | | | | | | |
| 29 | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | |
| 31 | | | | | | | | | | 24 | | |
| TOTAL | 5 | 1 | 0 | 96 | 348 | 61 | 0 | 0 | 0 | 29 | 146 | 0 |
| MEAN | 0 | 0 | 0 | 3 | 12 | 2 | 0 | 0 | 0 | 1 | 5 | 0 |
| MAX | 38 | 10 | 3 | 274 | 216 | 121 | 0 | 0 | 0 | 305 | 2093 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 10 | 3 | 0 | 190 | 690 | 121 | 0 | 0 | 0 | 58 | 289 | 0 |
| WTR YR 2005 | TOTAL | 686 | MEAN | 2 | MAX | 2093 | MIN | 0 | AC_FT | 1361 | | |

NOTE: The gage was moved to the 36th Street bridge from the Sweetwater Road bridge on November 18, 1998.

Flood Control District of Maricopa County ALERT System

| EFCC Basin #1 | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 4648 | DRAINAGE AREA | 1.18 MI ² |
| IN-SERVICE DATE | 03/02/1994 | | |
| PERIOD OF AVAILABLE RECORD | 03/02/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 24 CFS | 1.71 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 106 CFS | 3.92 FEET | 07/14/2002 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | 2 | |
| 3 | | | | 1 | | | | | | | 3 | |
| 4 | | | | 2 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 1 | | | | | | | |
| 12 | | | | | 1 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | 1 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | 1 | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 1 | | | | | | 2 | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 1 | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | 1 | | --- |
| TOTAL | 0 | 1 | 1 | 4 | 5 | 0 | 0 | 0 | 0 | 3 | 7 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 2 | 3 | 4 | 8 | 0 | 0 | 0 | 0 | 19 | 24 | 5 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 2 | 3 | 7 | 9 | 0 | 0 | 0 | 0 | 6 | 13 | 0 |
| WTR YR 2005 | TOTAL | | 21 | MEAN | 0 | MAX | 24 | MIN | 0 | AC_FT | 41 | |

See also Pool Level and Storage Volume Data

Flood Control District of Maricopa County ALERT System

| Tatum Basin | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 4653 | DRAINAGE AREA | 2.17 MI ² |
| IN-SERVICE DATE | 05/08/1998 | | |
| PERIOD OF AVAILABLE RECORD | 05/08/1998 - CURRENT YEAR | | |
| WY 2005 PEAK | 75 CFS | 9.93 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 75 CFS | 9.93 FEET | 08/02/2005 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-------|----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | | |
| 1 | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | 5 | | |
| 3 | | | | | | | | | | | | 11 | | |
| 4 | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | | | |
| 30 | | | | | --- | | | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- | | |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 0 | | |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 75 | 0 | | |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 32 | 0 | | |
| WTR YR 2005 | TOTAL | 16 | | MEAN | 0 | | MAX | 75 | | MIN | 0 | | AC_FT | 32 |

See also Pool Level and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| EFCC Basin #4 | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 4658 | DRAINAGE AREA | 0.68 MI ² |
| IN-SERVICE DATE | 01/18/1994 | | |
| PERIOD OF AVAILABLE RECORD | 01/18/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 66 CFS | 3.50 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 71 CFS | 3.65 FEET | 07/14/1999 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | 1 |
| 2 | | | | | | | | | | | | 6 |
| 3 | | | | 4 | | | | | | | | 3 |
| 4 | | | 1 | 7 | | | | | | | | |
| 5 | | | 1 | 1 | | 2 | | | | | | |
| 6 | | | 4 | | | 2 | | | | | | |
| 7 | | | | | | 1 | | | | | | |
| 8 | | 3 | | | | | | | | | | |
| 9 | | | | | | | | | | | | 2 |
| 10 | | | | | | | | | --- | | 1 | |
| 11 | | | | 1 | 6 | | | | --- | | 1 | |
| 12 | | | | 1 | 12 | | | | | | 1 | |
| 13 | | | | | 2 | | | | | | | |
| 14 | | | | | 1 | | | | | | | |
| 15 | | | | | 2 | | --- | 1 | | | | |
| 16 | | | | | 2 | | | | | | | |
| 17 | | | | | 1 | | | | | | | |
| 18 | | | | | 4 | | | | | | | |
| 19 | | | | | 8 | | | | | | | |
| 20 | | 1 | | | 3 | | | | | | | |
| 21 | 2 | 1 | | | 3 | | | | | | | |
| 22 | 1 | 4 | | | 2 | | | | | | | |
| 23 | | 1 | | | 1 | | | | | | 2 | |
| 24 | | | | 2 | 2 | | 3 | | | | 1 | |
| 25 | | | | 1 | 1 | | | | | | 1 | |
| 26 | | | | 4 | 1 | | | | | 3 | | |
| 27 | | | | 2 | | | | | | 1 | | |
| 28 | 3 | | | 1 | | | | | | | | |
| 29 | | | 7 | 3 | --- | | | | | | | |
| 30 | | | 2 | 1 | --- | | | | | 1 | | |
| 31 | | --- | | 1 | --- | | --- | | --- | 4 | | --- |
| TOTAL | 6 | 11 | 14 | 30 | 51 | 5 | 3 | 1 | 0 | 9 | 18 | 3 |
| MEAN | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 10 | 13 | 20 | 43 | 52 | 9 | 16 | 3 | 0 | 44 | 66 | 14 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 12 | 21 | 29 | 60 | 102 | 10 | 6 | 2 | 0 | 18 | 37 | 5 |
| WTR YR 2005 | TOTAL | 151 | MEAN | 0 | MAX | 66 | MIN | 0 | AC_FT | 299 | | |

See also Pool Level and Storage Volume Data

Flood Control District of Maricopa County ALERT System

| EFCC near 7th Avenue | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4668 | DRAINAGE AREA | 14.1 MI ² |
| IN-SERVICE DATE | 05/08/1997 | | |
| PERIOD OF AVAILABLE RECORD | 05/08/1997 - CURRENT YEAR | | |
| WY 2005 PEAK | 3,950 CFS | 7.55 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 3,950 CFS | 7.55 FEET | 08/02/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|------|-----|-----|-------|------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | 1 | |
| 2 | | | | | | | | | | | 177 | |
| 3 | | | | 26 | | | | | | | 46 | 8 |
| 4 | | | | 34 | | | | | | | | |
| 5 | | | | 2 | | 1 | | | | | | |
| 6 | | | 15 | | | | | | | | | |
| 7 | | 1 | | | | | | | | | | |
| 8 | | 20 | | | | | | | | | | |
| 9 | | | | | | | | | | | | 3 |
| 10 | | | | | | | | | | | | |
| 11 | | | | 7 | 23 | | | | | | | |
| 12 | | | | 2 | 55 | | | | | | | |
| 13 | | | | | 6 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 25 | | | | | | | |
| 19 | | | | | 43 | | | | | 1 | | |
| 20 | | | | | 14 | | | | | | | |
| 21 | 10 | | | | 5 | | | | | | | |
| 22 | 2 | 19 | | | 4 | | | | | | | |
| 23 | | 2 | | | | | | | | | | |
| 24 | | | | | 8 | | 5 | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 27 | | | | | | 15 | | |
| 27 | | | | 3 | | | | | | 3 | | |
| 28 | 14 | | | | | | | | | | | |
| 29 | 1 | | 36 | 6 | --- | | | | | | | |
| 30 | | | 5 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | 13 | | --- |
| TOTAL | 26 | 43 | 55 | 107 | 184 | 1 | 5 | 0 | 0 | 32 | 225 | 11 |
| MEAN | 1 | 1 | 2 | 3 | 7 | 0 | 0 | 0 | 0 | 1 | 7 | 0 |
| MAX | 45 | 76 | 120 | 226 | 237 | 10 | 36 | 0 | 0 | 226 | 3950 | 153 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 53 | 85 | 110 | 213 | 364 | 3 | 10 | 0 | 0 | 63 | 446 | 21 |
| WTR YR 2005 | TOTAL | 689 | MEAN | 2 | MAX | 3950 | MIN | 0 | AC_FT | 1367 | | |

Flood Control District of Maricopa County ALERT System

| Lake Marguarite | | | |
|------------------------------|---------------------------|---------------|--------------|
| STATION ID | 4678 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 11/24/1997 | | |
| PERIOD OF AVAILABLE RECORD | 11/24/1997 - CURRENT YEAR | | |
| WY 2005 PEAK | 286 CFS | 2.03 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 286 CFS | 2.03 FEET | 08/02/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | 19 |
| 3 | | | | | | | | | | | | 23 |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | 21 |
| 13 | | | | | | | | | | | | 18 |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 81 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| MAX | 0 | 0 | 90 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 286 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 161 | 0 |
| WTR YR 2005 | TOTAL | | 81 | MEAN | 0 | MAX | 286 | MIN | 0 | AC_FT | 161 | |

NOTE: Approximately 60 cfs pass the gage before detection due to the elevation of the instrument.

Flood Control District of Maricopa County ALERT System

| EFCC Basin #3 | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 4683 | DRAINAGE AREA | 3.52 MI ² |
| IN-SERVICE DATE | 09/13/1994 | | |
| PERIOD OF AVAILABLE RECORD | 09/13/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 309 CFS | 3.53 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 312 CFS | 3.60 FEET | 07/14/1999 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | 21 | |
| 3 | | | | 1 | | | | | | | 2 | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | 1 |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | 3 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 1 | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | --- | | | | | | | | |
| 23 | | | | --- | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | 2 | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | 1 | | --- |
| TOTAL | 0 | 0 | 0 | 1 | 4 | 0 | 0 | 0 | 0 | 2 | 23 | 1 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 0 | 0 | 0 | 8 | 8 | 0 | 0 | 0 | 0 | 22 | 309 | 8 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 3 | 7 | 0 | 0 | 0 | 0 | 5 | 45 | 2 |
| WTR YR 2005 | TOTAL | 31 | MEAN | 0 | MAX | 309 | MIN | 0 | AC_FT | 62 | | |

See also Pool Level and Storage Volume Data

Flood Control District of Maricopa County ALERT System

| Berniel Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4688 | DRAINAGE AREA | 8.3 MI ² |
| IN-SERVICE DATE | 07/30/1998 | | |
| PERIOD OF AVAILABLE RECORD | 07/30/1998 - CURRENT YEAR | | |
| WY 2005 PEAK | 567 CFS | 1.98 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 567 CFS | 1.98 FEET | 08/02/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | 3 | | | | | | | 37 | |
| 3 | | | | 36 | | | | | | | 27 | |
| 4 | | | | 22 | | | | | | | 1 | |
| 5 | | | | | | 4 | | | | | | |
| 6 | | | 6 | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | 2 | |
| 10 | | | | | | | | | | | | |
| 11 | | | | 4 | 23 | | | | | | | |
| 12 | | | | 1 | 23 | | | | | | 5 | |
| 13 | | | | | 2 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 12 | | | | | | | |
| 19 | | | | | 42 | | | | | | | |
| 20 | | | | | 4 | | | | | | | |
| 21 | 6 | | | | 3 | | | | | 1 | | |
| 22 | 1 | 5 | | | 2 | | | | | 2 | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | 3 | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 11 | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | 5 | | | | | | | | | | | |
| 29 | 1 | | 39 | | --- | | | | | | | |
| 30 | | | 1 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 13 | 5 | 46 | 77 | 110 | 4 | 3 | 0 | 0 | 3 | 72 | 0 |
| MEAN | 0 | 0 | 1 | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| MAX | 46 | 50 | 223 | 215 | 192 | 50 | 14 | 0 | 0 | 59 | 567 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 26 | 9 | 92 | 153 | 217 | 9 | 5 | 0 | 0 | 6 | 143 | 0 |
| WTR YR 2005 | TOTAL | 333 | MEAN | 1 | MAX | 567 | MIN | 0 | AC_FT | 660 | | |

Flood Control District of Maricopa County ALERT System

| IBW at Shea Boulevard | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4693 | DRAINAGE AREA | 24.6 MI ² |
| IN-SERVICE DATE | 06/09/1998 | | |
| PERIOD OF AVAILABLE RECORD | 06/09/1998 - CURRENT YEAR | | |
| WY 2005 PEAK | 5,616 CFS | 4.68 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 5,616 CFS | 4.68 FEET | 08/02/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|-----|-----|------|-----|-----|-------|------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | 37 | |
| 2 | | | | | | | | | | | 360 | |
| 3 | | | | 49 | | | | | | | 205 | 2 |
| 4 | | | 8 | 64 | | | | | | | 7 | |
| 5 | | | 20 | 20 | | 20 | | | | | | |
| 6 | | | 44 | | | | | | | | | |
| 7 | | 5 | 11 | 2 | | | | | | | | |
| 8 | | 29 | | | | | | | | | 3 | 4 |
| 9 | | 14 | | | | | | | | | | 7 |
| 10 | | | | | | | | | | | | |
| 11 | | | | 7 | 55 | | | | | | | |
| 12 | | | | 4 | 89 | | | | | | | 8 |
| 13 | | | | | 12 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | 2 | | | | | | | |
| 18 | | | | | 56 | | | | | | | |
| 19 | | | | | 125 | | | | | | | |
| 20 | | | | | 42 | | | | | | | |
| 21 | 22 | | | | 8 | | | | | | | |
| 22 | 30 | 21 | | | 20 | | | | | | | |
| 23 | 1 | 13 | | | | | | 1 | | | | |
| 24 | | | | | 14 | | | 35 | | | | |
| 25 | | | | | | 8 | | | | | | |
| 26 | | | | 74 | | | | | | | | |
| 27 | | | | 10 | | | | | | | | |
| 28 | 44 | | 1 | | | | | | | | | |
| 29 | 29 | | 95 | 13 | --- | | | | | | | |
| 30 | 18 | | 31 | 3 | --- | | | | | 6 | | |
| 31 | | --- | | | --- | | | --- | | 40 | | --- |
| TOTAL | 144 | 83 | 211 | 245 | 421 | 28 | 36 | 0 | 0 | 46 | 611 | 21 |
| MEAN | 5 | 3 | 7 | 8 | 15 | 1 | 1 | 0 | 0 | 1 | 20 | 1 |
| MAX | 87 | 53 | 370 | 770 | 370 | 40 | 77 | 0 | 0 | 325 | 5616 | 30 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 285 | 164 | 419 | 486 | 835 | 55 | 71 | 0 | 0 | 91 | 1212 | 42 |
| WTR YR 2005 | TOTAL | 1846 | MEAN | 5 | MAX | 5616 | MIN | 0 | AC_FT | 3661 | | |

Flood Control District of Maricopa County ALERT System

| Old Cross Cut Canal near McDowell Road | | | |
|--|---------------------------|---------------|--------------|
| STATION ID | 4748 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 07/27/1994 | | |
| PERIOD OF AVAILABLE RECORD | 07/27/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 277 CFS | 1.58 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 349 CFS | 2.30 FEET | 07/20/1996 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | 17 | | | | |
| 2 | | | | | | | | 25 | | | 17 | |
| 3 | | | | 15 | | | | 26 | | | 31 | |
| 4 | | | | 33 | | | | 25 | | | | |
| 5 | | | | 5 | | 7 | | 26 | | | | |
| 6 | | | 7 | | | | | 15 | | | 3 | |
| 7 | | | | 21 | | | | 9 | | | 13 | |
| 8 | | | | 22 | 6 | | | 22 | | | 6 | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 5 | | | | | | | |
| 12 | | | | | 5 | | | | | | | |
| 13 | | | | | | | | 3 | | | | |
| 14 | | | | | | | | 21 | | 3 | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | 4 | | | | |
| 17 | | | | | 3 | | | 9 | 4 | | | |
| 18 | | | | | 4 | | | | 13 | | | |
| 19 | | | | | 32 | | | 14 | | | | |
| 20 | | | | | 8 | | | 6 | 10 | | | |
| 21 | 3 | 9 | | | 3 | | | 11 | 4 | | | |
| 22 | | 3 | | | 4 | | | 3 | | 1 | | |
| 23 | | | | | | | | 3 | | | | |
| 24 | | | | | | | | 4 | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 12 | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | 3 | | | | | | | 3 | | | | |
| 29 | | | 7 | | --- | | | 15 | | | | |
| 30 | | | | | --- | | | | | 14 | | |
| 31 | | --- | | | --- | | | --- | | | | --- |
| TOTAL | 6 | 12 | 14 | 106 | 70 | 7 | 72 | 221 | 0 | 18 | 69 | 0 |
| MEAN | 0 | 0 | 0 | 3 | 2 | 0 | 2 | 7 | 0 | 1 | 2 | 0 |
| MAX | 33 | 255 | 48 | 115 | 172 | 51 | 60 | 30 | 0 | 51 | 277 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 13 | 24 | 28 | 210 | 138 | 14 | 143 | 438 | 0 | 35 | 137 | 0 |
| WTR YR 2005 | TOTAL | 595 | MEAN | 2 | MAX | 277 | MIN | 0 | AC_FT | 1180 | | |

NOTE: Some flows occur as a result of releases by the Salt River Project from the Arizona Canal and by irrigation return water.

Flood Control District of Maricopa County ALERT System

| Dreamy Draw Dam | | | |
|---------------------------------|-------------------------------------|---------------|---------------------|
| STATION ID | 4803 | DRAINAGE AREA | 1.5 MI ² |
| IN-SERVICE DATE | 01/24/1984 | | |
| PERIOD OF AVAILABLE RECORD | 08/29/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | 100 CFS | 6.72 FEET | 02/18/2005 |
| EXTREME FOR PERIOD OF RECORD | 164 CFS | 19.17 FEET | 10/06/1993 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | 1 |
| 3 | | | | | | | | | | | | 2 |
| 4 | | | | 7 | | | | | | | | |
| 5 | | | | 1 | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 1 | | | | | | | |
| 12 | | | | | 3 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 6 | | | | | | | |
| 19 | | | | | 9 | | | | | | | |
| 20 | | | | | 3 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | 1 | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 5 | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 2 | | --- | | | | | | | |
| 30 | | | 2 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 4 | 13 | 21 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 10 | 78 | 100 | 0 | 0 | 0 | 0 | 0 | 16 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 8 | 26 | 43 | 0 | 0 | 0 | 0 | 0 | 6 | 0 |
| WTR YR 2005 | TOTAL | | 41 | MEAN | 0 | MAX | 100 | MIN | 0 | AC_FT | 82 | |

See also Pool Level and Surface Volume Data.

Flood Control District of Maricopa County ALERT System

| ACDC at 36th Street | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4808 | DRAINAGE AREA | 4.8 MI ² |
| IN-SERVICE DATE | 02/24/1994 | | |
| PERIOD OF AVAILABLE RECORD | 02/24/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 48 CFS | 3.85 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 324 CFS | 7.67 FEET | 07/14/1999 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 2 | | | | | | | 16 | |
| 4 | | | | 4 | | | | | | | 2 | |
| 5 | | | | 2 | | 1 | | | | | 2 | |
| 6 | | | 2 | | | | | | | | | |
| 7 | | | | --- | | | | | | | 1 | |
| 8 | | | | | | | | | | | 7 | |
| 9 | | | | | | | | | | | 2 | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 2 | | | | | | | |
| 12 | | | | | 5 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 2 | | | | | | | |
| 19 | | | | | 5 | | | | | | | |
| 20 | | | | | 3 | | | | | | | |
| 21 | 1 | | | | | | | | | | | |
| 22 | | 1 | | | 1 | | | | | | | |
| 23 | | 1 | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 2 | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | 1 | | | | | | | | | | | |
| 29 | | --- | 3 | | --- | | | | | | | |
| 30 | | --- | 1 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 3 | 2 | 7 | 11 | 19 | 1 | 0 | 0 | 0 | 0 | 30 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 4 | 3 | 8 | 8 | 8 | 3 | 0 | 0 | 0 | 0 | 48 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 5 | 4 | 14 | 21 | 38 | 1 | 0 | 0 | 0 | 0 | 60 | 0 |
| WTR YR 2005 | TOTAL | | 72 | MEAN | 0 | MAX | 48 | MIN | 0 | AC_FT | 143 | |

Flood Control District of Maricopa County ALERT System

| ACDC at 14th Street | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4813 | DRAINAGE AREA | 10.2 MI ² |
| IN-SERVICE DATE | 02/09/1994 | | |
| PERIOD OF AVAILABLE RECORD | 02/09/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 464 CFS | 3.35 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 464 CFS | 3.35 FEET | 08/02/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | 37 |
| 3 | | | | 1 | | | | | | | | 11 |
| 4 | | | | 1 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | 4 | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 1 | | | | | | | |
| 19 | | | | | 9 | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | 1 | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | --- | | | | | | | | | | | |
| 26 | | | | 8 | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 6 | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 1 | 0 | 6 | 14 | 10 | 0 | 0 | 0 | 0 | 0 | 48 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| MAX | 21 | 0 | 36 | 53 | 25 | 0 | 0 | 0 | 0 | 0 | 464 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 2 | 0 | 12 | 27 | 19 | 0 | 0 | 0 | 0 | 0 | 95 | 0 |
| WTR YR 2005 | TOTAL | | 78 | MEAN | 0 | MAX | 464 | MIN | 0 | AC_FT | 156 | |

Flood Control District of Maricopa County ALERT System

| 10th Street Wash Basin #1 | | | |
|---------------------------------|-------------------------------------|---------------|---------------------|
| STATION ID | 4818 | DRAINAGE AREA | 1.2 MI ² |
| IN-SERVICE DATE | 11/26/1996 | | |
| PERIOD OF AVAILABLE RECORD | 11/26/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 13 CFS | 1.73 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 32 CFS | 3.33 FEET | 07/14/2002 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | 1 | |
| 4 | | | | | | | | | | | 1 | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 1 | | | | | | | |
| 19 | | | | | 1 | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 2 | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | |
| TOTAL | 0 | 0 | 0 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 1 | 2 | 2 | 12 | 8 | 0 | 0 | 0 | 0 | 0 | 13 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| WTR YR 2005 | TOTAL | 8 | MEAN | 0 | MAX | 13 | MIN | 0 | AC_FT | 15 | | |

See also Pool Level and Storage Volume Data.

NOTE: Up to 300 cfs may bypass the basin.

Flood Control District of Maricopa County ALERT System

| ACDC at 43rd Avenue | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 4823 | DRAINAGE AREA | 56 MI ² |
| IN-SERVICE DATE | 11/14/1990 | | |
| PERIOD OF AVAILABLE RECORD | 11/14/1990 - CURRENT YEAR | | |
| WY 2005 PEAK | 3,849 CFS | 5.20 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 3,849 CFS | 5.20 FEET | 08/02/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|------|------|-----|-----|-------|------|------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | 70 | | 26 | | | | | | 104 | |
| 3 | | | 82 | | 26 | | | | | | 428 | 129 |
| 4 | | | 12 | 114 | | | | | | | | 48 |
| 5 | | | | 127 | | | | | | | | |
| 6 | | | | 121 | | | | | | | | |
| 7 | | | | 63 | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | 97 | | | | | | | | |
| 12 | | | | 9 | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | 19 | | | 79 | | 1 | | | | | |
| 23 | | | | | 122 | | | | | | | |
| 24 | | | | | 126 | | | | | | | |
| 25 | | | | | 79 | | | | | | | |
| 26 | | | | 84 | 26 | | | | | | | |
| 27 | | | | 26 | 53 | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 63 | | --- | | | | | | | |
| 30 | | | 10 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 19 | 236 | 641 | 537 | 0 | 1 | 0 | 0 | 0 | 532 | 177 |
| MEAN | 0 | 1 | 8 | 21 | 19 | 0 | 0 | 0 | 0 | 0 | 17 | 6 |
| MAX | 0 | 217 | 202 | 444 | 202 | 0 | 161 | 0 | 0 | 0 | 3849 | 1577 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 37 | 468 | 1272 | 1065 | 0 | 1 | 0 | 0 | 0 | 1055 | 352 |
| WTR YR 2005 | TOTAL | 2143 | MEAN | 6 | MAX | 3849 | MIN | 0 | AC_FT | 4251 | | |

Flood Control District of Maricopa County ALERT System

| Phoenix Basin #3 | | | |
|---------------------------------|-------------------------------------|---------------|---------------------|
| STATION ID | 4828 | DRAINAGE AREA | 1.2 MI ² |
| IN-SERVICE DATE | 12/18/2001 | | |
| PERIOD OF AVAILABLE RECORD | 12/18/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 25 CFS | 3.08 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 51 CFS | 10.36 FEET | 07/14/2002 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | 1 |
| 4 | | | | | | | | | | | | 1 |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | --- | | | | | | | | | | |
| 13 | | --- | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 1 | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 1 | 24 | 14 | 0 | 0 | 0 | 0 | 0 | 25 | 4 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| WTR YR 2005 | TOTAL | | 4 | MEAN | 0 | MAX | 25 | MIN | 0 | AC_FT | 9 | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Cave Creek at Cactus | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4833 | DRAINAGE AREA | 33.6 MI ² |
| IN-SERVICE DATE | 06/27/1991 | | |
| PERIOD OF AVAILABLE RECORD | 06/27/1991 - CURRENT YEAR | | |
| WY 2005 PEAK | 3,247 CFS | 12.85 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 3,247 CFS | 12.85 FEET | 08/03/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|------|------|-----|-----|-------|-------|------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 35 | | | | | | | | 19 |
| 2 | | | | 3 | | | | | | | | 62 |
| 3 | | | | 35 | | | | | | | 385 | 61 |
| 4 | | | | 191 | | | | | --- | | 23 | 172 |
| 5 | | | | 245 | | | | | | | 1 | 205 |
| 6 | | | 38 | 248 | | | | | | | 1 | 76 |
| 7 | | | 9 | 240 | | | | | | | | 3 |
| 8 | | 4 | | 168 | | | | | | | 1 | |
| 9 | | | | 53 | | | | | | | | |
| 10 | | | | 9 | | | | | | | | |
| 11 | | | | 1 | 24 | | | | | | | |
| 12 | | | | 9 | 200 | | | | | | | |
| 13 | | | | | 246 | | | | | | | |
| 14 | | | | | 254 | | | | | | | |
| 15 | | | | | 250 | | | | | | | |
| 16 | | | | | 246 | | | | | | | |
| 17 | | | | | 239 | | | | | | | |
| 18 | | | | | 260 | | | | | | | |
| 19 | | | | | 296 | | | | | | | |
| 20 | | | | | 259 | | | | | | | |
| 21 | | | | | 250 | | | | | | | |
| 22 | 1 | 12 | | | 245 | | | | | | | |
| 23 | | 2 | | | 231 | | | | | | 1 | |
| 24 | | | | | 226 | | | | | | | |
| 25 | | | | | 83 | | | | | | | |
| 26 | | | | 38 | 1 | | | | | | | |
| 27 | | | | 117 | | | | | | 10 | | |
| 28 | 2 | | | 201 | | | | | | | | |
| 29 | 1 | | 64 | 131 | --- | | | | | | | |
| 30 | | | 149 | 30 | --- | | | | | | | |
| 31 | | --- | 157 | 1 | --- | | --- | | --- | 3 | | --- |
| TOTAL | 4 | 18 | 418 | 1755 | 3309 | 0 | 0 | 0 | 0 | 14 | 493 | 517 |
| MEAN | 0 | 1 | 13 | 57 | 118 | 0 | 0 | 0 | 0 | 0 | 16 | 17 |
| MAX | 6 | 35 | 195 | 260 | 414 | 1 | 2 | 0 | 0 | 55 | 3247 | 661 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 9 | 35 | 828 | 3482 | 6564 | 0 | 0 | 0 | 0 | 28 | 978 | 1026 |
| WTR YR 2005 | TOTAL | 6530 | MEAN | 18 | MAX | 3247 | MIN | 0 | AC_FT | 12951 | | |

NOTE: Receding limbs of hydrographs may be significantly affected by clogging of outlet orifice. Therefore, low flows for falling hydrographs may be unrealistically high. See downstream station 4823 for a better representation of the falling limbs. Weir flow begins into main channel above 10 feet gage height.

Flood Control District of Maricopa County ALERT System

| Phoenix East Park Dam | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 4848 | DRAINAGE AREA | 0.11 MI ² |
| IN-SERVICE DATE | 11/28/2001 | | |
| PERIOD OF AVAILABLE RECORD | 11/28/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 16 CFS | 2.10 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 37 CFS | 4.84 FEET | 07/14/2002 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | --- | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 16 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| WTR YR 2005 | TOTAL | | 1 | MEAN | 0 | MAX | 16 | MIN | 0 | AC_FT | | 1 |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Phoenix Basin #7 | | | |
|---------------------------------|-------------------------------------|---------------|---------------------|
| STATION ID | 4853 | DRAINAGE AREA | 1.2 MI ² |
| IN-SERVICE DATE | 12/19/2001 | | |
| PERIOD OF AVAILABLE RECORD | 12/19/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 46 CFS | 8.40 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 49 CFS | 12.11 FEET | 07/14/2002 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | 4 |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | 1 | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | --- | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 2 | 1 | 7 | 7 | 0 | 0 | 0 | 0 | 0 | 7 | 46 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| WTR YR 2005 | TOTAL | | 7 | MEAN | 0 | MAX | 46 | MIN | 0 | AC_FT | | 14 |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Phoenix West Park Dam | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 4858 | DRAINAGE AREA | 0.68 MI ² |
| IN-SERVICE DATE | 11/29/2001 | | |
| PERIOD OF AVAILABLE RECORD | 11/29/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 41 CFS | 5.85 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 51 CFS | 10.73 FEET | 07/14/2002 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | 4 |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 41 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| WTR YR 2005 | TOTAL | | 4 | MEAN | 0 | MAX | 41 | MIN | 0 | AC_FT | | 8 |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Rawhide Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4863 | DRAINAGE AREA | 9.2 MI ² |
| IN-SERVICE DATE | 07/27/1999 | | |
| PERIOD OF AVAILABLE RECORD | 07/27/1999 - CURRENT YEAR | | |
| WY 2005 PEAK | 47 CFS | 0.67 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 89 CFS | 1.07 FEET | 03/05/2004 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 11 | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 45 | 0 | 0 | 0 | 0 | 0 | 47 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 22 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| WTR YR 2005 | TOTAL | 12 | MEAN | 0 | MAX | 47 | MIN | 0 | AC_FT | 23 | | |

Flood Control District of Maricopa County ALERT System

| Cave Creek | | | |
|-------------------------------------|---------------------------|----------------------|---------------------|
| STATION ID | 4893 | DRAINAGE AREA | 100 MI ² |
| IN-SERVICE DATE | 05/28/2003 | | |
| PERIOD OF AVAILABLE RECORD | 05/28/2003 - CURRENT YEAR | | |
| WY 2005 PEAK | 11,400 CFS | 9.70 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 11,400 CFS | 9.70 FEET | 09/03/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------------|-------------------|-----|-------------|-------------|-----------|------------|--------------|------------|----------|--------------|-------------|-------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 2 | 2 | 5 | 1 | 1 | | | 1 | |
| 2 | | | | 2 | 2 | 3 | 1 | 1 | | | 19 | |
| 3 | | | | 50 | 2 | 2 | 1 | 1 | | | 1 | 242 |
| 4 | | | | 461 | 2 | 3 | 1 | | | | | 2 |
| 5 | | | | 147 | 2 | 2 | 1 | | | | | --- |
| 6 | | | 2 | 16 | 2 | 2 | 1 | | | | | --- |
| 7 | | | 1 | 6 | 2 | 3 | 1 | | | | 1 | --- |
| 8 | | | 1 | 4 | 2 | 3 | 1 | | | | | 1 |
| 9 | | | 1 | 2 | 2 | 3 | 1 | | | | 17 | 1 |
| 10 | | | 1 | 2 | 2 | 2 | 1 | | | | 2 | |
| 11 | | | 1 | 2 | 421 | 2 | 1 | | | | 3 | |
| 12 | | | 1 | 2 | 718 | 2 | 1 | | | | 1 | |
| 13 | | | 1 | 2 | 361 | 2 | 1 | | | | 1 | |
| 14 | | | 1 | 2 | 11 | 2 | 1 | | | | 1 | |
| 15 | | | 1 | 2 | 7 | 2 | 1 | | | | | |
| 16 | | | 1 | 2 | 9 | 2 | 1 | | | | | |
| 17 | | | 1 | 2 | 9 | 2 | 1 | | | | | |
| 18 | | | 1 | 2 | 23 | 2 | 1 | | | | | |
| 19 | | | 1 | 2 | 38 | 2 | 1 | | | | | |
| 20 | | | 1 | 2 | 69 | 2 | 1 | | | | | |
| 21 | | | 1 | 2 | 84 | 2 | 1 | | | | | |
| 22 | | | 1 | 2 | 198 | 2 | 1 | | | | | |
| 23 | | | 1 | 2 | 32 | 2 | 1 | | | | | |
| 24 | | | 1 | 2 | 17 | 2 | 1 | | | | | |
| 25 | | | 1 | 2 | 12 | 2 | 1 | | | | | |
| 26 | | | 1 | 2 | 8 | 2 | 1 | | | | | |
| 27 | | | 1 | 109 | 7 | 2 | 1 | | | | | |
| 28 | | | 1 | 11 | 5 | 2 | 1 | | | | | |
| 29 | | | 160 | 3 | --- | 2 | 1 | | | | | |
| 30 | | | 63 | 3 | --- | 2 | 1 | | | 1 | | |
| 31 | | --- | 5 | 3 | --- | 2 | --- | | --- | 1 | | --- |
| TOTAL | 0 | 0 | 251 | 850 | 2084 | 67 | 26 | 6 | 0 | 2 | 48 | 252 |
| MEAN | 0 | 0 | 8 | 27 | 74 | 2 | 1 | 0 | 0 | 0 | 2 | 8 |
| MAX | 1 | 1 | 1106 | 961 | 2199 | 5 | 1 | 1 | 0 | 9 | 567 | 11400 |
| MIN | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 1 | 1 | 497 | 1685 | 4134 | 133 | 52 | 12 | 0 | 3 | 95 | 500 |
| WTR YR 2005 TOTAL | | | 3586 | MEAN | 10 | MAX | 11400 | MIN | 0 | AC_FT | 7114 | |

Flood Control District of Maricopa County ALERT System

| Cave Buttes Dam Outlet | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4903 | DRAINAGE AREA | 191 MI ² |
| IN-SERVICE DATE | 01/25/1984 | | |
| PERIOD OF AVAILABLE RECORD | 07/30/1992 - CURRENT YEAR | | |
| WY 2005 PEAK | 415 CFS | 5.38 FEET | 02/14/2005 |
| EXTREME FOR PERIOD OF RECORD | 522 CFS | 6.43 FEET | 08/24/1992 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|------|------|-----|-----|-----|-----|-----|-------|-------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | 7 | | | | | | |
| 2 | | | | | | 17 | | | | | 1 | 13 |
| 3 | | | | | | 16 | | | | | 25 | 36 |
| 4 | | | | 184 | | 16 | | | | | | 288 |
| 5 | | | | 272 | | 17 | | | | | | 155 |
| 6 | | | | 254 | | 17 | | | | | | 17 |
| 7 | | | | 186 | | 17 | | | | | | 17 |
| 8 | | | | 2 | | 16 | | | | | | 17 |
| 9 | | | | | | 17 | | | | | | 17 |
| 10 | | | | | | 16 | | | | | 15 | 17 |
| 11 | | | | | 28 | 16 | | | | | 1 | 17 |
| 12 | | | | | 299 | 17 | | | | | 39 | 17 |
| 13 | | | | | 376 | 12 | | | | | | 17 |
| 14 | | | | | 392 | 16 | | | | | | 13 |
| 15 | | | | | 372 | 1 | | | | | | |
| 16 | | | | | 360 | | | | | | | |
| 17 | | | | | 360 | | | | | | | |
| 18 | | | | | 338 | | | | | | | |
| 19 | | | | | 320 | | | | | | | |
| 20 | | | | | 350 | | | | | | | |
| 21 | | | | | 348 | | | | | | | |
| 22 | | | | | 310 | | | | | | | |
| 23 | | | | | 284 | | | | | | | |
| 24 | | | | | 162 | | | | | | | |
| 25 | | | | | 7 | | | | | | | |
| 26 | | | | 14 | | | | | | | | |
| 27 | | | | 186 | | | | | | | | |
| 28 | | | | 167 | | | | | | | | |
| 29 | | | 14 | 2 | --- | | | | | | | |
| 30 | | | 195 | | --- | | | | | | | |
| 31 | | --- | 22 | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 231 | 1266 | 4307 | 219 | 0 | 0 | 0 | 0 | 80 | 640 |
| MEAN | 0 | 0 | 7 | 41 | 154 | 7 | 0 | 0 | 0 | 0 | 3 | 21 |
| MAX | 0 | 0 | 212 | 292 | 415 | 26 | 0 | 0 | 0 | 21 | 116 | 336 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 458 | 2512 | 8543 | 435 | 0 | 0 | 0 | 0 | 158 | 1269 |
| WTR YR 2005 | TOTAL | | 6743 | MEAN | 18 | MAX | 415 | MIN | | 0 | AC_FT | 13375 |

Flood Control District of Maricopa County ALERT System

| Stagecoach Wash | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4913 | DRAINAGE AREA | 1.12 MI ² |
| IN-SERVICE DATE | 06/13/2001 | | |
| PERIOD OF AVAILABLE RECORD | 06/13/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 7 CFS | 0.84 FEET | 01/27/2005 |
| EXTREME FOR PERIOD OF RECORD | 27 CFS | 1.21 FEET | 06/22/2002 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | --- | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | 1 | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 2 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

WTR YR 2005 TOTAL 1 MEAN 0 MAX 7 MIN 0 AC_FT 2
 NOTE: There is some small flows coming periodically from a water storage facility about 500 feet north of the gage. All recorded flows were from this periodic discharge.

Flood Control District of Maricopa County ALERT System

| Cave Creek near Cave Creek | | | |
|----------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4918 | DRAINAGE AREA | 121 MI ² |
| IN-SERVICE DATE | 05/27/1994 | | |
| PERIOD OF AVAILABLE RECORD | 05/27/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 6,500 CFS | 6.96 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 6,500 CFS | 6.96 FEET | 09/03/2005 |
| EXTREME OUTSIDE PERIOD OF RECORD | 13,800 CFS | UNKNOWN | 01/08/1993 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|------|------|-----|------|-----|-----|-------|-------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | 57 | | | | | |
| 2 | | | | | | | 85 | | | | 23 | |
| 3 | | | | 11 | | | 21 | | | | | 477 |
| 4 | | | | 626 | | | 117 | | | | | |
| 5 | | | | 317 | | | 130 | | | | | |
| 6 | | | | | | | 74 | | | | | |
| 7 | | | | | | | 66 | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | 67 | | | | 47 | |
| 10 | | | | | | | 81 | | | | 67 | |
| 11 | | | | | 466 | | 106 | | | | | |
| 12 | | | | | 1481 | | 125 | | | | | |
| 13 | | | | | 232 | | 103 | | | | | |
| 14 | | | | | | | 124 | | | | | |
| 15 | | | | | | | 87 | | | | | |
| 16 | | | | | | | 128 | | | | | |
| 17 | | | | | | 10 | 45 | | | | | |
| 18 | | | | | | 27 | | | | | | |
| 19 | | | | | | 436 | | | | | | |
| 20 | | | | | | 238 | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | 42 | | | | | | |
| 23 | | | | | | 30 | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | 258 | | | | | | | --- | |
| 28 | | | | | | | | | | | --- | |
| 29 | | | 194 | | | --- | 5 | | | | | |
| 30 | | | 185 | | | --- | | | | | | |
| 31 | | --- | | | | --- | | | --- | | | --- |
| TOTAL | 0 | 0 | 379 | 1212 | 2962 | 0 | 1423 | 0 | 0 | 0 | 137 | 477 |
| MEAN | 0 | 0 | 12 | 39 | 106 | 0 | 47 | 0 | 0 | 0 | 4 | 16 |
| MAX | 0 | 0 | 1130 | 874 | 2785 | 0 | 211 | 0 | 0 | 0 | 473 | 6504 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 751 | 2404 | 5875 | 0 | 2822 | 0 | 0 | 0 | 272 | 946 |
| WTR YR 2005 | TOTAL | | 6589 | MEAN | 18 | MAX | 6504 | MIN | 0 | AC_FT | 13070 | |

Flood Control District of Maricopa County ALERT System

| Cave Creek near Spur Cross | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4923 | DRAINAGE AREA | 121 MI ² |
| IN-SERVICE DATE | 05/27/1994 | | |
| PERIOD OF AVAILABLE RECORD | 05/27/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 13,250 CFS | 16.40 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 13,250 CFS | 16.40 FEET | 09/03/2005 |

See *USGS Water-Data Report AZ-05-1* for official data for this site.

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|-----|------|-------|-----|-----|-------|------|-----|-------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | --- | | | 4 | 3 | 5 | | | | | 17 | |
| 2 | | | | 2 | 2 | 4 | | | | | 1 | |
| 3 | | | | 1 | 1 | 3 | | | | | | 378 |
| 4 | | | | 1 | 1 | 3 | | | | | | 53 |
| 5 | | | | 1 | 3 | 3 | | | | | | 9 |
| 6 | | | | 21 | 3 | 3 | | | | | 1 | 3 |
| 7 | | | | 18 | | 2 | | | | | | 1 |
| 8 | | | | 7 | 1 | 2 | | | | | | 2 |
| 9 | | | | 3 | 1 | 2 | | | | | 42 | |
| 10 | | | | 2 | 1 | 1 | | | | | 14 | |
| 11 | | | | 1 | 716 | 1 | | | | | 66 | |
| 12 | | | | 2 | 1180 | 1 | | | | | 14 | |
| 13 | | | | 2 | 127 | 1 | | | | | 3 | |
| 14 | | | | 1 | 42 | 1 | | | | | | |
| 15 | | | | 1 | 18 | 1 | | | | | | |
| 16 | | | | | 10 | | | | | | | |
| 17 | | | | | 5 | | | | | | | |
| 18 | | | | | 43 | | | | | | | |
| 19 | | | | | 359 | 1 | | | | | | |
| 20 | | | | | 133 | 1 | | | | | | |
| 21 | | | | | 51 | 1 | | | | | | |
| 22 | | | | | 66 | | | | | | | |
| 23 | | | | | 72 | | | | | | | |
| 24 | | | | | 35 | | | | | 1 | | |
| 25 | | | | | 25 | | | | | | | |
| 26 | | | | 1 | 15 | | | | | | | |
| 27 | | | | 175 | 10 | | | | | | | |
| 28 | | | | 41 | 7 | | | | | | | |
| 29 | | | 178 | 11 | --- | | | | | | | |
| 30 | | | 151 | 13 | --- | | | | | 24 | | |
| 31 | | --- | 18 | 6 | --- | | --- | | --- | 40 | | --- |
| TOTAL | 0 | 0 | 348 | 316 | 2930 | 37 | 1 | 1 | 0 | 65 | 159 | 447 |
| MEAN | 0 | 0 | 11 | 10 | 105 | 1 | 0 | 0 | 0 | 2 | 5 | 15 |
| MAX | 0 | 0 | 1008 | 654 | 2963 | 7 | 0 | 0 | 0 | 409 | 553 | 13254 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 690 | 626 | 5811 | 73 | 2 | 2 | 0 | 128 | 316 | 886 |
| WTR YR 2005 | TOTAL | 4303 | MEAN | 12 | MAX | 13254 | MIN | 0 | AC_FT | 8535 | | |

Flood Control District of Maricopa County ALERT System

| Reata Pass Dam | | | |
|---------------------------------|-------------------------------------|---------------|---------------------|
| STATION ID | 4938 | DRAINAGE AREA | 1.0 MI ² |
| IN-SERVICE DATE | 10/02/2001 | | |
| PERIOD OF AVAILABLE RECORD | 10/02/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 11 CFS | 3.22 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 124 CFS | 4.72 FEET | 03/05/2004 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | 1 | | | | | | |
| 2 | | | | | | 1 | | | | | | |
| 3 | | | | 1 | | 1 | | | | | | |
| 4 | | | | 3 | | 1 | | | | | | |
| 5 | | | | | | 2 | | | | | | |
| 6 | | | 1 | | | 2 | | | | | | |
| 7 | | | | | | 1 | | | | | | |
| 8 | | | | | | 1 | | | | | | |
| 9 | | | | | | 1 | | | | | | |
| 10 | | | | | | 1 | | | | | | |
| 11 | | | | | 2 | | | | | | | |
| 12 | | | | | 4 | | | | | | | |
| 13 | | | | | 1 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | 1 | | | | | | |
| 17 | | | | | 1 | | | | | | | |
| 18 | | | | | 2 | | | | | | | |
| 19 | | | | | 6 | | | | | | | |
| 20 | | | | | 3 | | | | | | | |
| 21 | | | | | 2 | | | | | | | |
| 22 | | | | | 3 | | | | | | | |
| 23 | | | | | 2 | | | | | | | |
| 24 | | | | | 2 | | 1 | | | | | |
| 25 | | | | | 1 | | | | | | | |
| 26 | | | | 1 | 1 | | | | | 1 | | |
| 27 | | | | 1 | 1 | | | | | | | |
| 28 | | | | | 1 | | | | | | | |
| 29 | | | 2 | 1 | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 4 | 4 | 7 | 10 | 33 | 16 | 5 | 4 | 4 | 5 | 4 | 4 |
| MEAN | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 1 | 1 | 9 | 4 | 11 | 4 | 3 | 0 | 0 | 4 | 2 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 9 | 8 | 15 | 20 | 66 | 32 | 9 | 8 | 8 | 10 | 9 | 8 |
| WTR YR 2005 | TOTAL | 102 | MEAN | 0 | MAX | 11 | MIN | 0 | AC_FT | 202 | | |

See also Pool Level Data.

Flood Control District of Maricopa County ALERT System

| Cave Creek Fire | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 4948 | DRAINAGE AREA | 41 MI ² |
| IN-SERVICE DATE | 07/18/2005 | | |
| PERIOD OF AVAILABLE RECORD | 07/18/2005 - CURRENT YEAR | | |
| WY 2005 PEAK | 17,480 CFS | 11.50 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 17,480 CFS | 11.50 FEET | 09/03/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-------|-----|-----|-------|------|-----|-------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 673 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16 | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8 | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1 | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9 | --- | --- |
| TOTAL | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11 | 25 | 674 |
| MEAN | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0 | 1 | 22 |
| MAX | --- | --- | --- | --- | --- | --- | --- | --- | --- | 693 | 458 | 17480 |
| MIN | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0 | 0 | 0 |
| AC_FT | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22 | 49 | 1337 |
| WTR YR 2005 | TOTAL | 710 | MEAN | 2 | MAX | 17480 | MIN | 0 | AC_FT | 1408 | | |

Flood Control District of Maricopa County ALERT System

| Seven Springs Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4963 | DRAINAGE AREA | 8.0 MI ² |
| IN-SERVICE DATE | 03/12/2002 | | |
| PERIOD OF AVAILABLE RECORD | 03/12/2002 - CURRENT YEAR | | |
| WY 2005 PEAK | 11,700 CFS | 10.68 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 11,700 CFS | 10.68 FEET | 09/03/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|------|-------|-----|-----|-------|------|-----|-------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 9 | 8 | 8 | | | | | | |
| 2 | | | 2 | 8 | 5 | 6 | | | | | | |
| 3 | | | 2 | 62 | 3 | 4 | | | | | | 378 |
| 4 | | | 2 | 119 | 3 | 2 | | | | | | 66 |
| 5 | | | 2 | 52 | 2 | 4 | | | | | | 42 |
| 6 | | | 12 | 26 | 2 | 5 | | | | | | 31 |
| 7 | | | 4 | 17 | 3 | 2 | | | | | | 16 |
| 8 | | | 1 | 11 | 2 | | | | | | 1 | 1 |
| 9 | | | 1 | 6 | 4 | | | | | | 2 | |
| 10 | | | 1 | 5 | 1 | | | | | | | |
| 11 | | | | 8 | 273 | | | | | | 13 | |
| 12 | | | | 11 | 208 | | | | | | 7 | |
| 13 | | | | 6 | 39 | | | | | | | |
| 14 | | | | 4 | 23 | | | | | | | |
| 15 | | | | 3 | 18 | | | | | | | |
| 16 | | | | 2 | 14 | | | | | | | |
| 17 | | | | 5 | 11 | | | | | | | |
| 18 | | | | 2 | 32 | | | | | | | |
| 19 | | | | 2 | 96 | | | | | | | |
| 20 | | | 1 | 1 | 50 | | | | | | | |
| 21 | | 1 | | 1 | 28 | | | | | | | |
| 22 | | 3 | 1 | 1 | 43 | | | | | | | |
| 23 | | 1 | 1 | 1 | 33 | | | | | | | |
| 24 | | | | | 22 | 4 | | | | | | |
| 25 | | 1 | 1 | 1 | 18 | 11 | | | | | | |
| 26 | | | 1 | 17 | 14 | 4 | | | | | | |
| 27 | | | | 61 | 12 | | | | | 1 | | |
| 28 | 1 | | | 22 | 9 | | | | | 5 | | |
| 29 | 1 | 2 | 104 | 19 | --- | | | | | | | |
| 30 | | | 36 | 18 | --- | | | | | 2 | | |
| 31 | | --- | 16 | 12 | --- | | --- | | --- | 3 | | --- |
| TOTAL | 2 | 8 | 189 | 510 | 980 | 50 | 0 | 0 | 0 | 11 | 23 | 533 |
| MEAN | 0 | 0 | 6 | 16 | 35 | 2 | 0 | 0 | 0 | 0 | 1 | 18 |
| MAX | 4 | 20 | 620 | 453 | 902 | 24 | 0 | 0 | 0 | 17 | 717 | 11697 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 3 | 17 | 375 | 1012 | 1943 | 99 | 0 | 0 | 0 | 21 | 45 | 1058 |
| WTR YR 2005 | TOTAL | 2306 | MEAN | 6 | MAX | 11697 | MIN | 0 | AC_FT | 4575 | | |

Flood Control District of Maricopa County ALERT System

| Columbus Wash | | | |
|------------------------------|---------------------------|---------------|----------------|
| STATION ID | 5013 | DRAINAGE AREA | NOT DETERMINED |
| IN-SERVICE DATE | 09/22/1999 | | |
| PERIOD OF AVAILABLE RECORD | 09/22/1999 - CURRENT YEAR | | |
| WY 2005 PEAK | 210 CFS | 1.38 FEET | 08/07/2005 |
| EXTREME FOR PERIOD OF RECORD | 210 CFS | 1.38 FEET | 08/07/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 8 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | 5 | |
| 8 | | | | | | | | | | | 3 | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 1 | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 1 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 29 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 210 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 2 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 0 |
| WTR YR 2005 | TOTAL | | 17 | MEAN | 0 | MAX | 210 | MIN | 0 | AC_FT | 34 | |

Flood Control District of Maricopa County ALERT System

| Copper Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5033 | DRAINAGE AREA | 6.6 MI ² |
| IN-SERVICE DATE | 02/20/2001 | | |
| PERIOD OF AVAILABLE RECORD | 02/20/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 99 CFS | 1.44 FEET | 10/21/2004 |
| EXTREME FOR PERIOD OF RECORD | 3,780 CFS | 5.69 FEET | 08/27/2003 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 1 | | | | | | | | |
| 4 | | | | 13 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | 1 | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | --- | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 1 | | | | | | | |
| 20 | | | | | 3 | | | | | | | |
| 21 | 21 | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 21 | 0 | 0 | 14 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MEAN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 99 | 0 | 14 | 20 | 16 | 0 | 0 | 0 | 0 | 0 | 17 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 41 | 0 | 1 | 28 | 8 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| WTR YR 2005 | TOTAL | | 40 | MEAN | 0 | MAX | 99 | MIN | 0 | AC_FT | | 79 |

Flood Control District of Maricopa County ALERT System

| Fourth of July Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5043 | DRAINAGE AREA | 3.7 MI ² |
| IN-SERVICE DATE | 03/14/2002 | | |
| PERIOD OF AVAILABLE RECORD | 03/14/2002 - CURRENT YEAR | | |
| WY 2005 PEAK | 781 CFS | 2.20 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 1,270 CFS | 3.08 FEET | 08/13/2004 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-----|-------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 35 | | | | | | | | |
| 4 | | | | 87 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | 40 | |
| 10 | | | | | | | | | | | 2 | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 1 | | | | | | | |
| 20 | | | | | 2 | | | | | | | |
| 21 | 61 | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 30 | | --- | | | | | | | |
| 30 | | | 4 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 61 | 0 | 33 | 122 | 3 | 0 | 0 | 0 | 0 | 0 | 42 | 0 |
| MEAN | 2 | 0 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 355 | 0 | 73 | 457 | 19 | 0 | 0 | 0 | 0 | 0 | 781 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 121 | 0 | 66 | 243 | 5 | 0 | 0 | 0 | 0 | 0 | 82 | 0 |
| WTR YR 2005 | TOTAL | | 261 | MEAN | 1 | MAX | 781 | MIN | | 0 | AC_FT | 517 |

Flood Control District of Maricopa County ALERT System

| Cruff Wash | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 5078 | DRAINAGE AREA | 10.4 MI ² |
| IN-SERVICE DATE | 05/14/2002 | | |
| PERIOD OF AVAILABLE RECORD | 05/14/2002 - CURRENT YEAR | | |
| WY 2005 PEAK | 333 CFS | 1.64 FEET | 01/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 765 CFS | 3.80 FEET | 08/23/2003 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 16 | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | 3 | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | 3 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 4 | 0 | 16 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 98 | 11 | 333 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 7 | 1 | 32 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 23 | MEAN | 0 | MAX | 333 | MIN | 0 | AC_FT | | 45 |

Flood Control District of Maricopa County ALERT System

| Centennial Wash at Wenden | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5093 | DRAINAGE AREA | 586 MI ² |
| IN-SERVICE DATE | 09/16/1998 | | |
| PERIOD OF AVAILABLE RECORD | 09/16/1998 - CURRENT YEAR | | |
| WY 2005 PEAK | 4,209 CFS | 3.50 FEET | 10/22/2004 |
| EXTREME FOR PERIOD OF RECORD | 24,300 CFS | 7.82 FEET | 10/22/2000 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-------|------|------|-----|------|-----|-----|-------|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | 2 | | | | | | | | | |
| 3 | | | 3 | | | | | | | | | |
| 4 | | | 3 | 10 | | | | | | | | |
| 5 | | | 5 | 1081 | | 10 | | | | | | |
| 6 | | | 3 | 1332 | | | | | | | | |
| 7 | | 31 | 3 | 65 | | | | | | | | |
| 8 | | 164 | 2 | | | | | | | | | |
| 9 | | 559 | | | | | | | | | 21 | |
| 10 | | 28 | | | | | | | | | 1 | |
| 11 | | | | | | | | | | | 2 | |
| 12 | | | | | | | | | | | | |
| 13 | | 5 | | | 35 | | | | | | | |
| 14 | | 1 | | | 9 | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | 495 | 275 | | | | | | | | | | |
| 22 | 3108 | 1823 | | | | | | | | | | |
| 23 | 1367 | 3189 | | | | | | | | | | |
| 24 | 67 | 1162 | | | | | | | | | 3 | |
| 25 | | 31 | | | | --- | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | 35 | | | | | | | | | | | |
| 29 | | | | | | --- | | | | | | |
| 30 | | | 155 | | --- | | | | | | | |
| 31 | | --- | 120 | | --- | | --- | | --- | | | --- |
| TOTAL | 5073 | 7267 | 293 | 2487 | 43 | 10 | 0 | 0 | 0 | 0 | 27 | 0 |
| MEAN | 164 | 242 | 9 | 80 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 4209 | 3646 | 315 | 2500 | 71 | 59 | 0 | 0 | 0 | 0 | 300 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 10062 | 14413 | 582 | 4933 | 86 | 19 | 0 | 0 | 0 | 0 | 53 | 0 |
| WTR YR 2005 | TOTAL | 15200 | MEAN | 42 | MAX | 4209 | MIN | 0 | AC_FT | 30149 | | |

NOTE: Streamgauge was removed at the request of ADOT for bridge work. Gage was removed from December 2, 2002 through July 7, 2004.

Flood Control District of Maricopa County ALERT System

| Centennial at SPRR | | | |
|------------------------------|---------------------------|---------------|-----------------------|
| STATION ID | 5103 | DRAINAGE AREA | 1,817 MI ² |
| IN-SERVICE DATE | 02/09/1990 | | |
| PERIOD OF AVAILABLE RECORD | 02/09/1990 - CURRENT YEAR | | |
| WY 2005 PEAK | 2,256 CFS | 6.24 FEET | 11/12/2004 |
| EXTREME FOR PERIOD OF RECORD | 9,616 CFS | 9.10 FEET | 02/08/1993 |

See *USGS Water-Data Report AZ-05-1* for official data for this site.

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|-----|------|-----|-----|-------|------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 221 | | | | | | | | |
| 4 | | | | 1122 | | | | | | | | |
| 5 | | | | 553 | | | | | | | | |
| 6 | | | | 63 | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | 68 | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | 103 | |
| 11 | | | | | 77 | | | | | | 65 | |
| 12 | | 311 | | | 21 | | | | | | | |
| 13 | | 39 | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | 108 | | | | | --- | | | | | | |
| 22 | 101 | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | 185 | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | 110 | | | | | | | | | | | |
| 29 | | | 290 | | --- | | | | | | | |
| 30 | | | 129 | | --- | | | | | | | |
| 31 | | --- | | | --- | | | --- | | --- | | --- |
| TOTAL | 319 | 419 | 420 | 1959 | 98 | 0 | 0 | 0 | 0 | 185 | 168 | 0 |
| MEAN | 10 | 14 | 14 | 63 | 3 | 0 | 0 | 0 | 0 | 6 | 5 | 0 |
| MAX | 562 | 2256 | 627 | 1405 | 258 | 0 | 0 | 0 | 0 | 548 | 436 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 633 | 830 | 832 | 3886 | 194 | 0 | 0 | 0 | 0 | 366 | 332 | 0 |
| WTR YR 2005 | TOTAL | 3566 | MEAN | 10 | MAX | 2256 | MIN | 0 | AC_FT | 7074 | | |

Flood Control District of Maricopa County ALERT System

| Delaney Wash | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 5108 | DRAINAGE AREA | 48.3 MI ² |
| IN-SERVICE DATE | 12/22/1999 | | |
| PERIOD OF AVAILABLE RECORD | 12/22/1999 - CURRENT YEAR | | |
| WY 2005 PEAK | 560 CFS | 3.68 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 1,400 CFS | 6.02 FEET | 02/25/2003 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 45 | | | | | | | 33 | |
| 4 | | | | 37 | | | | | | | | |
| 5 | | | | 1 | | 4 | | | | | | |
| 6 | | | | | | 1 | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 1 | | | | | | | |
| 12 | | | | | 1 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | --- | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 2 | | | | | | | |
| 20 | | | | | 24 | | | | | | | |
| 21 | 6 | | | | | | | | | | | |
| 22 | 1 | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | 4 | | | | | | | | | | | |
| 29 | 1 | | 5 | | --- | | | | | | | |
| 30 | | | 1 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 24 | 15 | 20 | 96 | 40 | 20 | 15 | 15 | 15 | 15 | 48 | 15 |
| MEAN | 1 | 0 | 1 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0 |
| MAX | 43 | 0 | 112 | 400 | 364 | 127 | 0 | 0 | 0 | 0 | 560 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 48 | 30 | 39 | 191 | 79 | 39 | 30 | 31 | 30 | 31 | 94 | 30 |
| WTR YR 2005 | TOTAL | | 338 | MEAN | 1 | MAX | 560 | MIN | 0 | AC_FT | 670 | |

Flood Control District of Maricopa County ALERT System

| Saddleback FRS | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 5113 | DRAINAGE AREA | 29.6 MI ² |
| IN-SERVICE DATE | 12/16/1988 | | |
| PERIOD OF AVAILABLE RECORD | 12/16/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | 40 CFS | 0.82 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 93 CFS | 2.50 FEET | 07/15/1996 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | 6 | | | | | | | | | |
| 3 | | | 12 | 4 | | | | | | | | |
| 4 | | | 11 | 5 | | | | | | | | |
| 5 | | | 11 | | | | | | | | | |
| 6 | | | 6 | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | 3 | |
| 10 | | | | | | | | | | | 5 | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 1 | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 46 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 0 |
| MEAN | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 23 | 34 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 92 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 17 | 0 |
| WTR YR 2005 | TOTAL | | 63 | MEAN | 0 | MAX | 40 | MIN | 0 | AC_FT | 126 | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Winters Wash | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 5118 | DRAINAGE AREA | 27.8 MI ² |
| IN-SERVICE DATE | 07/11/2000 | | |
| PERIOD OF AVAILABLE RECORD | 07/11/2000 - CURRENT YEAR | | |
| WY 2005 PEAK | 99 CFS | 1.34 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 510 CFS | 3.30 FEET | 07/29/2003 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | 6 |
| 3 | | | | 4 | | | | | | | | 11 |
| 4 | | | | 24 | | | | | | | | 5 |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | 3 | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | 5 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | | --- | | --- | | --- |
| TOTAL | 0 | 0 | 0 | 28 | 5 | 0 | 0 | 0 | 0 | 0 | 25 | 0 |
| MEAN | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 0 | 0 | 0 | 67 | 29 | 0 | 0 | 0 | 0 | 0 | 99 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 56 | 10 | 0 | 0 | 0 | 0 | 0 | 49 | 0 |
| WTR YR 2005 | TOTAL | 58 | MEAN | 0 | MAX | 99 | MIN | 0 | AC_FT | 115 | | |

Flood Control District of Maricopa County ALERT System

| Centennial Levee | | | |
|------------------------------|---------------------------|---------------|--------------|
| STATION ID | 5123 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 07/09/2003 | | |
| PERIOD OF AVAILABLE RECORD | 07/09/2003 - CURRENT YEAR | | |
| WY 2005 PEAK | 20 CFS | 1.15 FEET | 01/04/2005 |
| EXTREME FOR PERIOD OF RECORD | 126 CFS | 2.17 FEET | 08/15/2003 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 6 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | 2 | | | | | | | |
| 21 | 1 | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | 1 | | | | | | | |
| 24 | --- | | | | | | | | | | | |
| 25 | --- | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 1 | 0 | 0 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 4 | 0 | 1 | 20 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 1 | 0 | 1 | 13 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 9 | MEAN | 0 | MAX | 20 | MIN | 0 | AC_FT | 19 | |

Flood Control District of Maricopa County ALERT System

| Harquahala FRS | | | |
|---------------------------------|-------------------------------------|---------------|-----------------------|
| STATION ID | 5128 | DRAINAGE AREA | 102.3 MI ² |
| IN-SERVICE DATE | 03/01/1994 | | |
| PERIOD OF AVAILABLE RECORD | 03/01/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 6.92 FEET | 02/20/2005 |
| EXTREME FOR PERIOD OF RECORD | 310 CFS | 21.47 FEET | 10/27/2000 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | 0 | | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Tiger Wash | | | |
|----------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 5163 | DRAINAGE AREA | 85.2 MI ² |
| IN-SERVICE DATE | 09/15/1999 | | |
| PERIOD OF AVAILABLE RECORD | 09/15/1999 - CURRENT YEAR | | |
| WY 2005 PEAK | 3,691 CFS | 8.70 FEET | 12/29/2004 |
| EXTREME FOR PERIOD OF RECORD | 3,935 CFS | 8.90 FEET | 09/09/2002 |
| EXTREME OUTSIDE PERIOD OF RECORD | 8,070 CFS | 10.17 FEET | 09/26/1997 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | | |
|-------------|-------------------|-----|------|------|------|-----|-----|------|-----|-----|------|-------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | |
| 1 | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | 7 | | |
| 4 | | | | 276 | | | | | | | 87 | 25 | |
| 5 | | | | 39 | | | | | | | | | |
| 6 | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | |
| 11 | | | | | 204 | | | | | | | | |
| 12 | | | | | 457 | | | | | | | | |
| 13 | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | |
| 19 | | | | | 6 | | | | | | | | |
| 20 | | | | | 88 | | | | | | | | |
| 21 | 135 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | |
| 23 | | | | | 81 | | | | | | | | |
| 24 | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | |
| 29 | | | 401 | | --- | | | | | | | | |
| 30 | | | | | --- | | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- | |
| TOTAL | 135 | 0 | 401 | 316 | 836 | 0 | 0 | 0 | 0 | 0 | 94 | 25 | |
| MEAN | 4 | 0 | 13 | 10 | 30 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | |
| MAX | 571 | 0 | 3691 | 430 | 1822 | 0 | 0 | 0 | 0 | 0 | 1172 | 370 | |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| AC_FT | 268 | 0 | 796 | 626 | 1658 | 0 | 0 | 0 | 0 | 0 | 187 | 50 | |
| WTR YR 2005 | TOTAL | | 1807 | MEAN | | 5 | MAX | 3691 | MIN | | 0 | AC_FT | 3584 |

Flood Control District of Maricopa County ALERT System

| Centennial near Aguila | | | |
|------------------------------|---------------------------|---------------|--------------|
| STATION ID | 5178 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 06/05/2001 | | |
| PERIOD OF AVAILABLE RECORD | 06/05/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 158 CFS | 2.05 FEET | 11/22/2004 |
| EXTREME FOR PERIOD OF RECORD | 158 CFS | 2.05 FEET | 11/22/2004 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 57 | | | | | | | | |
| 5 | | | | 41 | | | | | | | | |
| 6 | | | | 8 | | | | | | | | |
| 7 | | | | 1 | | | | | | | | |
| 8 | | 4 | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | --- | | | | 6 | | | | | | 2 | |
| 13 | | | | | 1 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | --- | | | | | | | | | --- | | |
| 20 | | | | | | | | | | --- | | |
| 21 | 27 | | | | | | | | | | | |
| 22 | 5 | 45 | | | | | | | | | | |
| 23 | | 6 | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 15 | | --- | | | | | | | |
| 30 | | | 7 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 32 | 56 | 23 | 107 | 7 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| MEAN | 1 | 2 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 91 | 158 | 30 | 152 | 11 | 0 | 0 | 0 | 0 | 0 | 6 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 64 | 111 | 45 | 212 | 13 | 0 | 0 | 0 | 0 | 0 | 4 | 0 |
| WTR YR 2005 | TOTAL | 227 | MEAN | 1 | MAX | 158 | MIN | 0 | AC_FT | 449 | | |

Flood Control District of Maricopa County ALERT System

| Buckeye #1 FRS | | | |
|---------------------------------|-------------------------------------|---------------|--------------------|
| STATION ID | 5203 | DRAINAGE AREA | 74 MI ² |
| IN-SERVICE DATE | 07/26/1983 | | |
| PERIOD OF AVAILABLE RECORD | 11/23/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | 17 CFS | -0.89 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 243 CFS | 4.96 FEET | 02/14/2003 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 |
| WTR YR 2005 | TOTAL | | 5 | MEAN | 0 | MAX | 17 | MIN | 0 | AC_FT | 10 | |

See also Pool Level and Storage Volume Data.

NOTE: Because of local drawdown effects at the gage on the principal outlet, discharges for stages below about one foot gage height are approximate.

Flood Control District of Maricopa County ALERT System

| Buckeye #2 FRS | | | |
|---------------------------------|-------------------------------------|---------------|---------------------|
| STATION ID | 5208 | DRAINAGE AREA | 5.7 MI ² |
| IN-SERVICE DATE | 11/11/1992 | | |
| PERIOD OF AVAILABLE RECORD | 11/11/1992 - CURRENT YEAR | | |
| WY 2005 PEAK | 92 CFS | 2.76 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 121 CFS | 4.66 FEET | 02/14/2003 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | --- | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | 18 | |
| 10 | | | | | | | | | | | 7 | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 92 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 49 | 0 |
| WTR_YR_2005 | TOTAL | 25 | MEAN | 0 | MAX | 92 | MIN | 0 | AC_FT | 50 | | |

See also Pool Level and Storage Volume Data.

NOTE: Because of local drawdown effects at the gage on the principal outlet, discharges for stages below about one foot gage height are approximate.

Flood Control District of Maricopa County ALERT System

| Jackrabbit Wash | | | |
|----------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5218 | DRAINAGE AREA | 120 MI ² |
| IN-SERVICE DATE | 10/31/2000 | | |
| PERIOD OF AVAILABLE RECORD | 10/31/2000 - CURRENT YEAR | | |
| WY 2005 PEAK | 2,270 CFS | 4.25 FEET | 01/04/2005 |
| EXTREME FOR PERIOD OF RECORD | 6,000 CFS | 5.70 FEET | 09/08/2002 |
| EXTREME OUTSIDE PERIOD OF RECORD | 32,400 CFS | 9.90 FEET | 10/27/2000 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|------|------|-----|-----|-------|------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 254 | | | | | | | 116 | |
| 4 | | | | 646 | | | | | | | | |
| 5 | | | | 57 | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 109 | | | | | | | |
| 12 | | | | | 133 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | 70 | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | 30 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 235 | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 235 | 1027 | 272 | 0 | 0 | 0 | 0 | 0 | 116 | 0 |
| MEAN | 0 | 0 | 8 | 33 | 10 | 0 | 0 | 0 | 0 | 0 | 4 | 0 |
| MAX | 0 | 0 | 1108 | 2270 | 1134 | 0 | 0 | 0 | 0 | 0 | 726 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 465 | 2037 | 540 | 0 | 0 | 0 | 0 | 0 | 230 | 0 |
| WTR YR 2005 | TOTAL | 1650 | MEAN | 5 | MAX | 2270 | MIN | 0 | AC_FT | 3272 | | |

Flood Control District of Maricopa County ALERT System

| Hassayampa near Morristown | | | |
|-----------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5223 | DRAINAGE AREA | 796 MI ² |
| IN-SERVICE DATE | 05/07/1996 | | |
| PERIOD OF AVAILABLE RECORD | 05/07/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 14,962 CFS | 14.05 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 14,962 CFS | 14.05 FEET | 02/12/2005 |
| EXTREME OUTSIDE PERIOD RECORD | 47,500 CFS | 19.00 FEET | 09/05/1970 |

See *USGS Water-Data Report AZ-05-1* for official data for this site.

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-------|------|-------|-------|-------|-----|-----|-------|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 53 | | 19 | | | | | | |
| 2 | | | | | | 8 | | | | | | |
| 3 | | | | 109 | | 5 | | | | | 19 | |
| 4 | | | | 1154 | | | | | | | | |
| 5 | | | | 912 | | 3 | | | | | | |
| 6 | | | | 436 | | 6 | | | | | | |
| 7 | | | | 210 | | 5 | | | | | | |
| 8 | | | | 219 | | 2 | | | | | | |
| 9 | | | | 275 | | | | | | | 6 | |
| 10 | | | | 345 | | | | | | | | |
| 11 | | | | 458 | 523 | | | | | | | |
| 12 | | | | 418 | 7533 | | | | | | | |
| 13 | | | | 349 | 880 | | | | | | | |
| 14 | | | | 384 | 139 | | | | | | | |
| 15 | | | | 373 | 33 | | | | | | | |
| 16 | | | | 419 | 26 | | | --- | | | | |
| 17 | | | | 452 | 8 | | | --- | | | | |
| 18 | | | | 441 | 31 | | | | | | | |
| 19 | | | | 432 | 240 | | | | | | | |
| 20 | | | | 218 | 308 | | | | | | | |
| 21 | | | | | 149 | | | | | | | |
| 22 | | | | | 197 | | | | | | | |
| 23 | | | | | 267 | | | | | | | |
| 24 | | | | | 170 | | | | | | | |
| 25 | | | | | 110 | | | | | | | |
| 26 | | | | 6 | 78 | | | | | | | |
| 27 | | | | 58 | 50 | | | | | | | |
| 28 | | | | 2 | 35 | | | | | | | |
| 29 | | | 861 | 69 | --- | | | | | | | |
| 30 | | | 597 | 32 | --- | | | | | 33 | | |
| 31 | | --- | 158 | 1 | --- | | --- | | --- | 51 | | --- |
| TOTAL | 0 | 0 | 1616 | 7823 | 10779 | 49 | 0 | 0 | 0 | 84 | 25 | 0 |
| MEAN | 0 | 0 | 52 | 252 | 385 | 2 | 0 | 0 | 0 | 3 | 1 | 0 |
| MAX | 0 | 19 | 5175 | 1990 | 14962 | 27 | 0 | 0 | 0 | 948 | 61 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 1 | 3205 | 15517 | 21379 | 96 | 0 | 0 | 0 | 166 | 51 | 0 |
| WTR YR 2005 | TOTAL | 20376 | MEAN | 56 | MAX | 14962 | MIN | 0 | AC_FT | 40415 | | |

Flood Control District of Maricopa County ALERT System

| Hassayampa River at US60 | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5228 | DRAINAGE AREA | 711 MI ² |
| IN-SERVICE DATE | 03/14/1994 | | |
| PERIOD OF AVAILABLE RECORD | 03/14/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 16,089 CFS | 4.32 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 16,089 CFS | 4.32 FEET | 02/12/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-------|-------|------|-------|-------|-----|-----|-------|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 2126 | | | | | | | | |
| 5 | | | | 937 | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | 126 | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 1279 | | | | | | | |
| 12 | | | | 184 | 5379 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | 742 | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 1395 | | --- | | | | | 320 | | |
| 30 | | | 75 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 868 | 1470 | 3247 | 6658 | 0 | 0 | 0 | 0 | 320 | 0 | 0 |
| MEAN | 0 | 29 | 47 | 105 | 238 | 0 | 0 | 0 | 0 | 10 | 0 | 0 |
| MAX | 0 | 2602 | 10775 | 3483 | 16089 | 0 | 0 | 0 | 0 | 2981 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 1721 | 2916 | 6440 | 13206 | 0 | 0 | 0 | 0 | 634 | 0 | 0 |
| WTR YR 2005 | TOTAL | 12562 | MEAN | 34 | MAX | 16089 | MIN | 0 | AC_FT | 24917 | | |

NOTE: This gage location is a wide mobile sand bed channel. Therefore, data reliability is considered poor. See also gage #5308 upstream and USGS gage 'Hassayampa River near Morristown' #09516500, downstream for additional data and comparative flood flow frequency for this site.

Flood Control District of Maricopa County ALERT System

| Sunset FRS | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 5233 | DRAINAGE AREA | 0.95 MI ² |
| IN-SERVICE DATE | 02/12/1989 | | |
| PERIOD OF AVAILABLE RECORD | 02/12/1989 - CURRENT YEAR | | |
| WY 2005 PEAK | 23 CFS | 7.28 FEET | 08/11/2005 |
| EXTREME FOR PERIOD OF RECORD | 43 CFS | 12.27 FEET | 09/26/1997 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|-----|-----|-----|-----|-----|-------|------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 16 | 14 | 6 | | | | | | |
| 2 | | | | 15 | 13 | | | | | | | |
| 3 | | | | 14 | 13 | | | | | | 3 | |
| 4 | | | | 19 | 13 | | | | | | | |
| 5 | | | | 20 | 12 | | | | | | | |
| 6 | | | 3 | 19 | 12 | | | | | | | |
| 7 | | 1 | | 18 | 12 | | | | | | | |
| 8 | | 14 | | 18 | 12 | | | | | | | |
| 9 | --- | 13 | | 17 | 11 | | | | | | 7 | |
| 10 | | 1 | | 17 | 11 | | | | | | 17 | |
| 11 | | | | 16 | 15 | | | | | | 19 | |
| 12 | | 7 | | 16 | 22 | | | | | | 21 | |
| 13 | | 15 | | 15 | 22 | | | | --- | | 16 | |
| 14 | | 14 | | 14 | 20 | | | | | | | |
| 15 | | 7 | | 13 | 6 | | | | | | | |
| 16 | | | | 12 | | | | | | | | |
| 17 | | | | 11 | | | | | | | | |
| 18 | | | | 10 | 4 | | | | | | | |
| 19 | | | | 9 | 13 | | | | | | | |
| 20 | | | | 2 | 19 | | | | | | | |
| 21 | 9 | | | | 19 | | | --- | | 10 | | |
| 22 | 17 | 13 | | | 19 | | | | | 10 | | |
| 23 | 16 | 16 | | | 20 | | | | | 10 | | |
| 24 | 16 | 14 | | | 19 | | | | | 17 | | |
| 25 | 15 | 6 | | | 19 | | | | | 17 | | |
| 26 | 15 | | | | 18 | | | | | 15 | | |
| 27 | 13 | | | | 18 | | | | | | | |
| 28 | 14 | | | | 16 | | | | | | | |
| 29 | 13 | | 15 | 11 | --- | | | | | | | |
| 30 | 2 | | 19 | 14 | --- | | | | | 3 | | |
| 31 | | --- | 18 | 14 | --- | | --- | | --- | 1 | | --- |
| TOTAL | 130 | 120 | 55 | 332 | 392 | 6 | 0 | 0 | 0 | 84 | 83 | 0 |
| MEAN | 4 | 4 | 2 | 11 | 14 | 0 | 0 | 0 | 0 | 3 | 3 | 0 |
| MAX | 17 | 17 | 20 | 20 | 22 | 14 | 0 | 0 | 0 | 18 | 23 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 257 | 238 | 109 | 659 | 777 | 12 | 0 | 0 | 0 | 167 | 166 | 0 |
| WTR YR 2005 | TOTAL | 1203 | MEAN | 3 | MAX | 23 | MIN | 0 | AC_FT | 2385 | | |

NOTE: Outlet data based on assumption that the outlet gate is fully open, which is not necessarily the case.

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Sunnycove FRS | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 5248 | DRAINAGE AREA | 1.35 MI ² |
| IN-SERVICE DATE | 07/01/1986 | | |
| PERIOD OF AVAILABLE RECORD | 12/16/1988 - CURRENT YEAR | | |
| REVISED RECORDS | WY2000:WY1999 | | |
| WY 2005 PEAK | 32 CFS | 9.39 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 57 CFS | 21.68 FEET | 08/22/1992 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------|-------------------|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | 20 | 24 | 27 | 26 | 7 | | | | | | |
| 2 | | 20 | 24 | 26 | 26 | | | | | | | |
| 3 | | 19 | 24 | 27 | 25 | | | | | | | |
| 4 | | 19 | 24 | 29 | 25 | | | | | | | |
| 5 | | | 24 | 30 | 25 | | | | | | | |
| 6 | | | 24 | 30 | 25 | | | | | | | |
| 7 | | 1 | 24 | 30 | 25 | | | | | | | |
| 8 | | 19 | 24 | 29 | 25 | | | | | | | |
| 9 | | 20 | 24 | 29 | 25 | | | | | | 11 | |
| 10 | | 20 | 24 | 29 | 25 | | | | | | 25 | |
| 11 | | 19 | 24 | 29 | 26 | | | | | | 28 | |
| 12 | | 22 | 24 | 29 | 31 | | | | | | 30 | |
| 13 | | 25 | 23 | 29 | 32 | | | | | | 13 | |
| 14 | | 25 | 23 | 28 | 29 | | | | | | | |
| 15 | | 25 | 23 | 28 | 1 | | | | | | | |
| 16 | | 25 | 23 | 28 | | | | | | | | |
| 17 | | 25 | 23 | 28 | | | | | | | | |
| 18 | | 25 | 23 | 28 | 7 | | | | | | | |
| 19 | | 25 | 23 | 27 | 22 | | | | | | | |
| 20 | | 25 | 23 | 27 | 28 | | | | | | | |
| 21 | 11 | 25 | 23 | 27 | 28 | | | | | | | |
| 22 | 22 | 25 | 22 | 27 | 29 | | | | | | | |
| 23 | 22 | 25 | 22 | 27 | 30 | | | | | 1 | | |
| 24 | 22 | 25 | 22 | 26 | 30 | | | | | 22 | | |
| 25 | 21 | 25 | 22 | 26 | 30 | | | | | 22 | | |
| 26 | 21 | 25 | 22 | 26 | 30 | | | | | 14 | | |
| 27 | 20 | 25 | 22 | 26 | 30 | | | | | | | |
| 28 | 21 | 25 | 22 | 26 | 28 | | | | | | | |
| 29 | 21 | 25 | 25 | 26 | --- | | | | | | | |
| 30 | 21 | 24 | 27 | 26 | --- | | | | | 6 | | |
| 31 | 21 | --- | 27 | 26 | --- | | --- | | --- | 6 | | --- |
| TOTAL | 223 | 626 | 727 | 855 | 664 | 7 | 0 | 0 | 0 | 71 | 107 | 0 |
| MEAN | 7 | 21 | 23 | 28 | 24 | 0 | 0 | 0 | 0 | 2 | 3 | 0 |
| MAX | 23 | 26 | 27 | 30 | 32 | 25 | 0 | 0 | 0 | 25 | 32 | 0 |
| MIN | 0 | 0 | 22 | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 442 | 1241 | 1442 | 1696 | 1317 | 14 | 0 | 0 | 0 | 141 | 212 | 0 |

WTR YR 2005 TOTAL 3280 MEAN 9 MAX 32 MIN 0 AC_FT 6506

NOTE: Outflow data based on assumption that the outlet gate is fully open, which is not necessarily the case.

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Box Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5273 | DRAINAGE AREA | 6.0 MI ² |
| IN-SERVICE DATE | 03/11/2003 | | |
| PERIOD OF AVAILABLE RECORD | 03/11/2003 - CURRENT YEAR | | |
| WY 2005 PEAK | 159 CFS | 1.65 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 159 CFS | 1.65 FEET | 02/12/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | 5 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | --- | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | --- |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | | --- | | | | | |
| 30 | | | | | | | --- | | | | | |
| 31 | | --- | | | | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 159 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 5 | MEAN | 0 | MAX | 159 | MIN | 0 | AC_FT | | 11 |

Flood Control District of Maricopa County ALERT System

| Sols Wash at SR 71 | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 5276 | DRAINAGE AREA | 10 MI ² |
| IN-SERVICE DATE | 09/12/2001 | | |
| PERIOD OF AVAILABLE RECORD | 09/12/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 171 CFS | 1.12 FEET | 12/29/2004 |
| EXTREME FOR PERIOD OF RECORD | 187 CFS | 1.20 FEET | 09/19/2004 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | --- | |
| 12 | | | | | | | | | | | 22 | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | --- | | | | | | | | | | | |
| 20 | --- | | | | | | | | | | | |
| 21 | 53 | | | | | | | | | | | |
| 22 | | 6 | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 14 | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 21 | 6 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 70 | 60 | 171 | 0 | 0 | 0 | 0 | 0 | 0 | 27 | 36 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 42 | 12 | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 42 | MEAN | 0 | MAX | 171 | MIN | 0 | AC_FT | | 84 |

Flood Control District of Maricopa County ALERT System

| Hassayampa River at I-10 | | | |
|-------------------------------------|---------------------------|------------------|-----------------------|
| STATION ID | 5283 | DRAINAGE AREA | 1,415 MI ² |
| IN-SERVICE DATE | 11/09/1994 | | |
| PERIOD OF AVAILABLE RECORD | 11/09/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 5,775 CFS | 4.17 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 27,000 CFS | 7.05 FEET | 10/27/2000 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|-----|-------------|-------------|-----------|------------|-------------|------------|-----|----------|--------------|-------------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | 6 | |
| 3 | | | | | | | | | | | 207 | |
| 4 | | | | 210 | | | | | | | | |
| 5 | | | | 13 | | | | | | | | |
| 6 | | | | 16 | | | | | | | | |
| 7 | | | | 142 | | | | | | | | |
| 8 | | | | | | | | | | | 109 | |
| 9 | | | | | | | | | | | 91 | |
| 10 | | | | | | | | | | | 100 | |
| 11 | | | | | | | | | | | | |
| 12 | | | | 165 | 1245 | | | | | | | |
| 13 | | | | | 301 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | --- | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 2 | | | | | | | |
| 19 | | | | | 242 | | | | | | | |
| 20 | | | | | 263 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | 629 | | | | | | | |
| 24 | | | | | 144 | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 77 | | --- | | | | | | | |
| 30 | | | 229 | 148 | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 306 | 695 | 2827 | 0 | 0 | 0 | 0 | 0 | 514 | 0 |
| MEAN | 0 | 0 | 10 | 22 | 101 | 0 | 0 | 0 | 0 | 0 | 17 | 0 |
| MAX | 0 | 0 | 1131 | 460 | 5775 | 0 | 0 | 0 | 0 | 0 | 748 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 607 | 1379 | 5607 | 0 | 0 | 0 | 0 | 0 | 1019 | 0 |
| WTR YR 2005 | TOTAL | | 4341 | MEAN | 12 | MAX | 5775 | MIN | | 0 | AC_FT | 8611 |

Flood Control District of Maricopa County ALERT System

| Sun Valley Parkway at Northern | | | |
|--------------------------------|---------------------------|---------------|--------------|
| STATION ID | 5303 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 08/02/2005 | | |
| PERIOD OF AVAILABLE RECORD | 08/02/2005 - CURRENT YEAR | | |
| WY 2005 PEAK | 35 CFS | 0.32 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 35 CFS | 0.32 FEET | 08/02/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1 | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| TOTAL | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1 | 0 |
| MEAN | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0 | 0 |
| MAX | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 35 | 0 |
| MIN | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0 | 0 |
| AC_FT | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 2 | 0 |
| WTR YR 2005 | TOTAL | 1 | MEAN | 0 | MAX | 35 | MIN | 0 | AC_FT | 2 | | |

Flood Control District of Maricopa County ALERT System

| Hassayampa River at Box Canyon | | | |
|--------------------------------|-----------------------------------|---------------|---------------------|
| STATION ID | 5308 | DRAINAGE AREA | 417 MI ² |
| IN-SERVICE DATE | 11/17/1983 | | |
| PERIOD OF AVAILABLE RECORD | 10/16/1991 - CURRENT YEAR | | |
| REVISED RECORDS | WY1996:WY1994-1995, WY1997:WY1996 | | |
| WY 2005 PEAK | 19,094 CFS | 16.15 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 25,748 CFS | 21.30 FEET | 01/08/1993 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-------|-------|-------|-------|-------|------|------|-------|--------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 210 | 123 | 1220 | 176 | 101 | 30 | 1 | | |
| 2 | | | | 168 | 100 | 958 | 175 | 93 | 29 | 1 | | |
| 3 | | | | 160 | 75 | 817 | 187 | 87 | 29 | | | |
| 4 | | | | 2156 | 56 | 661 | 174 | 81 | 27 | 1 | | |
| 5 | | | | 1444 | 49 | 590 | 166 | 76 | 26 | 1 | | |
| 6 | | | | 1218 | 55 | 498 | 171 | 68 | 23 | 1 | | |
| 7 | | | | 1027 | 71 | 406 | 169 | 62 | 23 | 1 | | |
| 8 | | 169 | | 986 | 63 | 344 | 167 | 62 | 25 | 1 | | |
| 9 | | 80 | | 1062 | 46 | 303 | 142 | 59 | 20 | 1 | | |
| 10 | | 3 | | 1246 | 51 | 283 | 149 | 52 | 22 | 1 | 2 | |
| 11 | | | | 1473 | 2111 | 257 | 147 | 47 | 23 | 1 | 14 | |
| 12 | | | | 1779 | 9779 | 225 | 143 | 48 | 23 | | 10 | |
| 13 | | | | 1474 | 1560 | 196 | 140 | 49 | 25 | 2 | 7 | |
| 14 | | | | 1217 | 1548 | 166 | 130 | 48 | 25 | 1 | 106 | |
| 15 | | | | 1018 | 1557 | 151 | 128 | 50 | 23 | 1 | 46 | |
| 16 | | | | 858 | 1570 | 125 | 124 | 47 | 21 | 2 | | |
| 17 | | | | 746 | 1513 | 111 | 112 | 44 | 20 | 1 | | |
| 18 | | | | 615 | 1730 | 114 | 93 | 44 | 20 | | | |
| 19 | | | | 507 | 2217 | 132 | 99 | 45 | 22 | | | |
| 20 | | | | 448 | 2138 | 183 | 93 | 45 | 23 | | | |
| 21 | | | | 391 | 1906 | 151 | 88 | 42 | 20 | | | |
| 22 | | 85 | | 353 | 2311 | 132 | 87 | 42 | 22 | | | |
| 23 | | 58 | | 305 | 2019 | 120 | 85 | 39 | 20 | | | |
| 24 | | 13 | | 267 | 1961 | 119 | 115 | 38 | 21 | | | |
| 25 | | 2 | | 227 | 1809 | 126 | 175 | 36 | 20 | | | |
| 26 | | | | 193 | 1687 | 160 | 149 | 35 | 18 | | | |
| 27 | | | | 358 | 1586 | 138 | 125 | 34 | 18 | | | |
| 28 | 9 | | | 308 | 1435 | 147 | 105 | 31 | 21 | | | |
| 29 | 4 | | 2944 | 233 | --- | 158 | 108 | 32 | 6 | | | |
| 30 | | | 1062 | 285 | --- | 166 | 111 | 28 | 1 | | | |
| 31 | | --- | 262 | 168 | --- | 156 | --- | 30 | --- | | | --- |
| TOTAL | 12 | 409 | 4268 | 22898 | 41127 | 9314 | 4032 | 1596 | 647 | 17 | 184 | 0 |
| MEAN | 0 | 14 | 138 | 739 | 1469 | 300 | 134 | 51 | 22 | 1 | 6 | 0 |
| MAX | 30 | 903 | 11537 | 3053 | 19094 | 1374 | 278 | 115 | 37 | 3 | 1222 | 0 |
| MIN | 0 | 0 | 0 | 120 | 34 | 104 | 70 | 21 | 0 | 0 | 0 | 0 |
| AC_FT | 24 | 812 | 8465 | 45417 | 81575 | 18473 | 7997 | 3166 | 1283 | 33 | 365 | 0 |
| WTR YR 2005 | TOTAL | 84504 | MEAN | 232 | MAX | 19094 | MIN | 0 | AC_FT | 167611 | | |

Flood Control District of Maricopa County ALERT System

| Hassayampa River at Wagoner | | | |
|------------------------------|-----------------------------------|---------------|--------------------|
| STATION ID | 5352 | DRAINAGE AREA | 78 MI ² |
| IN-SERVICE DATE | 12/19/1983 | | |
| PERIOD OF AVAILABLE RECORD | 11/27/1991 - CURRENT YEAR | | |
| REVISED RECORDS | WY1996:WY1994-1995, WY1997:WY1996 | | |
| WY 2005 PEAK | 3,733 CFS | 6.78 FEET | 12/29/2004 |
| EXTREME FOR PERIOD OF RECORD | 5,068 CFS | 7.10 FEET | 01/08/1993 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|------|------|-----|-----|-------|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 578 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | 193 | | | | | | | | | | |
| 9 | | 177 | | | | | | | | | | |
| 10 | | 59 | | 2 | | | | | | | | |
| 11 | | | | 727 | 238 | | | | | | | |
| 12 | | 23 | | 1 | 942 | | | | | | | |
| 13 | | 10 | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | 24 | 32 | | | | | | | | | | |
| 22 | | 84 | | | | | | | | | | |
| 23 | | 86 | | | | | | | | | | |
| 24 | | 81 | | | | | | | | | | |
| 25 | | 59 | | | | | | | | | | |
| 26 | | 10 | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | 94 | | | | | | | | | | | |
| 29 | 72 | | 2272 | | --- | | | | | | | |
| 30 | | | 232 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 189 | 814 | 2504 | 1308 | 1179 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 6 | 27 | 81 | 42 | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 147 | 331 | 3733 | 2070 | 2454 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 375 | 1614 | 4966 | 2594 | 2339 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 5993 | MEAN | 16 | MAX | 3733 | MIN | 0 | AC_FT | 11888 | | |

Flood Control District of Maricopa County ALERT System

| Agua Fria River at Buckeye Rd | | | |
|-------------------------------|---------------------------|---------------|-----------------------|
| STATION ID | 5403 | DRAINAGE AREA | 2,241 MI ² |
| IN-SERVICE DATE | 10/12/1988 | | |
| PERIOD OF AVAILABLE RECORD | 10/12/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | 791 CFS | 1.91 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 6,341 CFS | 2.10 FEET | 09/03/1990 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | 119 | |
| 4 | | | | | | | | | | | | |
| 5 | | | | 1 | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | --- | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | 7 | | | | | | | |
| 13 | | | --- | | 41 | | | | | | | |
| 14 | | | | | 16 | | | | | | | |
| 15 | | | | | 2 | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 17 | | | | | | | |
| 20 | | | | | 6 | | | | | | | |
| 21 | | | | | 1 | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | --- | | | | | | | | | |
| 29 | | | | | | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | | --- | | --- | | | --- | | --- | | --- |
| TOTAL | 0 | 0 | 0 | 1 | 90 | 0 | 0 | 0 | 0 | 0 | 119 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 4 | 0 |
| MAX | 0 | 0 | 0 | 27 | 140 | 0 | 0 | 0 | 0 | 0 | 791 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 3 | 179 | 0 | 0 | 0 | 0 | 0 | 237 | 0 |
| WTR YR 2005 | TOTAL | 211 | MEAN | 1 | MAX | 791 | MIN | 0 | AC_FT | 419 | | |

NOTE(1): No channel control at low flows limits the accuracy of flow below about 1,000 cfs.

NOTE(2): Gage removed at the request of MCDOT for bridge repair. Gage removed from September 15, 2003 through July 13, 2004.

Flood Control District of Maricopa County ALERT System

| Colter Channel | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 5408 | DRAINAGE AREA | 3.48 MI ² |
| IN-SERVICE DATE | 06/29/1994 | | |
| PERIOD OF AVAILABLE RECORD | 06/29/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 35 CFS | 0.70 FEET | 03/05/2005 |
| EXTREME FOR PERIOD OF RECORD | 135 CFS | 1.45 FEET | 10/27/2000 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | 2 | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | 12 | | | | | | |
| 6 | | | | | | 2 | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | 5 | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | 3 | | | | | | | | | | |
| 13 | | 3 | | | | | | | | | | |
| 14 | | | | | | | | | | | 2 | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 3 | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | 1 | | | | | | | | | | | |
| 22 | 3 | 8 | | | 4 | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | 6 | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | 4 | | |
| 31 | | --- | | | --- | | --- | | --- | 1 | | --- |
| TOTAL | 10 | 19 | 0 | 0 | 7 | 14 | 0 | 0 | 0 | 5 | 5 | 0 |
| MEAN | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 15 | 34 | 0 | 0 | 25 | 35 | 0 | 0 | 0 | 32 | 23 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 19 | 38 | 0 | 0 | 15 | 27 | 0 | 0 | 0 | 9 | 9 | 0 |
| WTR YR 2005 | TOTAL | | 59 | MEAN | 0 | MAX | 35 | MIN | 0 | AC_FT | 117 | |

Flood Control District of Maricopa County ALERT System

| Dysart Drain at LAFB | | | |
|-------------------------------------|---------------------------|----------------------|--------------------|
| STATION ID | 5413 | DRAINAGE AREA | 52 MI ² |
| IN-SERVICE DATE | 08/22/1996 | | |
| PERIOD OF AVAILABLE RECORD | 08/22/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 73 CFS | 1.18 FEET | 07/30/2005 |
| EXTREME FOR PERIOD OF RECORD | 264 CFS | 2.28 FEET | 02/14/2003 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | 7 | |
| 4 | | | | 1 | | | | | | | | |
| 5 | | | | | | 1 | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 1 | | | | | | | |
| 12 | | | | | 4 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | --- | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 1 | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | 5 | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | 1 | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 1 | 11 | 1 | 0 | 0 | 0 | 1 | 7 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 8 | 22 | 22 | 0 | 0 | 0 | 73 | 33 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 2 | 22 | 3 | 0 | 0 | 0 | 2 | 14 | 0 |
| WTR YR 2005 TOTAL | | | 22 | MEAN | 0 | MAX | 73 | MIN | 0 | AC_FT | | 43 |

Flood Control District of Maricopa County ALERT System

| White Tanks #3 FRS | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 5418 | DRAINAGE AREA | 20.5 MI ² |
| IN-SERVICE DATE | 03/12/1986 | | |
| PERIOD OF AVAILABLE RECORD | 01/01/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 189 CFS | 2.60 FEET | 01/11/1993 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | 0 | | |

NOTE(1): Flow assumes gated outlet open, however, it is usually closed.

NOTE(2): Gage down due to vandalism from May 15 to June 14. No events were missed.

Flood Control District of Maricopa County ALERT System

| Dysart Drain at El Mirage Road | | | |
|-------------------------------------|---------------------------|----------------------|--------------------|
| STATION ID | 5422 | DRAINAGE AREA | 52 MI ² |
| IN-SERVICE DATE | 08/22/1996 | | |
| PERIOD OF AVAILABLE RECORD | 08/22/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 453 CFS | 3.92 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 453 CFS | 3.92 FEET | 08/03/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------------|-------------------|-----|------|-------------|-----|-----|------------|-----|------------|-----|--------------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | 1 | | | | | | | |
| 2 | | | | 7 | 2 | | | | | | 2 | 12 |
| 3 | | | | 23 | 3 | | | | | 4 | 188 | 22 |
| 4 | | | 7 | 68 | | | | | | | 46 | 21 |
| 5 | | | 1 | 10 | | 22 | | | | | 23 | 28 |
| 6 | | 4 | | | | 16 | | | | | 43 | 10 |
| 7 | | 11 | | 1 | | 6 | | | | | 28 | 15 |
| 8 | | 17 | | 7 | | 1 | | | | | 9 | 10 |
| 9 | | 2 | | | | | | | | | 7 | 5 |
| 10 | | | | | 1 | | | | | | 8 | |
| 11 | | | | 7 | 37 | | | | | | 5 | |
| 12 | | --- | | 5 | 76 | | | | | | 2 | |
| 13 | | --- | | | 1 | | | | | | | |
| 14 | | --- | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | 4 | | | | | | 8 | |
| 18 | | | | | 7 | | | | | | 7 | |
| 19 | | | | | 51 | | | | | | | |
| 20 | | | | | 24 | | | | | | | |
| 21 | 2 | 12 | | 5 | 2 | | | | | | | |
| 22 | 1 | 19 | | 1 | 7 | | | | | | | |
| 23 | | 3 | | | 4 | | | | | | | |
| 24 | | | | | 81 | | | | | | | |
| 25 | | | | | 3 | | | | | | 1 | |
| 26 | | | | 7 | | | | | | 2 | | |
| 27 | | | 3 | 7 | | | | | | 3 | | |
| 28 | 8 | | 18 | | | | | | | | | |
| 29 | 1 | | 10 | 8 | --- | | | | | | | |
| 30 | | | | 1 | --- | | | | | 41 | | |
| 31 | | --- | | | --- | | --- | | --- | 25 | | --- |
| TOTAL | 12 | 68 | 40 | 157 | 305 | 44 | 0 | 0 | 0 | 75 | 377 | 122 |
| MEAN | 0 | 2 | 1 | 5 | 11 | 1 | 0 | 0 | 0 | 2 | 12 | 4 |
| MAX | 25 | 69 | 36 | 126 | 167 | 126 | 0 | 0 | 1 | 308 | 453 | 42 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 24 | 135 | 80 | 312 | 604 | 88 | 0 | 0 | 0 | 148 | 748 | 243 |
| WTR YR 2005 TOTAL | | | 1200 | MEAN | | 3 | MAX | 453 | MIN | 0 | AC_FT | 2380 |

Flood Control District of Maricopa County ALERT System

| Ford Canyon Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5428 | DRAINAGE AREA | 4.3 MI ² |
| IN-SERVICE DATE | 02/05/2002 | | |
| PERIOD OF AVAILABLE RECORD | 02/05/2002 - CURRENT YEAR | | |
| WY 2005 PEAK | 4 CFS | 0.82 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 787 CFS | 3.32 FEET | 09/04/2003 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | 1 |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | --- | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| WTR YR 2005 | TOTAL | | 1 | MEAN | 0 | MAX | 4 | MIN | 0 | AC_FT | 2 | |

Flood Control District of Maricopa County ALERT System

| McMicken Floodway | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5438 | DRAINAGE AREA | 305 MI ² |
| IN-SERVICE DATE | 05/19/1992 | | |
| PERIOD OF AVAILABLE RECORD | 05/19/1992 - CURRENT YEAR | | |
| WY 2005 PEAK | 121 CFS | 1.83 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 213 CFS | 2.38 FEET | 08/27/2003 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | 12 | | | | | | | | | 17 |
| 2 | | | | | | | | | | | | 14 |
| 3 | | 2 | 1 | | | | | | | | | 10 |
| 4 | | 4 | 4 | 4 | | | | | | | | |
| 5 | | 3 | 3 | 2 | 6 | | | | | | | |
| 6 | | 1 | | | 7 | | | | | | | |
| 7 | | | | | 7 | | | | | | | |
| 8 | | 2 | | | 8 | | | | | | | |
| 9 | | 4 | | | 7 | | | | | | 19 | |
| 10 | | 4 | | | 6 | | | | | | 11 | |
| 11 | | 5 | | | 3 | | | | | | | |
| 12 | | 4 | | | | | | | | | | |
| 13 | | 5 | | | | | | | | | | |
| 14 | | 5 | | | | | | | | | | |
| 15 | | 4 | | | | | | | | | | |
| 16 | | 4 | | | | | | --- | | | | |
| 17 | | 4 | | | | | | | | | | |
| 18 | | 4 | | | | | | | | | | |
| 19 | | 4 | | | | | | | | | | |
| 20 | | 6 | | | | | | | | | | |
| 21 | | 5 | | | | | | | | | | |
| 22 | | 6 | | | | | | | | | | |
| 23 | | 6 | | | | | | | | | | |
| 24 | | 6 | | | 2 | | | | | | | |
| 25 | | 6 | | 2 | | | | | | | | |
| 26 | | 6 | | | | | | | | | | |
| 27 | | 6 | | | | | | | | | | |
| 28 | | 6 | | | | | | | | | | |
| 29 | | 6 | | 1 | --- | | | | | | | |
| 30 | | 18 | | | --- | | | | | 7 | | |
| 31 | | --- | | | --- | | --- | | --- | 18 | | --- |
| TOTAL | 0 | 136 | 21 | 9 | 47 | 0 | 0 | 0 | 0 | 25 | 70 | 0 |
| MEAN | 0 | 5 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 2 | 0 |
| MAX | 0 | 25 | 23 | 8 | 12 | 0 | 0 | 0 | 0 | 74 | 121 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 270 | 42 | 18 | 93 | 0 | 0 | 0 | 0 | 50 | 140 | 0 |
| WTR YR 2005 | TOTAL | 309 | MEAN | 1 | MAX | 121 | MIN | 0 | AC_FT | 613 | | |

Flood Control District of Maricopa County ALERT System

| McMicken Dam | | | |
|---------------------------------|-------------------------------------|---------------|---------------------|
| STATION ID | 5448 | DRAINAGE AREA | 247 MI ² |
| IN-SERVICE DATE | 03/20/1983 | | |
| PERIOD OF AVAILABLE RECORD | 02/18/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 335 CFS | 4.90 FEET | 09/04/1990 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | 0 | | 0 |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Upper Trilby Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5488 | DRAINAGE AREA | 3.0 MI ² |
| IN-SERVICE DATE | 09/26/2001 | | |
| PERIOD OF AVAILABLE RECORD | 09/26/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 1 CFS | 1.02 FEET | 02/17/2005 |
| EXTREME FOR PERIOD OF RECORD | 129 CFS | 1.77 FEET | 02/14/2003 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 0 | MEAN | 0 | MAX | 1 | MIN | 0 | AC_FT | | 0 |

Flood Control District of Maricopa County ALERT System

| Agua Fria River at Grand Ave | | | |
|------------------------------|---------------------------|---------------|-----------------------|
| STATION ID | 5503 | DRAINAGE AREA | 1,628 MI ² |
| IN-SERVICE DATE | 04/27/1994 | | |
| PERIOD OF AVAILABLE RECORD | 04/27/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 1.84 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 5,952 CFS | 6.50 FEET | 10/27/2000 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | | 0 |

Flood Control District of Maricopa County ALERT System

| New River at Glendale Ave | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5508 | DRAINAGE AREA | 600 MI ² |
| IN-SERVICE DATE | 03/21/1990 | | |
| PERIOD OF AVAILABLE RECORD | 03/21/1990 - CURRENT YEAR | | |
| REVISED RECORDS | WY2000:WY1999 | | |
| WY 2005 PEAK | 1,709 CFS | 1.88 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 10,266 CFS | 2.90 FEET | 02/10/1993 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-------|------|------|-------|------|-----|-----|-------|-------|------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 2 | | 1 | | | | | | |
| 2 | | | | | | | | | | | 263 | |
| 3 | | | | 11 | | | | | | | 690 | 23 |
| 4 | | | | 306 | | | | | | | 193 | 301 |
| 5 | | | | 800 | | 27 | | | | | 1 | 172 |
| 6 | | | --- | 534 | | 2 | | | | | 2 | 145 |
| 7 | | | | 284 | | | | | | | 1 | 1 |
| 8 | | 12 | | 79 | | | | | | --- | 2 | |
| 9 | | | | 1 | | | | | | | 5 | |
| 10 | | | | | 5 | | | | | | 60 | |
| 11 | | | | | 106 | | | | | | 273 | |
| 12 | | | | | 633 | | | | | | 173 | |
| 13 | | | | | 861 | | | | | | 294 | |
| 14 | | | | | 796 | | | | | | 211 | |
| 15 | | | | | 439 | | | --- | | | 3 | |
| 16 | | | | | 259 | | | --- | | | | |
| 17 | | | | | 133 | | | | | | | |
| 18 | | | | | 145 | | | | | | | |
| 19 | | | | | 669 | | | | | | | |
| 20 | | | | | 706 | | | | | | | |
| 21 | | | | | 423 | | | | | | | |
| 22 | | 55 | | | 374 | | | | | | | |
| 23 | | 1 | | | 248 | | | | | | | |
| 24 | | | | | 325 | | | | | | | |
| 25 | | | | | 48 | | | | | | | |
| 26 | | | | 2 | 9 | | | | | | | |
| 27 | | | | 74 | 1 | | | | | | | |
| 28 | | | | 19 | 1 | | | | | | | |
| 29 | | | | 23 | --- | | | | | | | |
| 30 | | | 15 | 11 | --- | | | | | | | |
| 31 | | --- | 116 | | --- | | --- | | --- | | | --- |
| TOTAL | 6 | 73 | 137 | 2148 | 6180 | 35 | 6 | 6 | 6 | 6 | 2174 | 647 |
| MEAN | 0 | 2 | 4 | 69 | 221 | 1 | 0 | 0 | 0 | 0 | 70 | 22 |
| MAX | 0 | 209 | 209 | 824 | 873 | 209 | 0 | 0 | 0 | 0 | 1709 | 495 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 12 | 145 | 271 | 4261 | 12258 | 69 | 12 | 12 | 12 | 12 | 4312 | 1283 |
| WTR YR 2005 | TOTAL | 11425 | MEAN | 31 | MAX | 1709 | MIN | 0 | AC_FT | 22661 | | |

Flood Control District of Maricopa County ALERT System

| ACDC at 67th Avenue | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 5523 | DRAINAGE AREA | 86 MI ² |
| IN-SERVICE DATE | 06/07/1990 | | |
| PERIOD OF AVAILABLE RECORD | 06/07/1990 - CURRENT YEAR | | |
| REVISED RECORDS | WY1996:WY1994-1995 | | |
| WY 2005 PEAK | 2,966 CFS | 6.75 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 2,966 CFS | 6.75 FEET | 08/03/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|------|------|-----|-----|------|-----|-----|-------|-------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 27 | | | | | | | 27 | 2 |
| 2 | | | | 4 | | | | | | | 25 | 3 |
| 3 | | | | 56 | | | | | | | 632 | 74 |
| 4 | | | 7 | 187 | | | | | | | 43 | 211 |
| 5 | | | 9 | 182 | | | | | | | | 159 |
| 6 | | | 62 | 165 | 1 | | | | | | 1 | 73 |
| 7 | | 13 | 10 | 140 | 4 | | | | | | | 4 |
| 8 | | 73 | 1 | 80 | | | | | | | 30 | |
| 9 | | 4 | | 20 | 1 | | | | | | 1 | |
| 10 | | | | 7 | 1 | | | | | | | |
| 11 | | | | 7 | 80 | | | | | | | |
| 12 | | 8 | | 23 | 269 | | | | | | | |
| 13 | | 7 | | 1 | 320 | | | | | | | |
| 14 | | | | | 319 | | | | | | | |
| 15 | | | | | 312 | | | | | | | |
| 16 | | 1 | | | 283 | | | --- | | | | |
| 17 | | | | | 267 | | | | | | | |
| 18 | | | | | 341 | | | | | | | |
| 19 | | | | | 463 | | | | | 6 | | |
| 20 | | | | | 306 | | | | | | | |
| 21 | 22 | 28 | | | 237 | | | | | | | |
| 22 | 19 | 71 | | | 266 | | | | | | | |
| 23 | | 12 | | | 192 | | 2 | | 2 | | 6 | |
| 24 | | | | 13 | 211 | | 33 | | | | | |
| 25 | | | | 1 | 76 | | | | | | | |
| 26 | | | | 91 | 8 | | | | | | | |
| 27 | | | | 91 | | | | | | 8 | | |
| 28 | 27 | | 2 | 123 | | | | | | | | |
| 29 | 5 | | 84 | 98 | --- | | | | | | | |
| 30 | | | 86 | 30 | --- | | | | | | | |
| 31 | | --- | 77 | 3 | --- | | --- | | --- | 1 | | --- |
| TOTAL | 73 | 217 | 337 | 1347 | 3958 | 0 | 35 | 0 | 2 | 15 | 765 | 527 |
| MEAN | 2 | 7 | 11 | 43 | 141 | 0 | 1 | 0 | 0 | 0 | 25 | 18 |
| MAX | 120 | 220 | 208 | 375 | 698 | 2 | 88 | 0 | 5 | 23 | 2966 | 773 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 145 | 430 | 668 | 2672 | 7850 | 0 | 70 | 0 | 4 | 31 | 1518 | 1046 |
| WTR YR 2005 | TOTAL | | 7278 | MEAN | | 20 | MAX | 2966 | MIN | 0 | AC_FT | 14435 |

Flood Control District of Maricopa County ALERT System

| Adobe Dam Outlet | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 5538 | DRAINAGE AREA | 89.6 MI ² |
| IN-SERVICE DATE | 10/28/1982 | | |
| PERIOD OF AVAILABLE RECORD | 08/03/1990 - CURRENT YEAR | | |
| WY 2005 PEAK | 143 CFS | 2.35 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 3,193 CFS | 11.39 FEET | 08/16/1990 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | --- | --- | --- | --- | --- | --- |
| 2 | | | | | | | --- | --- | --- | --- | --- | --- |
| 3 | | | | | | | --- | --- | --- | --- | --- | --- |
| 4 | | | | | | | --- | --- | --- | --- | --- | --- |
| 5 | | | | | | | --- | --- | --- | --- | --- | --- |
| 6 | | | | 2 | | --- | --- | --- | --- | --- | --- | --- |
| 7 | | | | 2 | | --- | --- | --- | --- | --- | --- | --- |
| 8 | | | | 1 | | | --- | --- | --- | --- | --- | --- |
| 9 | | | | | | | --- | --- | --- | --- | --- | --- |
| 10 | | | | | | | --- | --- | --- | --- | --- | --- |
| 11 | | | | | | | --- | --- | --- | --- | --- | --- |
| 12 | | | | | 18 | | --- | --- | --- | --- | --- | --- |
| 13 | | | | | 70 | | --- | --- | --- | --- | --- | --- |
| 14 | | | | | 7 | --- | --- | --- | --- | --- | --- | --- |
| 15 | | | | | 1 | --- | --- | --- | --- | --- | --- | --- |
| 16 | | | | | | | --- | --- | --- | --- | --- | --- |
| 17 | | | | | | | --- | --- | --- | --- | --- | --- |
| 18 | | | | | 4 | --- | --- | --- | --- | --- | --- | --- |
| 19 | | | | | 45 | --- | --- | --- | --- | --- | --- | --- |
| 20 | | | | | 57 | --- | --- | --- | --- | --- | --- | --- |
| 21 | | | | | 12 | --- | --- | --- | --- | --- | --- | --- |
| 22 | | | | | 2 | --- | --- | --- | --- | --- | --- | --- |
| 23 | | | | | | | --- | --- | --- | --- | --- | --- |
| 24 | | | | | | | --- | --- | --- | --- | --- | --- |
| 25 | | | | | | | --- | --- | --- | --- | --- | --- |
| 26 | | | | | | | --- | --- | --- | --- | --- | --- |
| 27 | | | | 19 | | | --- | --- | --- | --- | --- | --- |
| 28 | | | | 10 | | | --- | --- | --- | --- | --- | --- |
| 29 | | | | 2 | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | | | | 1 | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | | | --- | --- | --- | --- | --- | --- | --- | --- |
| TOTAL | 0 | 0 | 0 | 36 | 216 | 0 | --- | --- | --- | --- | --- | 0 |
| MEAN | 0 | 0 | 0 | 1 | 8 | 0 | --- | --- | --- | --- | --- | 0 |
| MAX | 0 | 0 | 0 | 44 | 143 | 0 | --- | --- | --- | --- | --- | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | --- | --- | --- | --- | --- | 0 |
| AC_FT | 0 | 0 | 0 | 71 | 429 | 0 | --- | --- | --- | --- | --- | 0 |
| WTR YR 2005 | TOTAL | 252 | MEAN | 1 | MAX | 143 | MIN | 0 | AC_FT | 501 | | |

See also Pool Level and Storage Volume Data

NOTE: Gage was down due to vandalism from March 14 to September 28.

Flood Control District of Maricopa County ALERT System

| Scatter Wash | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 5543 | DRAINAGE AREA | 18.1 MI ² |
| IN-SERVICE DATE | 09/18/1996 | | |
| PERIOD OF AVAILABLE RECORD | 09/18/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 824 CFS | 2.22 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 824 CFS | 2.22 FEET | 09/03/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|-----|------|-----|-----|-----|-------|------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | 7 | |
| 2 | | | | | | | | | | | 19 | |
| 3 | | | | 59 | | | | | | | 43 | 91 |
| 4 | | | 8 | 161 | | | | | | | 10 | 136 |
| 5 | | | 2 | 57 | | 1 | | | | | 12 | 6 |
| 6 | | | 63 | | | 3 | | | | | | |
| 7 | | 11 | | | | | | | | | | |
| 8 | | 43 | | | | | | | | | | |
| 9 | | | | | | | | | | | | 3 |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 83 | | | | | | | |
| 12 | | 7 | | | 183 | | | | | | | |
| 13 | | 1 | | | 46 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | 1 | | | | | | | |
| 18 | | | | | 45 | | | | | | | |
| 19 | | | | | 148 | | | | | | | |
| 20 | | | | | 69 | | | | | | | --- |
| 21 | | 19 | | | 12 | | | | | | | --- |
| 22 | | 61 | | | 26 | | | | | | | |
| 23 | | 7 | | | 10 | | | | 3 | | 7 | |
| 24 | | | | | 49 | | 13 | | 2 | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 73 | | | | | | 55 | | |
| 27 | | | | 87 | | | | | | 89 | | |
| 28 | 33 | | 5 | | | | | | | 2 | | |
| 29 | | | 88 | 2 | --- | | | | | | | |
| 30 | | | 25 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | 26 | | --- |
| TOTAL | 33 | 150 | 191 | 439 | 673 | 4 | 13 | 0 | 5 | 172 | 97 | 235 |
| MEAN | 1 | 5 | 6 | 14 | 24 | 0 | 0 | 0 | 0 | 6 | 3 | 8 |
| MAX | 108 | 277 | 220 | 341 | 472 | 52 | 108 | 0 | 34 | 330 | 363 | 824 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 66 | 297 | 378 | 871 | 1334 | 8 | 26 | 0 | 10 | 341 | 192 | 467 |
| WTR YR 2005 | TOTAL | 2012 | MEAN | 6 | MAX | 824 | MIN | 0 | AC_FT | 3991 | | |

Flood Control District of Maricopa County ALERT System

| Skunk Creek at I-17 | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 5568 | DRAINAGE AREA | 64.7 MI ² |
| IN-SERVICE DATE | 10/26/1989 | | |
| PERIOD OF AVAILABLE RECORD | 08/11/1990 - CURRENT YEAR | | |
| WY 2005 PEAK | 640 CFS | 2.32 FEET | 01/27/2005 |
| EXTREME FOR PERIOD OF RECORD | 7,015 CFS | 5.09 FEET | 08/23/1992 |

See *USGS Water-Data Report AZ-05-1* for official data for this site.

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | --- | | | | | | | | | | 2 | |
| 4 | --- | | | 23 | | | | | | | | |
| 5 | | | | 35 | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | 184 | | | | | | | |
| 13 | | | | | 15 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 78 | | | | | | | |
| 19 | | | | | 101 | | | | | | | |
| 20 | | | | | 49 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | --- | | | |
| 26 | | | | 4 | | | | | --- | | | |
| 27 | | | | 87 | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 150 | 426 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| MEAN | 0 | 0 | 0 | 5 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 640 | 584 | 0 | 0 | 0 | 0 | 0 | 4 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 298 | 846 | 0 | 0 | 0 | 0 | 0 | 4 | 0 |
| WTR YR 2005 | TOTAL | 578 | MEAN | 2 | MAX | 640 | MIN | 0 | AC_FT | 1147 | | |

Flood Control District of Maricopa County ALERT System

| Cline Creek | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 5583 | DRAINAGE AREA | 10 MI ² |
| IN-SERVICE DATE | 11/20/2001 | | |
| PERIOD OF AVAILABLE RECORD | 11/20/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 12 CFS | 0.59 FEET | 02/19/2005 |
| EXTREME FOR PERIOD OF RECORD | 260 CFS | 2.04 FEET | 10/10/2003 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | --- | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | --- | | | | | | | | | | | |
| 9 | --- | | | | | | | | | | | |
| 10 | --- | | | | | | | | | | | |
| 11 | --- | | | | | | | | | | | |
| 12 | --- | | | | 2 | | | | | | | |
| 13 | --- | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | --- | | | |
| 18 | | | | | | | | | --- | | | |
| 19 | | | | | 2 | | | | --- | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | --- | | | | | | | | | | | |
| 24 | --- | | | | | | | | | | | |
| 25 | --- | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 4 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 4 | MEAN | 0 | MAX | 12 | MIN | 0 | AC_FT | | 8 |

Flood Control District of Maricopa County ALERT System

| Skunk Creek near New River | | | |
|------------------------------|---------------------------|---------------|-------------------|
| STATION ID | 5588 | DRAINAGE AREA | 4 MI ² |
| IN-SERVICE DATE | 06/21/1995 | | |
| PERIOD OF AVAILABLE RECORD | 06/21/1995 - CURRENT YEAR | | |
| WY 2005 PEAK | 102 CFS | 1.14 FEET | 01/04/2005 |
| EXTREME FOR PERIOD OF RECORD | 949 CFS | 3.90 FEET | 07/15/1999 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | 1 |
| 2 | | | | | | | | | | | | |
| 3 | | | | 7 | | | | | | | | |
| 4 | | | | 35 | | | | | | | | |
| 5 | | | | 15 | | | | | | | | |
| 6 | | | 8 | 1 | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 13 | | | | | | | |
| 12 | | | | | 36 | | | | | | | |
| 13 | | | | | 13 | | | | | | | |
| 14 | | | | | 8 | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | 6 | | | | | | | | | | |
| 22 | | 7 | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | 2 | | | | | | | |
| 25 | | | | | | | | | | 1 | | |
| 26 | | | | 4 | | | | | | | | |
| 27 | | | | 14 | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 13 | 6 | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | 6 | | --- |
| TOTAL | 0 | 14 | 21 | 81 | 72 | 0 | 0 | 0 | 0 | 7 | 1 | 0 |
| MEAN | 0 | 0 | 1 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 44 | 29 | 102 | 88 | 0 | 0 | 0 | 0 | 98 | 7 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 27 | 41 | 161 | 144 | 0 | 0 | 0 | 0 | 14 | 3 | 0 |
| WTR YR 2005 | TOTAL | 196 | MEAN | 1 | MAX | 102 | MIN | 0 | AC_FT | 389 | | |

Flood Control District of Maricopa County ALERT System

| New River at Bell Road | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5598 | DRAINAGE AREA | 185 MI ² |
| IN-SERVICE DATE | 04/04/1990 | | |
| PERIOD OF AVAILABLE RECORD | 04/04/1990 - CURRENT YEAR | | |
| REVISED RECORDS | WY1996:WY1995 | | |
| WY 2005 PEAK | 1,430 CFS | 2.05 FEET | 02/13/2005 |
| EXTREME FOR PERIOD OF RECORD | 4,005 CFS | 5.77 FEET | 09/02/1990 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|------|-------|-----|------|-----|-----|-----|-------|-------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 78 | 23 | 33 | | | | | | 30 |
| 2 | | | | | | 28 | | | | | | 95 |
| 3 | | | | | | 16 | | | | | | 45 |
| 4 | | | | 173 | | 7 | | | | | | 6 |
| 5 | | | | 692 | | | | | | | | |
| 6 | | | | 435 | | | | | | | | |
| 7 | | | | 241 | | | | | | | | |
| 8 | | | | 100 | | | | | | | | |
| 9 | | | | 37 | | | | | | | | |
| 10 | | | | 13 | | | | | | | 35 | |
| 11 | | | | | | | | | | | 62 | |
| 12 | | | | | 1030 | | | | | | 181 | |
| 13 | | | | | 1272 | | | | | | 113 | |
| 14 | | | | | 702 | | | | | | 49 | |
| 15 | | | | | 309 | | | | | | 18 | |
| 16 | | | | | 139 | | | | | | | |
| 17 | | | | | 63 | | | | | | | |
| 18 | | | | | 119 | | | | | | | |
| 19 | | | | | 342 | | | | | | | |
| 20 | | | | | 557 | | | | | | | |
| 21 | | | | | 375 | | | | | | | |
| 22 | | | | | 217 | | | | | | | |
| 23 | | | | | 213 | | | | | | | |
| 24 | | | | | 159 | | | | | | | |
| 25 | | | | | 117 | | | | | | | |
| 26 | | | | | 90 | | | | | | | |
| 27 | | | | 13 | 76 | | | | | | | |
| 28 | | | | 74 | 65 | | | | | | | |
| 29 | | | | 41 | --- | | | | | | | |
| 30 | | | 212 | 6 | --- | | | | | | | |
| 31 | | --- | 215 | 37 | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 427 | 1941 | 5867 | 83 | 0 | 0 | 0 | 0 | 635 | 0 |
| MEAN | 0 | 0 | 14 | 63 | 210 | 3 | 0 | 0 | 0 | 0 | 20 | 0 |
| MAX | 0 | 0 | 347 | 816 | 1430 | 41 | 0 | 0 | 0 | 0 | 253 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 847 | 3849 | 11638 | 164 | 0 | 0 | 0 | 0 | 1259 | 0 |
| WTR YR 2005 | TOTAL | | 8952 | MEAN | 25 | MAX | 1430 | MIN | | 0 | AC_FT | 17757 |

Flood Control District of Maricopa County ALERT System

| New River Dam Outlet | | | |
|------------------------------|--------------------------------|---------------|---------------------|
| STATION ID | 5613 | DRAINAGE AREA | 164 MI ² |
| IN-SERVICE DATE | 04/15/1986 | | |
| PERIOD OF AVAILABLE RECORD | 08/30/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | 1,430 CFS | 2.05 FEET | 02/13/2005 |
| EXTREME FOR PERIOD OF RECORD | 4,005 CFS | 5.77 FEET | 09/02/1990 |
| Pool Level | Storage Volume | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-------|------|------|-------|------|-----|-----|-------|-------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 61 | 20 | 46 | | | | | 271 | |
| 2 | | | | 11 | 7 | 30 | | | | | 154 | |
| 3 | | | | 5 | 4 | 17 | | | | | 47 | |
| 4 | | | | 326 | 3 | 11 | | | | | 12 | 1 |
| 5 | | | | 700 | 1 | 5 | | | | | 5 | 1 |
| 6 | | | | 443 | | 4 | | | | | 3 | |
| 7 | | | | 245 | | 3 | | | | | 1 | |
| 8 | | | | 110 | | 1 | | | | | 5 | --- |
| 9 | | | | 37 | | | | | | | 21 | |
| 10 | | | | 15 | | | | | | | 231 | |
| 11 | | | | 7 | 57 | | | | | | 118 | |
| 12 | | | | 4 | 1187 | | | | | | 293 | |
| 13 | | | | 3 | 1224 | | | | | | 170 | |
| 14 | | | | 1 | 673 | | | | | | 68 | |
| 15 | | | | | 317 | | | | | | 21 | |
| 16 | | | | | 163 | | | | | | 9 | |
| 17 | | | | | 80 | | | | | | 5 | |
| 18 | | | | | 184 | | | | | | 4 | |
| 19 | | | | | 417 | | | | | | 2 | |
| 20 | | | | | 559 | | | | | | 2 | |
| 21 | | | | | 375 | | | | | | 1 | |
| 22 | | | | | 248 | | | | | | | |
| 23 | | | | | 261 | | | | | | | |
| 24 | | | | | 196 | | | | | | | |
| 25 | | | | | 162 | | | | | | | |
| 26 | | | | | 130 | | | | | | | |
| 27 | | | | 42 | 116 | | | | | | | |
| 28 | | | | 117 | 75 | | | | | | | |
| 29 | | | 44 | 30 | --- | | | | | | | |
| 30 | | | 329 | 31 | --- | | | | | | | |
| 31 | | --- | 206 | 56 | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 579 | 2243 | 6458 | 117 | 0 | 0 | 0 | 0 | 1444 | 3 |
| MEAN | 0 | 0 | 19 | 72 | 231 | 4 | 0 | 0 | 0 | 0 | 47 | 0 |
| MAX | 0 | 0 | 383 | 783 | 1452 | 47 | 0 | 0 | 0 | 0 | 364 | 1 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 1149 | 4449 | 12809 | 233 | 0 | 0 | 0 | 0 | 2863 | 5 |
| WTR YR 2005 | TOTAL | 10844 | MEAN | 30 | MAX | 1452 | MIN | 0 | AC_FT | 21508 | | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| New River Fire | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 5638 | DRAINAGE AREA | 62 MI ² |
| IN-SERVICE DATE | 07/20/2005 | | |
| PERIOD OF AVAILABLE RECORD | 07/20/2005 - CURRENT YEAR | | |
| WY 2005 PEAK | 16,230 CFS | 8.50 FEET | 07/31/2005 |
| EXTREME FOR PERIOD OF RECORD | 16,230 CFS | 8.50 FEET | 07/31/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|-----|-----|-------|-----|-----|-------|-------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1123 | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 50 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 2 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 29 | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23 | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 627 | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8 | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 795 | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 276 | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7 | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 15 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 62 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 5 | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 39 | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1446 | --- | --- |
| TOTAL | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1491 | 2888 | 129 |
| MEAN | --- | --- | --- | --- | --- | --- | --- | --- | --- | 48 | 93 | 4 |
| MAX | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16230 | 9168 | 541 |
| MIN | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0 | 0 | 0 |
| AC_FT | --- | --- | --- | --- | --- | --- | --- | --- | --- | 2958 | 5729 | 255 |
| WTR YR 2005 | TOTAL | 4508 | MEAN | 12 | MAX | 16230 | MIN | 0 | AC_FT | 8942 | | |

Flood Control District of Maricopa County ALERT System

| McDowell Mountain Road | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 5923 | DRAINAGE AREA | 11.9 MI ² |
| IN-SERVICE DATE | 05/18/2004 | | |
| PERIOD OF AVAILABLE RECORD | 05/18/2004 - CURRENT YEAR | | |
| WY 2005 PEAK | 24 CFS | 0.30 FEET | 02/11/2005 |
| EXTREME FOR PERIOD OF RECORD | 24 CFS | 0.30 FEET | 02/11/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 1 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 1 | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 1 | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | 1 | | |
| 24 | --- | | | | | | | | | | | |
| 25 | --- | | | | | | | | | | | |
| 26 | | | | | | | | | | 1 | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 13 | 24 | 0 | 0 | 0 | 0 | 18 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 2 | 5 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 5 | MEAN | 0 | MAX | 24 | MIN | 0 | AC_FT | 9 | |

Flood Control District of Maricopa County ALERT System

| Stoneridge Dam | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 5968 | DRAINAGE AREA | 0.86 MI ² |
| IN-SERVICE DATE | 12/11/1996 | | |
| PERIOD OF AVAILABLE RECORD | 12/11/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 42 CFS | 4.72 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 57 CFS | 7.15 FEET | 08/31/1999 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | 2 | |
| 3 | | | | | 1 | | | | | | 1 | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | 1 | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | 1 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | --- | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 1 | | | | | | | | |
| 27 | | | | | | --- | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 7 | 23 | 13 | 0 | 0 | 0 | 0 | 0 | 42 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 1 | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 6 | 0 |
| WTR YR 2005 | TOTAL | 8 | MEAN | 0 | MAX | 42 | MIN | 0 | AC_FT | 15 | | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Sun Ridge Canyon Dam | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 5973 | DRAINAGE AREA | 1.60 MI ² |
| IN-SERVICE DATE | 02/04/1997 | | |
| PERIOD OF AVAILABLE RECORD | 02/04/1997 - CURRENT YEAR | | |
| WY 2005 PEAK | 112 CFS | 6.03 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 140 CFS | 7.68 FEET | 10/26/1998 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|----------|-------------|----------|------------|------------|------------|----------|--------------|----------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | --- | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | --- | | | | | | | | |
| 23 | | | | --- | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | --- | | | | | | |
| 30 | | | | | | --- | | | | | | |
| 31 | | --- | | | | --- | | --- | | --- | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| WTR YR 2005 | TOTAL | 3 | MEAN | 0 | MAX | 112 | MIN | 0 | AC_FT | 5 | | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Golden Eagle Park Dam | | | |
|-------------------------------------|-------------------------------------|----------------------|----------------------|
| STATION ID | 5978 | DRAINAGE AREA | 7.13 MI ² |
| IN-SERVICE DATE | 12/12/1996 | | |
| PERIOD OF AVAILABLE RECORD | 12/12/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 914 CFS | 12.02 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 914 CFS | 12.02 FEET | 08/02/2005 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------------|-------------------|-----|-------------|-------------|----------|------------|------------|------------|----------|--------------|-------------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | 11 |
| 2 | | | | | | | | | | | | 71 |
| 3 | | | | 67 | | | | | | | | 200 |
| 4 | | | | 135 | | | | | | | | 78 |
| 5 | | | | | | | | | | | | |
| 6 | | | 8 | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | 22 | 25 | | | | | | | |
| 12 | | | | | 181 | | | | | | | |
| 13 | | | | | 168 | | | | | | | |
| 14 | | | | | 10 | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | 95 | | | | | | | |
| 18 | | | | | 171 | | | | | | | |
| 19 | | | | | 158 | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | 20 | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | 18 | | | | | |
| 24 | | | | | | | 34 | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 21 | | | | | | | | |
| 27 | | | | 14 | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 23 | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | 94 | | --- |
| TOTAL | 0 | 0 | 31 | 259 | 808 | 0 | 52 | 0 | 0 | 114 | 360 | 0 |
| MEAN | 0 | 0 | 1 | 8 | 29 | 0 | 2 | 0 | 0 | 4 | 12 | 0 |
| MAX | 0 | 0 | 200 | 208 | 354 | 0 | 208 | 0 | 0 | 363 | 914 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 62 | 514 | 1603 | 0 | 103 | 0 | 0 | 225 | 713 | 0 |
| WTR YR 2005 TOTAL | | | 1624 | MEAN | 4 | MAX | 914 | MIN | 0 | AC_FT | 3221 | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| North Heights Dam | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 5983 | DRAINAGE AREA | 2.13 MI ² |
| IN-SERVICE DATE | 10/11/1996 | | |
| PERIOD OF AVAILABLE RECORD | 10/11/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 0.29 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 218 CFS | 14.82 FEET | 09/10/2002 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | --- | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | 0 | | 0 |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Aspen Dam | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 5988 | DRAINAGE AREA | 2.02 MI ² |
| IN-SERVICE DATE | 01/02/1997 | | |
| PERIOD OF AVAILABLE RECORD | 01/02/1997 - CURRENT YEAR | | |
| WY 2005 PEAK | 36 CFS | 2.29 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 110 CFS | 5.84 FEET | 03/05/2004 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | 2 | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | 1 | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 1 | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 3 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 5 | 0 | 11 | 36 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 5 | 0 |
| WTR YR 2005 | TOTAL | 5 | MEAN | 0 | MAX | 36 | MIN | 0 | AC_FT | 9 | | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Hesperus Dam | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 5993 | DRAINAGE AREA | 2.91 MI ² |
| IN-SERVICE DATE | 12/18/1996 | | |
| PERIOD OF AVAILABLE RECORD | 12/18/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 1.03 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 153 CFS | 8.93 FEET | 09/10/2002 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | | 0 |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Guadalupe FRS | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 6503 | DRAINAGE AREA | 1.87 MI ² |
| IN-SERVICE DATE | 06/29/1989 | | |
| PERIOD OF AVAILABLE RECORD | 06/29/1989 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 1.66 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 0 CFS | 5.50 FEET | 08/15/1990 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | 0 | | |

NOTE: Gated outlet closed.

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| South Mountain Fan | | | |
|------------------------------|---------------------------|---------------|--------------|
| STATION ID | 6563 | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 06/09/1993 | | |
| PERIOD OF AVAILABLE RECORD | 06/09/1993 - CURRENT YEAR | | |
| REVISED RECORDS | WY1996:WY1995 | | |
| WY 2005 PEAK | 0 CFS | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 757 CFS | 2.75 FEET | 07/07/1999 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | --- | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | --- | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | | 0 |

Flood Control District of Maricopa County ALERT System

| EMF at Broadway | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 6573 | DRAINAGE AREA | 15.4 MI ² |
| IN-SERVICE DATE | 08/10/1989 | | |
| PERIOD OF AVAILABLE RECORD | 09/03/1990 - CURRENT YEAR | | |
| WY 2005 PEAK | 865 CFS | 2.10 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 3,837 CFS | 4.80 FEET | 09/02/1996 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 37 | | | | | | | 5 | |
| 4 | | | | 94 | | | | | | | | |
| 5 | | | | 1 | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | 104 | |
| 9 | | | | | | | | | | | 125 | |
| 10 | | | | | | | | | | | 6 | |
| 11 | | | | | 10 | | | | | | | |
| 12 | | | | | 110 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 140 | | | | | | | |
| 20 | | | | | 2 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | --- | | | | | | |
| 30 | | | 9 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 10 | 132 | 262 | 0 | 0 | 0 | 0 | 0 | 240 | 0 |
| MEAN | 0 | 0 | 0 | 4 | 9 | 0 | 0 | 0 | 0 | 0 | 8 | 0 |
| MAX | 0 | 0 | 24 | 382 | 504 | 0 | 0 | 0 | 0 | 0 | 865 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 19 | 262 | 519 | 0 | 0 | 0 | 0 | 0 | 476 | 0 |
| WTR YR 2005 | TOTAL | 643 | MEAN | 2 | MAX | 865 | MIN | 0 | AC_FT | 1276 | | |

Flood Control District of Maricopa County ALERT System

| EMF at Queen Creek Road | | | |
|------------------------------|---------------------------|---------------|-----------------------|
| STATION ID | 6583 | DRAINAGE AREA | 104.6 MI ² |
| IN-SERVICE DATE | 01/18/1989 | | |
| PERIOD OF AVAILABLE RECORD | 01/18/1989 - CURRENT YEAR | | |
| REVISED RECORDS | WY2000:WY1998-1999 | | |
| WY 2005 PEAK | 1,554 CFS | 2.95 FEET | 02/19/2005 |
| EXTREME FOR PERIOD OF RECORD | 2,459 CFS | 3.80 FEET | 10/28/2000 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|------|------|-----|-----|-------|-------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 17 | | | | | | | | |
| 2 | | | | | | | | | | | 7 | |
| 3 | | | | | | | | | | | 23 | |
| 4 | | | | 560 | | | | | | | | |
| 5 | | | | 411 | | | | | | | | |
| 6 | | | | 160 | | 5 | | | | | | |
| 7 | | | | 111 | | 84 | | | | | | |
| 8 | | | | 93 | | 60 | | | | | | |
| 9 | | | | 85 | | | | | | | 111 | |
| 10 | | | | 75 | | | | | | | 295 | |
| 11 | | | | 63 | | | | | | | 81 | |
| 12 | | | | 13 | 756 | | | | | | 5 | |
| 13 | | | | | 464 | | | | | | | |
| 14 | | | | | 258 | | | | | | | |
| 15 | | | | | 204 | | | | | | | |
| 16 | | | | | 176 | | | | | | | |
| 17 | | | | | 135 | | | | | | | |
| 18 | | | | | 113 | | | | | | | |
| 19 | | | | | 874 | | | | | | | |
| 20 | | | | | 413 | | | | | | | |
| 21 | | | | | 201 | | | | | | | |
| 22 | | | | | 136 | | | | | | | |
| 23 | | | | | 105 | | | | | | | |
| 24 | | | | | 96 | | | | | | | |
| 25 | | | | | 86 | | | | | | | |
| 26 | | | | | 76 | | | | | | | |
| 27 | | | | 95 | 64 | | | | | | | |
| 28 | | | | 79 | 13 | | | | | | | |
| 29 | | | | 48 | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | 58 | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 58 | 1808 | 4170 | 149 | 0 | 0 | 0 | 0 | 522 | 0 |
| MEAN | 0 | 0 | 2 | 58 | 149 | 5 | 0 | 0 | 0 | 0 | 17 | 0 |
| MAX | 0 | 0 | 72 | 860 | 1554 | 90 | 0 | 0 | 0 | 0 | 860 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 116 | 3587 | 8271 | 295 | 0 | 0 | 0 | 0 | 1034 | 0 |
| WTR YR 2005 | TOTAL | 6707 | MEAN | 18 | MAX | 1554 | MIN | 0 | AC_FT | 13303 | | |

Flood Control District of Maricopa County ALERT System

| EMF at Arizona Avenue | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 6598 | DRAINAGE AREA | 214 MI ² |
| IN-SERVICE DATE | 02/10/1989 | | |
| PERIOD OF AVAILABLE RECORD | 02/10/1989 - CURRENT YEAR | | |
| WY 2005 PEAK | 616 CFS | 1.43 FEET | 02/19/2005 |
| EXTREME FOR PERIOD OF RECORD | 5,534 CFS | 4.07 FEET | 01/11/1993 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|------|-----|-----|-----|-------|-------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | 3 | |
| 4 | | | | 102 | | | | | | | | |
| 5 | | | | 364 | | | | | | | | |
| 6 | | | | 222 | | | | | | | | |
| 7 | | | | 166 | | | | | | | | |
| 8 | | | | 124 | | | | | | | | |
| 9 | | | | 100 | | | | | | | | |
| 10 | | | | 62 | | | | | | | 94 | |
| 11 | | | | 30 | | | | | | | 134 | |
| 12 | | | | 8 | 140 | | | | | | --- | |
| 13 | | | | | 461 | | | | | | --- | |
| 14 | | | | | 473 | | | | | | --- | |
| 15 | | | | | 341 | | | | | | | |
| 16 | | | | | 290 | | | | | | | |
| 17 | | | | | 261 | | | | | | | |
| 18 | | | | | 223 | | | | | | | |
| 19 | | | | | 366 | | | | | --- | | |
| 20 | | | | | 285 | | | | | | | |
| 21 | | | | | 178 | | | | | | | |
| 22 | | | | | 112 | | | | | | | |
| 23 | | | | | 107 | | | | | | | |
| 24 | | | | | 102 | | | | | | | |
| 25 | | | | | 56 | | | | | | | |
| 26 | | | | | 36 | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | 9 | --- | | | | | | | |
| 30 | | | | 26 | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 1213 | 3433 | 0 | 0 | 0 | 0 | 0 | 715 | 0 |
| MEAN | 0 | 0 | 0 | 39 | 123 | 0 | 0 | 0 | 0 | 0 | 23 | 0 |
| MAX | 0 | 0 | 0 | 533 | 616 | 0 | 0 | 0 | 0 | 0 | 183 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 2405 | 6809 | 0 | 0 | 0 | 0 | 0 | 1419 | 0 |
| WTR YR 2005 | TOTAL | 5361 | MEAN | 15 | MAX | 616 | MIN | 0 | AC_FT | 10633 | | |

Flood Control District of Maricopa County ALERT System

| Signal Butte FRS | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 6628 | DRAINAGE AREA | 16.4 MI ² |
| IN-SERVICE DATE | 11/10/1987 | | |
| PERIOD OF AVAILABLE RECORD | 11/10/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 4.70 FEET | 02/20/2005 |
| EXTREME FOR PERIOD OF RECORD | 0 CFS | 13.30 FEET | 01/11/1993 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | --- | | | | | | | | |
| 15 | | | | --- | | | | | | | | |
| 16 | | | | --- | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | 0 | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Apache Junction FRS | | | |
|---------------------------------|-------------------------------------|---------------|---------------------|
| STATION ID | 6673 | DRAINAGE AREA | 5.8 MI ² |
| IN-SERVICE DATE | 12/16/1981 | | |
| PERIOD OF AVAILABLE RECORD | 09/15/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | 19 CFS | 2.65 FEET | 02/19/2005 |
| EXTREME FOR PERIOD OF RECORD | 29 CFS | 4.76 FEET | 07/23/1999 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 4 | | | | | | | | |
| 5 | | | | 1 | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | 2 | | | | | | --- | |
| 13 | | | | | | | | | | | --- | |
| 14 | | | | | | | | | | | --- | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 7 | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | 2 | | |
| 24 | | | | | | | | | | 1 | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 6 | 10 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 8 | 19 | 0 | 0 | 0 | 0 | 17 | 5 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 12 | 20 | 0 | 0 | 0 | 0 | 6 | 0 | 0 |
| WTR YR 2005 | TOTAL | 19 | MEAN | 0 | MAX | 19 | MIN | 0 | AC_FT | 39 | | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Powerline FRS | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 6683 | DRAINAGE AREA | 49.9 MI ² |
| IN-SERVICE DATE | 12/02/1992 | | |
| PERIOD OF AVAILABLE RECORD | 12/02/1992 - CURRENT YEAR | | |
| WY 2005 PEAK | 42 CFS | 3.22 FEET | 02/19/2005 |
| EXTREME FOR PERIOD OF RECORD | 118 CFS | 11.00 FEET | 01/11/1993 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 11 | | | | | | | | |
| 5 | | | | 21 | | | | | | | | |
| 6 | | | | 10 | | | | | | | | |
| 7 | | | | 4 | | | | | | | | |
| 8 | | | | 2 | | | | | | | | |
| 9 | | | | 1 | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | 18 | | | | | | --- | |
| 13 | | | | | 28 | | | | | | --- | |
| 14 | | | | | 16 | | | | | | --- | |
| 15 | | | | | 7 | | | | | | | |
| 16 | | | | | 5 | | | | | | | |
| 17 | | | | | 3 | | | | | | | |
| 18 | | | | | 2 | | | | | | | |
| 19 | | | | | 33 | | | | | | | |
| 20 | | | | | 27 | | | | | | | |
| 21 | | | | | 15 | | | | | | | |
| 22 | | | | | 5 | | | | | | | |
| 23 | | | | | 2 | | | | | | | |
| 24 | | | | | 2 | | | | | | | |
| 25 | | | | | 1 | | | | | | | |
| 26 | | | | 1 | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 50 | 162 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 2 | 25 | 42 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 1 | 98 | 321 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| WTR YR 2005 | TOTAL | 212 | MEAN | 1 | MAX | 42 | MIN | 0 | AC_FT | 421 | | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Vineyard FRS | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 6688 | DRAINAGE AREA | 57.8 MI ² |
| IN-SERVICE DATE | 11/02/1983 | | |
| PERIOD OF AVAILABLE RECORD | 11/09/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | 67 CFS | 3.58 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 129 CFS | 5.90 FEET | 11/16/1993 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|------------|-------------|----------|------------|-----------|------------|----------|--------------|-------------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 22 | | | | | | | | |
| 5 | | | | 57 | | | | | | | | |
| 6 | | | | 47 | | | | | | | | |
| 7 | | | | 36 | | | | | | | | |
| 8 | | | | 19 | | | | | | | | |
| 9 | | | | 8 | | | | | | | | |
| 10 | | | | 4 | | | | | | | | |
| 11 | | | | 2 | | | | | | | | |
| 12 | | | | | 28 | | | | | | --- | |
| 13 | | | | | 62 | | | | | | --- | |
| 14 | | | | | 55 | | | | | | --- | |
| 15 | | | | | 49 | | | | | | | |
| 16 | | | | | 37 | | | | | | | |
| 17 | | | | | 22 | | | | | | | |
| 18 | | | | | 11 | | | | | | | |
| 19 | | | | | 29 | | | | | | | |
| 20 | | | | | 35 | | | | | | | |
| 21 | | | | | 23 | | | | | | | |
| 22 | | | | | 13 | | | | | | | |
| 23 | | | | | 15 | | | | | | | |
| 24 | | | | | 10 | | | | | | | |
| 25 | | | | | 5 | | | | | | | |
| 26 | | | | | 2 | | | | | | | |
| 27 | | | | 1 | 1 | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 197 | 396 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 6 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 62 | 67 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 391 | 786 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 594 | MEAN | 2 | MAX | 67 | MIN | 0 | AC_FT | 1177 | | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Rittenhouse FRS | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 6703 | DRAINAGE AREA | 51.3 MI ² |
| IN-SERVICE DATE | 09/27/1988 | | |
| PERIOD OF AVAILABLE RECORD | 09/27/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | 120 CFS | 12.58 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 120 CFS | 12.58 FEET | 02/12/2005 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|------|-----|-----|-----|-----|-----|-------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | 5 |
| 3 | | | | 15 | | | | | | | | 12 |
| 4 | | | | 100 | | | | | | | | |
| 5 | | | | 105 | | | | | | | | |
| 6 | | | 1 | 87 | | 1 | | | | | | |
| 7 | | | | 25 | | | | | | | | |
| 8 | | | | 2 | | | | | | | | |
| 9 | | | | | | | | | | | | --- |
| 10 | | | | | | | | | | | | --- |
| 11 | | | | | | | | | | | | --- |
| 12 | | | | | 98 | | | | | | --- | |
| 13 | | | | | 115 | | | | | | --- | |
| 14 | | | | | 103 | | | | | | --- | |
| 15 | | | | | 82 | | | | | | | |
| 16 | | | | | 14 | | | | | | | |
| 17 | | | | | 2 | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 58 | | | | | | | |
| 20 | | | | | 31 | | | | | | | |
| 21 | | | | | 5 | | | | | | | |
| 22 | | | | | 55 | | | | | | | |
| 23 | | | | | 20 | | | | | | | |
| 24 | | | | | 1 | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 3 | | | | | | | | |
| 27 | | | | 4 | | | | | | 7 | | |
| 28 | | | | | | | | | | 1 | | |
| 29 | | | 11 | | --- | | | | | | | |
| 30 | | | 5 | | --- | | | | | | | --- |
| 31 | | --- | | | --- | | | --- | --- | | | --- |
| TOTAL | 0 | 0 | 17 | 342 | 583 | 1 | 0 | 0 | 0 | 8 | 17 | 0 |
| MEAN | 0 | 0 | 1 | 11 | 21 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 0 | 0 | 39 | 109 | 120 | 5 | 0 | 0 | 0 | 29 | 49 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 33 | 678 | 1157 | 3 | 0 | 0 | 0 | 16 | 34 | 0 |
| WTR YR 2005 | TOTAL | | 968 | MEAN | | 3 | MAX | 120 | MIN | 0 | AC_FT | 1921 |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Queen Creek at Rittenhouse Road | | | |
|---------------------------------|---------------------------|---------------|--------------|
| STATION ID | 6707* | DRAINAGE AREA | UNDETERMINED |
| IN-SERVICE DATE | 09/18/1996 | | |
| PERIOD OF AVAILABLE RECORD | 09/18/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 472 CFS | 3.49 FEET | 02/13/2005 |
| EXTREME FOR PERIOD OF RECORD | 827 CFS | 2.25 FEET | 01/05/1995 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|------|-----|-----|-----|-------|------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | --- | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | 33 | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | 222 | | | | | | | |
| 14 | | | | | 116 | | | | | | | |
| 15 | | | | | 104 | | | | | | | |
| 16 | | | | | 89 | | | | | | | |
| 17 | | | | | 41 | | | | | | | |
| 18 | | | | | 2 | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 33 | 574 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 1 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 198 | 472 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 65 | 1138 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 606 | MEAN | 2 | MAX | 472 | MIN | 0 | AC_FT | 1202 | | |

* Gage ID number changed during Water Year 1997 from 6713 to 6707 to mitigate radio interference problems.

Flood Control District of Maricopa County ALERT System

| Queen Creek at CAP | | | |
|-------------------------------------|---------------------------|-------------------|---------------------|
| STATION ID | 6723 | DRAINAGE AREA | 256 MI ² |
| IN-SERVICE DATE | 09/18/1996 | | |
| PERIOD OF AVAILABLE RECORD | 09/18/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 1,034 CFS | 10.15 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 1,034 CFS | 10.15 FEET | 02/12/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|-------------|-------------|-----------|------------|-------------|------------|----------|--------------|--------------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 13 | | | | | | | | |
| 4 | | | | 567 | | | | | | | | |
| 5 | | | | 523 | | | | | | | | |
| 6 | | | | 35 | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | 49 | |
| 11 | | | | | | | | | | | 7 | |
| 12 | | | | | 741 | | | | | | 14 | |
| 13 | | | | | 809 | | | | | | 129 | |
| 14 | | | | | 647 | | | | | | | |
| 15 | | | | | 568 | | | | | | | |
| 16 | | | | | 513 | | | | | | | |
| 17 | | | | | 450 | | | | | | | |
| 18 | | | | | 318 | | | | | | | |
| 19 | | | | | 106 | | | | | | | |
| 20 | | | | | 295 | | | | | | | |
| 21 | | | | | 156 | | | | | | | |
| 22 | | | | | 259 | | | | | | | |
| 23 | | | | | 199 | | | | | | | |
| 24 | | | | | 44 | | | | | | | |
| 25 | | | | | | | | | --- | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 1139 | 5107 | 0 | 0 | 0 | 0 | 0 | 199 | 0 |
| MEAN | 0 | 0 | 0 | 37 | 182 | 0 | 0 | 0 | 0 | 0 | 6 | 0 |
| MAX | 0 | 0 | 0 | 810 | 1034 | 0 | 0 | 0 | 0 | 0 | 321 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 2259 | 10130 | 0 | 0 | 0 | 0 | 0 | 395 | 0 |
| WTR YR 2005 | TOTAL | 6447 | MEAN | 18 | MAX | 1034 | MIN | 0 | AC_FT | 12787 | | |

Flood Control District of Maricopa County ALERT System

| Whitlow Ranch Dam | | | |
|---------------------------------|-------------------------------------|---------------|---------------------|
| STATION ID | 6739 | DRAINAGE AREA | 143 MI ² |
| IN-SERVICE DATE | 08/02/2000 | | |
| PERIOD OF AVAILABLE RECORD | 08/02/2000 - CURRENT YEAR | | |
| WY 2005 PEAK | 731 CFS | 58.20 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 731 CFS | 58.20 FEET | 02/12/2005 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|-------------|-------------|----------|------------|------------|------------|----------|--------------|-------------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | --- | |
| 13 | | | | | | | | | | | --- | |
| 14 | | | | | | | | | | | --- | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | 325 | | | | | | | |
| 17 | | | | | 499 | | | | | | | |
| 18 | | | --- | | 193 | | | | | | | |
| 19 | | | --- | | | | | | | | | |
| 20 | | | | | 30 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | 62 | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 1109 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 40 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 576 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 2199 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 1109 | MEAN | 3 | MAX | 576 | MIN | 0 | AC_FT | 2199 | | |

NOTE(1): Peak of 58.2 feet occurred as verified by the staff gages. See next NOTE for explanation.

NOTE(2): Gage becomes disconnected from the USACOE gaging equipment on occasion. There may have been several impoundments behind the dam during the water year that may not have been recorded by FCDMC gaging equipment. For more information, refer to the *U. S. Army Corps of Engineers, Los Angeles District*.

Flood Control District of Maricopa County ALERT System

| Buckeye #3 FRS | | | |
|---------------------------------|-------------------------------------|---------------|---------------------|
| STATION ID | 6813 | DRAINAGE AREA | 9.3 MI ² |
| IN-SERVICE DATE | 11/23/1992 | | |
| PERIOD OF AVAILABLE RECORD | 05/18/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 6 CFS | -3.40 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 36 CFS | -1.05 FEET | 09/04/1996 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|----------|-------------|----------|------------|----------|------------|----------|--------------|----------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 6 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| WTR YR 2005 | TOTAL | 1 | MEAN | 0 | MAX | 6 | MIN | 0 | AC_FT | 1 | | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| White Tanks #4 FRS | | | |
|---------------------------------|-------------------------------------|---------------|----------------------|
| STATION ID | 6823 | DRAINAGE AREA | 18.6 MI ² |
| IN-SERVICE DATE | 01/09/1986 | | |
| PERIOD OF AVAILABLE RECORD | 10/01/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 67 CFS | 0.75 FEET | 08/15/1990 |
| Pool Level Data | Storage Volume Data | | |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 0 | MEAN | 0 | MAX | 0 | MIN | 0 | AC_FT | 0 | |

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Waterman at Rainbow Valley Road | | | |
|---------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 6833 | DRAINAGE AREA | 362 MI ² |
| IN-SERVICE DATE | 03/18/1999 | | |
| PERIOD OF AVAILABLE RECORD | 03/18/1999 - CURRENT YEAR | | |
| WY 2005 PEAK | 172 CFS | 2.67 FEET | 02/24/2005 |
| EXTREME FOR PERIOD OF RECORD | 1,760 CFS | 8.52 FEET | 10/21/2000 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | --- | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | --- | | | | | | | | 12 |
| 10 | | | | | | | | | | | | 5 |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 20 | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | 34 | | |
| 24 | | | | | 75 | | | | | 22 | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | | --- | | | | | |
| 30 | | | | | | | --- | | | | | |
| 31 | | --- | | | | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 95 | 0 | 0 | 0 | 0 | 56 | 17 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 2 | 1 | 0 |
| MAX | 0 | 0 | 0 | 0 | 172 | 0 | 0 | 0 | 0 | 90 | 99 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 188 | 0 | 0 | 0 | 0 | 112 | 34 | 0 |
| WTR YR 2005 | TOTAL | 168 | MEAN | 0 | MAX | 172 | MIN | 0 | AC_FT | 334 | | |

Flood Control District of Maricopa County ALERT System

| Gila River at 116th Avenue | | | |
|------------------------------|---------------------------|---------------|---------------------------------|
| STATION ID | 6848 | DRAINAGE AREA | 43,300 MI ² (APPROX) |
| IN-SERVICE DATE | 12/16/1998 | | |
| PERIOD OF AVAILABLE RECORD | 12/16/1998 - CURRENT YEAR | | |
| WY 2005 PEAK | 49,394 CFS | 9.15 FEET | 02/13/2005 |
| EXTREME FOR PERIOD OF RECORD | 49,394 CFS | 9.15 FEET | 02/13/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-------|------|--------|--------|-------|-----|-----|-------|--------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 4987 | 1545 | 1203 | | | | | | |
| 2 | | | | 14967 | 983 | 888 | | | | | | |
| 3 | | | | 16856 | 932 | | | | | | | |
| 4 | | | | 18035 | 415 | | | | | | | |
| 5 | | | | 20683 | | --- | | | | | | |
| 6 | | | | 4111 | | --- | | | | | | |
| 7 | | | | 2482 | | 736 | | | | | | |
| 8 | | | | 3359 | | | | | | | | |
| 9 | | | | 3914 | | | | | | | | |
| 10 | | | | 1988 | | | | | | | | |
| 11 | | | | 1246 | 1270 | | | | | | | |
| 12 | | | | 1698 | 17539 | | | | | | | |
| 13 | | | | 6008 | 42106 | | | | | | | |
| 14 | | | | 3752 | 26020 | | | | | | | |
| 15 | | | | 1881 | 22305 | | | | | | | |
| 16 | | | | 1035 | 17923 | | | | | | | |
| 17 | | | | 419 | 14620 | | | | | | | |
| 18 | | | | | 14386 | | | | | | | |
| 19 | | | | | 8825 | | | | | | | |
| 20 | | | | | 6291 | | | | | | | |
| 21 | | | | | 11465 | | | | | | | |
| 22 | | | | | 12691 | | | | | | | |
| 23 | | | | | 10203 | | | | | | | |
| 24 | | | | | 6388 | | | | | | | |
| 25 | | | | | 2758 | | | | | | | |
| 26 | | | | 456 | 1347 | | | | | | | |
| 27 | | | | 2670 | 966 | | | | | | | |
| 28 | | | | 5638 | 847 | | | | | | | |
| 29 | | | | 4314 | --- | | | | | | | |
| 30 | | | | 1944 | --- | | | | | | | |
| 31 | | --- | | 1838 | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 12428 | 22182 | 2766 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 4009 | 7922 | 89 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 34904 | 49394 | 1347 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 246510 | 439985 | 5487 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | 34887 | MEAN | 956 | MAX | 49394 | MIN | 0 | AC_FT | 691982 | | |

*Gage installed on December 21, 1998, replacing FCDMC gage #6863 at the old 115th Avenue Gila River crossing. Old gage was in service from November 6, 1997 until installation of new gage 6848.

**An undetermined amount of flow occurs more or less continually at this location below the gage.

Flood Control District of Maricopa County ALERT System

| Gila River at Estrella Pkwy | | | |
|------------------------------|---------------------------|---------------|------------------------|
| STATION ID | 6853 | DRAINAGE AREA | 45,585 MI ² |
| IN-SERVICE DATE | 12/02/1992 | | |
| PERIOD OF AVAILABLE RECORD | 12/02/1992 - CURRENT YEAR | | |
| WY 2005 PEAK | 38,900 CFS | 14.00 FEET | 02/13/2005 |
| EXTREME FOR PERIOD OF RECORD | 75,883 CFS | 16.45 FEET | 02/16/1995 |

See *USGS Water-Data Report AZ-05-1* for official data for this site.

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-------|----------------|-------|-------|-------|-----|-----|-------|--------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 1991 | 2022 | 1863 | | | | | | |
| 2 | | | | 10551 | 1393 | 1471 | | | | | | |
| 3 | | | | 14495 | 1244 | 935 | | | | | | |
| 4 | | | | 15953 | 973 | 1049 | | | | | 1 | |
| 5 | | | | 19099 | 880 | 749 | | | | | | |
| 6 | | | | 5510 | 657 | 1243 | | | | | | |
| 7 | | | | 3304 | 512 | 1324 | | | | | | |
| 8 | | 1 | | 4099 | 409 | 893 | | | | | | |
| 9 | | 1 | | 5264 | 361 | 1119 | | | | | | |
| 10 | | 1 | | 2707 | 468 | 993 | | | | --- | | |
| 11 | | 2 | | 1717 | 1840 | 659 | | | | | | |
| 12 | | 2 | | 1867 | 13734 | 446 | | | | | | |
| 13 | | 1 | | 6748 | 35846 | 646 | | | | | | |
| 14 | | 1 | | 5034 | 26305 | 670 | | | | | | |
| 15 | | 1 | | 2566 | 22152 | 408 | | | | | | |
| 16 | | 2 | | 1284 | 18440 | 344 | | | | | | |
| 17 | | 5 | | 921 | 15878 | 442 | | | | | | |
| 18 | | 8 | | 709 | 15898 | 319 | 1 | | | | | |
| 19 | | 12 | | 598 | 11045 | 252 | | | | | | |
| 20 | | 12 | | 562 | 9327 | 204 | | | | | | |
| 21 | | 20 | | 529 | 13006 | 162 | | | | | | |
| 22 | | 19 | | 520 | 14365 | 117 | | | | | | |
| 23 | | 10 | | 878 | 12071 | 484 | | | | | | |
| 24 | | | | 1086 | 8912 | 688 | 1 | | | | | |
| 25 | | | | 1089 | 4430 | 407 | 1 | | | | | |
| 26 | | | | 1231 | 2223 | 235 | | | | | | |
| 27 | | | | 4483 | 1598 | 163 | | | | | | |
| 28 | | | | 7115 | 1345 | 171 | | | | | | |
| 29 | | | | 5781 | --- | 135 | | | | | | |
| 30 | | | 19 | 2530 | --- | 14 | | | | | | |
| 31 | | --- | 21 | 2305 | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 97 | 40 | 13252 | 23733 | 18606 | 4 | 0 | 0 | 0 | 2 | 0 |
| MEAN | 0 | 3 | 1 | 4275 | 8476 | 600 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 31 | 59 | 29020 | 38900 | 1991 | 2 | 0 | 0 | 0 | 5 | 0 |
| MIN | 0 | 0 | 0 | 7 | 328 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 192 | 79262866470750 | 36905 | | | 8 | 0 | 0 | 0 | 3 | 0 |
| WTR YR 2005 | TOTAL | 38861 | MEAN | 1065 | MAX | 38900 | MIN | 0 | AC_FT | 770804 | | |

Flood Control District of Maricopa County ALERT System

| Bullard Wash | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 6863 | DRAINAGE AREA | 58 MI ² |
| IN-SERVICE DATE | 03/30/2000 | | |
| PERIOD OF AVAILABLE RECORD | 03/30/2000 - CURRENT YEAR | | |
| WY 2005 PEAK | 347 CFS | 1.29 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 347 CFS | 1.29 FEET | 08/02/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | 14 | |
| 4 | | | | | | | | | | | 31 | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | 7 | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 45 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 0 | 0 | 0 | 0 | 48 | 0 | 0 | 0 | 0 | 0 | 347 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 14 | 0 | 0 | 0 | 0 | 0 | 88 | 0 |
| WTR YR 2005 | TOTAL | | 51 | MEAN | 0 | MAX | 347 | MIN | 0 | AC_FT | 102 | |

Flood Control District of Maricopa County ALERT System

| Estrella Fan | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 6893 | DRAINAGE AREA | 1.0 MI ² |
| IN-SERVICE DATE | 04/30/1993 | | |
| PERIOD OF AVAILABLE RECORD | 04/30/1993 - CURRENT YEAR | | |
| REVISED RECORDS | WY1997:WY1996 | | |
| WY 2005 PEAK | 3 CFS | 0.10 FEET | 10/21/2004 |
| EXTREME FOR PERIOD OF RECORD | 82 CFS | 0.70 FEET | 09/11/1998 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | --- | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 1 | MEAN | 0 | MAX | 3 | MIN | 0 | AC_FT | | 2 |

Flood Control District of Maricopa County ALERT System

| Sauceda Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 6923 | DRAINAGE AREA | 126 MI ² |
| IN-SERVICE DATE | 02/28/1990 | | |
| PERIOD OF AVAILABLE RECORD | 02/28/1990 - CURRENT YEAR | | |
| WY 2005 PEAK | | | |
| EXTREME FOR PERIOD OF RECORD | 1,825 CFS | 4.66 FEET | 08/25/1998 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|------|-----|-----|-------|------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | 1 | |
| 3 | | | | | | | | | | | 460 | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | 9 | | | | | | |
| 6 | | | | --- | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | 4 | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | --- | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | --- | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 6 | 6 | 6 | 6 | 6 | 15 | 6 | 6 | 6 | 6 | 470 | 6 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 0 |
| MAX | 0 | 0 | 0 | 0 | 2 | 120 | 0 | 0 | 0 | 0 | 3308 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 11 | 11 | 11 | 11 | 11 | 29 | 11 | 11 | 11 | 11 | 931 | 11 |
| WTR YR 2005 | TOTAL | 541 | MEAN | 1 | MAX | 3308 | MIN | 0 | AC_FT | 1073 | | |

NOTE(1) USGS maintained a crest stage gage at this location from 11/27/1963 to 09/30/1979. In 1990, a joint USGS/FCDMC continuous station was installed. The USGS continuous station was discontinued 10/01/1994. Since Water Year 1995, the continuous station has been operated by the FCDMC and the crest stage gage by the USGS.

NOTE(2) On 8/3/05 scaffolding under the SR85 bridge caused clogging and a rise in stage that does not correspond to the recorded maximum. Actual maximum not estimated.

Flood Control District of Maricopa County ALERT System

| Sand Tank Wash at I-8 | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 6933 | DRAINAGE AREA | 185 MI ² |
| IN-SERVICE DATE | 05/31/2001 | | |
| PERIOD OF AVAILABLE RECORD | 05/31/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | 170 CFS | 1.95 FEET | 08/10/2005 |
| EXTREME FOR PERIOD OF RECORD | 925 CFS | 3.20 FEET | 09/13/2001 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | 49 | |
| 5 | | --- | | | | 1 | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | 6 | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 55 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 95 | 0 | 0 | 0 | 0 | 170 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 109 | 0 |
| WTR YR 2005 | TOTAL | | 56 | MEAN | 0 | MAX | 170 | MIN | 0 | AC_FT | 111 | |

Flood Control District of Maricopa County ALERT System

| Rainbow Wash at SR 85 | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 6953 | DRAINAGE AREA | 17.6 MI ² |
| IN-SERVICE DATE | 11/06/2000 | | |
| PERIOD OF AVAILABLE RECORD | 11/06/2000 - CURRENT YEAR | | |
| WY 2005 PEAK | 1,827 CFS | 4.60 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 1,827 CFS | 4.60 FEET | 08/09/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|------|-----|-----|-------|-----|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 7 | | | | | | | | |
| 4 | | | | 34 | | | | | | | | |
| 5 | | | | 1 | | 2 | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | 81 | |
| 10 | | | | | | | | | | | 1 | |
| 11 | | | | | | | | | | | | |
| 12 | | 15 | | | | | | | | | | |
| 13 | | 1 | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | --- | | | | | | | --- | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 12 | | | | | | | |
| 20 | | | | | 20 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | 11 | | | | | | | | | | |
| 23 | | | | | 9 | | | | | 22 | | |
| 24 | | | | | 22 | | | | | 1 | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 28 | 0 | 42 | 63 | 3 | 0 | 0 | 0 | 24 | 82 | 0 |
| MEAN | 0 | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 3 | 0 |
| MAX | 0 | 192 | 0 | 142 | 178 | 19 | 0 | 0 | 0 | 196 | 1827 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 55 | 0 | 83 | 124 | 5 | 0 | 0 | 0 | 47 | 162 | 0 |
| WTR YR 2005 | TOTAL | 240 | MEAN | 1 | MAX | 1827 | MIN | 0 | AC_FT | 476 | | |

Flood Control District of Maricopa County ALERT System

| Bender Wash | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 6963 | DRAINAGE AREA | 68.6 MI ² |
| IN-SERVICE DATE | 05/12/2004 | | |
| PERIOD OF AVAILABLE RECORD | 05/12/2004 - CURRENT YEAR | | |
| WY 2005 PEAK | 31 CFS | 3.45 FEET | 03/05/2005 |
| EXTREME FOR PERIOD OF RECORD | 31 CFS | 3.45 FEET | 03/05/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | 1 | |
| 5 | | | | | | 1 | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | --- | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | --- | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | 1 | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 0 | 22 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 0 |
| WTR YR 2005 | TOTAL | | 2 | MEAN | 0 | MAX | 31 | MIN | 0 | AC_FT | | 4 |

Flood Control District of Maricopa County ALERT System

| Vekol Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 6983 | DRAINAGE AREA | 150 MI ² |
| IN-SERVICE DATE | 03/07/1990 | | |
| PERIOD OF AVAILABLE RECORD | 03/07/1990 - CURRENT YEAR | | |
| WY 2005 PEAK | 2,151 CFS | 7.24 FEET | 08/10/2005 |
| EXTREME FOR PERIOD OF RECORD | 4,271 CFS | 7.28 FEET | 07/25/1996 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|------|-----|-----|-------|------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | --- | | | | | | | | | | |
| 2 | | --- | | | | | | | | | | 9 |
| 3 | | | | 15 | | | | | | | | 57 |
| 4 | | | | 109 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | 212 | |
| 11 | | | | | | | | | | | 99 | |
| 12 | | | | | | | | | | | 1 | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | --- | | | | |
| 16 | | | | | | | | --- | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | 105 | | |
| 24 | | | | | | | | | | 18 | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | --- | | | | --- | | | | | 4 | | |
| 31 | --- | --- | | | --- | | --- | | --- | 1 | | --- |
| TOTAL | 0 | 0 | 0 | 124 | 0 | 0 | 0 | 0 | 0 | 129 | 378 | 0 |
| MEAN | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 12 | 0 |
| MAX | 0 | 0 | 0 | 496 | 0 | 0 | 0 | 0 | 0 | 1430 | 2151 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 246 | 0 | 0 | 0 | 0 | 0 | 255 | 749 | 0 |
| WTR YR 2005 | TOTAL | 630 | MEAN | 2 | MAX | 2151 | MIN | 0 | AC_FT | 1250 | | |

NOTE: Gaging station was moved approximately 400 feet downstream (north) of the I-8 bridge on August 19, 2000. The gaging station is now co-located with the USGS gaging station ID 09488650.

Flood Control District of Maricopa County ALERT System

| Martinez Creek | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 7013 | DRAINAGE AREA | 105 MI ² |
| IN-SERVICE DATE | 11/23/1994 | | |
| PERIOD OF AVAILABLE RECORD | 11/23/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 1,522 CFS | 4.65 FEET | 01/04/2005 |
| EXTREME FOR PERIOD OF RECORD | 8,800 CFS | 5.75 FEET | 09/26/1997 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|------|------|------|-----|-----|-------|------|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 13 | | | | | | | | |
| 4 | | | | 174 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 28 | | | | | | 14 | |
| 12 | | | | | 299 | | | | | | 21 | |
| 13 | | | | | 13 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | 34 | | | | | | | | --- | | |
| 23 | | | | | | | | | | 90 | | |
| 24 | --- | | | | | | | | | 43 | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 19 | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 34 | 19 | 187 | 340 | 0 | 0 | 0 | 0 | 55 | 35 | 0 |
| MEAN | 0 | 1 | 1 | 6 | 12 | 0 | 0 | 0 | 0 | 2 | 1 | 0 |
| MAX | 0 | 139 | 182 | 1522 | 1105 | 0 | 0 | 0 | 0 | 199 | 1000 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 68 | 38 | 371 | 675 | 0 | 0 | 0 | 0 | 110 | 70 | 0 |
| WTR YR 2005 | TOTAL | 671 | MEAN | 2 | MAX | 1522 | MIN | 0 | AC_FT | 1331 | | |

Note: Flows below about 3,000 cfs are considered approximate at best due to multiple channel configuration, expanding downstream reach, mobile bed conditions, and the angle of attack of flow.

Flood Control District of Maricopa County ALERT System

| Sols Trib at US 93 | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 7028 | DRAINAGE AREA | 6.5 MI ² |
| IN-SERVICE DATE | 01/30/2002 | | |
| PERIOD OF AVAILABLE RECORD | 01/30/2002 - CURRENT YEAR | | |
| WY 2005 PEAK | 1 CFS | 0.47 FEET | 11/22/2004 |
| EXTREME FOR PERIOD OF RECORD | 4 CFS | 0.57 FEET | 02/13/2003 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | --- | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 0 | MEAN | 0 | MAX | 1 | MIN | 0 | AC_FT | | 0 |

Flood Control District of Maricopa County ALERT System

| Sols Wash near Matthie | | | |
|------------------------------|---------------------------|---------------|-----------------------|
| STATION ID | 7043 | DRAINAGE AREA | 121.4 MI ² |
| IN-SERVICE DATE | 08/04/1995 | | |
| PERIOD OF AVAILABLE RECORD | 08/04/1995 - CURRENT YEAR | | |
| WY 2005 PEAK | 376 CFS | 1.46 FEET | 07/30/2005 |
| EXTREME FOR PERIOD OF RECORD | 10,792 CFS | 5.15 FEET | 10/21/2000 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 44 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | 108 | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | 39 | | |
| 31 | | --- | | | --- | | --- | | --- | 1 | | --- |
| TOTAL | 0 | 108 | 0 | 44 | 0 | 0 | 0 | 0 | 0 | 40 | 0 | 0 |
| MEAN | 0 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| MAX | 0 | 328 | 0 | 242 | 0 | 0 | 0 | 0 | 0 | 376 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 215 | 0 | 87 | 0 | 0 | 0 | 0 | 0 | 80 | 0 | 0 |
| WTR YR 2005 | TOTAL | 193 | MEAN | 1 | MAX | 376 | MIN | 0 | AC_FT | 382 | | |

Flood Control District of Maricopa County ALERT System

| Hartman Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 7063 | DRAINAGE AREA | 5.4 MI ² |
| IN-SERVICE DATE | 07/06/1994 | | |
| PERIOD OF AVAILABLE RECORD | 07/06/1994 - CURRENT YEAR | | |
| REVISED RECORDS | WY1996: WY1995 | | |
| WY 2005 PEAK | 3,400 CFS | 9.38 FEET | 07/30/2005 |
| EXTREME FOR PERIOD OF RECORD | 3,400 CFS | 9.38 FEET | 07/30/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|------|-----|------|-------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 12 | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | |
| 30 | | | | | | | | | | 73 | | |
| 31 | | | | | | | | | | | | |
| TOTAL | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 73 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| MAX | 0 | 0 | 4 | 433 | 0 | 0 | 0 | 0 | 0 | 3400 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 24 | 0 | 0 | 0 | 0 | 0 | 144 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 85 | MEAN | | 0 | MAX | 3400 | MIN | 0 | AC_FT | 169 |

Flood Control District of Maricopa County ALERT System

| Flying E Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 7083 | DRAINAGE AREA | 8.5 MI ² |
| IN-SERVICE DATE | 07/12/1994 | | |
| PERIOD OF AVAILABLE RECORD | 07/12/1994 - CURRENT YEAR | | |
| REVISED RECORDS | WY1996: WY1994-1995 | | |
| WY 2005 PEAK | 3,740 CFS | 5.74 FEET | 07/30/2005 |
| EXTREME FOR PERIOD OF RECORD | 3,740 CFS | 5.74 FEET | 07/30/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | --- | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | --- | | | | | | | | | | | |
| 25 | --- | | | | | | | | | | | |
| 26 | --- | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | 3 | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 211 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 3 | MEAN | 0 | MAX | 211 | MIN | 0 | AC_FT | | 5 |

NOTE: Gage failed to properly record flow of 7/30/05. Data recovered from crest-stage gage.

Flood Control District of Maricopa County ALERT System

| Casandro Wash | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 7093 | DRAINAGE AREA | 0.61 MI ² |
| IN-SERVICE DATE | 07/12/1994 | | |
| PERIOD OF AVAILABLE RECORD | 07/12/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | 14 CFS | 0.35 FEET | 02/11/2005 |
| EXTREME FOR PERIOD OF RECORD | 404 CFS | 1.17 FEET | 08/15/2004 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 1 | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 2 | | | | | | | |
| 12 | --- | | | | 1 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | --- | | | | | | |
| 19 | --- | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | 1 | | | 1 | | | --- | | | | |
| 23 | | | | | 1 | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 1 | 1 | --- | | | | | | --- | |
| 30 | | | | | --- | | | | | 1 | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 1 | 1 | 2 | 6 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 5 | 5 | 7 | 7 | 14 | 0 | 0 | 0 | 0 | 5 | 7 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 1 | 1 | 2 | 3 | 11 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 10 | MEAN | 0 | MAX | 14 | MIN | 0 | AC_FT | | 20 |

Flood Control District of Maricopa County ALERT System

| Powderhouse Wash | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 7113 | DRAINAGE AREA | 1.8 MI ² |
| IN-SERVICE DATE | 05/18/1995 | | |
| PERIOD OF AVAILABLE RECORD | 05/18/1995 - CURRENT YEAR | | |
| REVISED RECORDS | WY2000: WY1995-1999 | | |
| WY 2005 PEAK | 316 CFS | 0.98 FEET | 07/25/2005 |
| EXTREME FOR PERIOD OF RECORD | 1,425 CFS | 2.12 FEET | 09/26/1997 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | 1 | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | 3 | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 1 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 316 | 64 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 7 | 3 | 0 |
| WTR YR 2005 | TOTAL | | 5 | MEAN | 0 | MAX | 316 | MIN | 0 | AC_FT | 10 | |

Flood Control District of Maricopa County ALERT System

| Casandro Dam | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 7133 | DRAINAGE AREA | 1.3 MI ² |
| IN-SERVICE DATE | 08/15/1996 | | |
| PERIOD OF AVAILABLE RECORD | 08/15/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | 11 CFS | 2.29 FEET | 02/12/2005* |
| EXTREME FOR PERIOD OF RECORD | 18 CFS | 11.30 FEET | 09/26/1997 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-------|----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | |
| 1 | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | |
| 4 | | | | 1 | | | | | | | | | |
| 5 | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | |
| 11 | | | | | 2 | | | | | | | | |
| 12 | | | | | 5 | | | | | | | | |
| 13 | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | |
| 20 | | | | | 2 | | | | | | | | |
| 21 | 3 | | | | | | | | | | | | |
| 22 | | | | | 2 | | | | | | | | |
| 23 | | | | | 1 | | | | | | | | |
| 24 | | | | | | | | | | 1 | | | |
| 25 | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | |
| 29 | | | 2 | | --- | | | | | | | | |
| 30 | | | | | --- | | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- | |
| TOTAL | 3 | 0 | 2 | 2 | 11 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| MAX | 10 | 0 | 10 | 3 | 11 | 0 | 0 | 0 | 0 | 8 | 0 | 0 | |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| AC_FT | 5 | 0 | 5 | 3 | 23 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | |
| WTR YR 2005 | TOTAL | | 20 | MEAN | | 0 | MAX | 11 | MIN | | 0 | AC_FT | 39 |

*A second peak of same stage and discharge occurred on 02/22/2005.

See also Pool Level and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Antelope Creek | | | |
|------------------------------|---------------------------|---------------|--------------------|
| STATION ID | 7168 | DRAINAGE AREA | 62 MI ² |
| IN-SERVICE DATE | 07/09/2003 | | |
| PERIOD OF AVAILABLE RECORD | 07/09/2003 - CURRENT YEAR | | |
| WY 2005 PEAK | 533 CFS | 2.57 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 533 CFS | 2.57 FEET | 02/12/2005 |

Discharge, in cfs, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-------|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 93 | | | | | | | | |
| 5 | | | | 21 | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 38 | | | | | | | |
| 12 | | | | | 151 | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | --- | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 9 | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| TOTAL | 0 | 0 | 9 | 114 | 189 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEAN | 0 | 0 | 0 | 4 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 54 | 368 | 533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AC_FT | 0 | 0 | 18 | 227 | 375 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | TOTAL | | 312 | MEAN | 1 | MAX | 533 | MIN | 0 | AC_FT | 619 | |

POOL LEVEL DATA

Flood Control District of Maricopa County ALERT System

| Tat Momolikot Dam | | | |
|------------------------------|---------------------------|---------------|-----------------------|
| STATION ID | 0773* | DRAINAGE AREA | 1,780 MI ² |
| IN-SERVICE DATE | 01/24/2000 | | |
| PERIOD OF AVAILABLE RECORD | 01/24/2000 - CURRENT YEAR | | |
| WY 2005 PEAK | | 8.39 FEET | 08/04/2005 |
| EXTREME FOR PERIOD OF RECORD | | 10.49 FEET | 08/29/2003 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 3.3 | 2.5 | 1.6 | 0.8 | 2.6 | 2.6 | 1.9 | 0.9 | 0.8 | 0.8 | 0.8 | 4.5 |
| 2 | 3.3 | 2.5 | 1.6 | 0.9 | 2.5 | 2.6 | 1.9 | 0.8 | 0.8 | 0.8 | 0.8 | 4.4 |
| 3 | 3.2 | 2.4 | 1.6 | 1.1 | 2.5 | 2.6 | 1.8 | 0.8 | 0.8 | 0.8 | 1.0 | 4.3 |
| 4 | 3.2 | 2.4 | 1.6 | 2.9 | 2.4 | 2.5 | 1.8 | 0.8 | 0.8 | 0.8 | 8.3 | 4.2 |
| 5 | 3.1 | 2.4 | 1.6 | 4.9 | 2.4 | 2.5 | 1.8 | 0.8 | 0.8 | 0.8 | 8.0 | 4.2 |
| 6 | 3.1 | 2.4 | 1.6 | 5.4 | 2.4 | 2.9 | 1.8 | 0.8 | 0.8 | 0.8 | 7.6 | 4.1 |
| 7 | 3.0 | 2.3 | 1.6 | 5.1 | 2.3 | 3.1 | 1.7 | 0.8 | 0.8 | 0.8 | 7.3 | 4.0 |
| 8 | 3.0 | 2.3 | 1.6 | 4.9 | 2.3 | 3.1 | 1.7 | 0.8 | 0.8 | 0.8 | 7.2 | 3.9 |
| 9 | 2.9 | 2.3 | 1.6 | 4.6 | 2.3 | 3.0 | 1.6 | 0.8 | 0.8 | 0.8 | 7.1 | 3.9 |
| 10 | 2.9 | 2.2 | 1.6 | 4.4 | 2.3 | 3.0 | 1.6 | 0.8 | 0.8 | 0.8 | 7.1 | 3.8 |
| 11 | 2.8 | 2.2 | 1.6 | 4.2 | 2.3 | 2.9 | 1.5 | 0.8 | 0.8 | 0.8 | 7.0 | 3.7 |
| 12 | 2.8 | 2.2 | 1.5 | 4.0 | 2.4 | 2.9 | 1.5 | 0.8 | 0.8 | 0.8 | 7.0 | 3.6 |
| 13 | 2.8 | 2.2 | 1.5 | 3.8 | 2.6 | 2.8 | 1.5 | 0.8 | 0.8 | 0.8 | 6.8 | 3.6 |
| 14 | 2.7 | 2.1 | 1.5 | 3.7 | 2.8 | 2.8 | 1.4 | 0.8 | 0.8 | 0.8 | 6.7 | 3.5 |
| 15 | 2.7 | 2.1 | 1.4 | 3.6 | 2.9 | 2.7 | 1.4 | 0.8 | 0.8 | 0.8 | 6.6 | 3.4 |
| 16 | 2.7 | 2.1 | 1.4 | 3.5 | 2.9 | 2.7 | 1.3 | 0.8 | 0.8 | 0.8 | 6.4 | 3.4 |
| 17 | 2.6 | 2.1 | 1.4 | 3.4 | 2.8 | 2.7 | 1.3 | 0.8 | 0.8 | 0.8 | 6.3 | 3.3 |
| 18 | 2.6 | 2.0 | 1.3 | 3.3 | 2.8 | 2.6 | 1.3 | 0.8 | 0.8 | 0.8 | 6.1 | 3.3 |
| 19 | 2.5 | 2.0 | 1.3 | 3.2 | 2.8 | 2.5 | 1.2 | 0.8 | 0.8 | 0.8 | 6.0 | 3.2 |
| 20 | 2.5 | 2.0 | 1.3 | 3.2 | 2.8 | 2.5 | 1.2 | 0.8 | 0.8 | 0.8 | 5.8 | 3.2 |
| 21 | 2.5 | 1.9 | 1.3 | 3.1 | 2.8 | 2.5 | 1.2 | 0.8 | 0.8 | 0.8 | 5.7 | 3.1 |
| 22 | 2.4 | 1.8 | 1.3 | 3.0 | 2.8 | 2.5 | 1.2 | 0.8 | 0.8 | 0.8 | 5.6 | 3.1 |
| 23 | 2.4 | 1.8 | 1.2 | 3.0 | 2.7 | 2.4 | 1.2 | 0.8 | 0.8 | 0.8 | 5.4 | 3.0 |
| 24 | 2.4 | 1.8 | 0.9 | 2.9 | 2.7 | 2.3 | 1.1 | 0.8 | 0.8 | 0.8 | 5.3 | 3.0 |
| 25 | 2.4 | 1.8 | 0.9 | 2.9 | 2.7 | 2.3 | 1.1 | 0.8 | 0.8 | 0.8 | 5.2 | 2.9 |
| 26 | 2.3 | 1.8 | 0.9 | 2.9 | 2.7 | 2.2 | 1.0 | 0.8 | 0.8 | 0.8 | 5.1 | 2.9 |
| 27 | 2.3 | 1.8 | 0.9 | 2.8 | 2.7 | 2.2 | 1.0 | 0.8 | 0.8 | 0.8 | 5.0 | 2.8 |
| 28 | 2.3 | 1.7 | 0.9 | 2.8 | 2.7 | 2.1 | 0.9 | 0.8 | 0.8 | 0.8 | 4.9 | 2.8 |
| 29 | 2.6 | 1.7 | 1.1 | 2.7 | --- | 2.1 | 0.9 | 0.8 | 0.8 | 0.8 | 4.8 | 2.7 |
| 30 | 2.6 | 1.7 | 0.8 | 2.7 | --- | 2.0 | 0.9 | 0.8 | 0.8 | 0.8 | 4.7 | 2.7 |
| 31 | 2.6 | --- | 0.8 | 2.6 | --- | 2.0 | --- | 0.8 | --- | 0.8 | 4.6 | --- |
| MEAN | 2.7 | 2.1 | 1.3 | 3.3 | 2.6 | 2.6 | 1.4 | 0.8 | 0.8 | 0.8 | 5.6 | 3.5 |
| MAX | 3.4 | 2.5 | 1.6 | 5.4 | 2.9 | 3.1 | 1.9 | 0.9 | 0.8 | 0.8 | 8.4 | 4.5 |
| MIN | 2.2 | 1.6 | 0.8 | 0.8 | 2.3 | 1.9 | 0.9 | 0.8 | 0.8 | 0.8 | 0.8 | 2.6 |
| WTR YR 2005 | MEAN | 2.29 | MAX | 8.39 | MIN | 0.81 | | | | | | |

*NOTE: Float gage was removed and a pressure transducer type gage was installed on January 24, 2000. Subsequently, the gage id number changed to 0773 from 0768. Data prior to January 24 has been deleted.

See also Surface Water Streamflow and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Spookhill FRS | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4563 | DRAINAGE AREA | 13.6 MI ² |
| IN-SERVICE DATE | 03/13/1984 | | |
| PERIOD OF AVAILABLE RECORD | 12/30/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | | 6.26 FEET | 07/23/2005 |
| EXTREME FOR PERIOD OF RECORD | | 6.26 FEET | 10/27/2000 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.6 | 0.6 | 0.6 | 1.4 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 2 | 0.6 | 0.6 | 0.6 | 1.1 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 3 | 0.6 | 0.6 | 0.6 | 1.3 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 4 | 0.6 | 0.6 | 0.6 | 3.9 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 5 | 0.6 | 0.6 | 0.6 | 3.1 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 6 | 0.6 | 0.6 | 1.2 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 7 | 0.6 | 0.6 | 1.2 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 8 | 0.6 | 0.6 | 0.9 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 9 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 10 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 11 | 0.6 | 0.6 | 0.6 | 0.6 | 1.0 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 12 | 0.6 | 0.6 | 0.6 | 0.6 | 4.3 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 13 | 0.6 | 0.6 | 0.6 | 0.6 | 4.3 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 14 | 0.6 | 0.6 | 0.6 | 0.6 | 2.9 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 15 | 0.6 | 0.6 | 0.6 | 0.6 | 0.8 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 16 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 17 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 18 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 19 | 0.6 | 0.6 | 0.6 | 0.6 | 2.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 20 | 0.6 | 0.6 | 0.6 | 0.6 | 1.1 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 21 | 0.6 | 0.6 | 0.6 | 0.6 | 0.9 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 22 | 0.6 | 0.6 | 0.6 | 0.6 | 0.8 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 23 | 0.6 | 0.6 | 0.6 | 0.6 | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | 0.9 | 0.6 | 0.6 |
| 24 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 25 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 26 | 0.6 | 0.6 | 0.6 | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 27 | 0.6 | 0.6 | 0.6 | 1.4 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 28 | 0.6 | 0.6 | 0.6 | 1.1 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 29 | 0.6 | 0.6 | 1.0 | 0.8 | --- | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 30 | 0.6 | 0.6 | 2.1 | 0.6 | --- | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 31 | 0.6 | --- | 1.7 | 0.6 | --- | 0.6 | --- | 0.6 | --- | 0.6 | 0.6 | --- |
| MEAN | 0.6 | 0.6 | 0.7 | 0.9 | 1.1 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| MAX | 0.6 | 0.6 | 2.2 | 4.1 | 4.7 | 0.6 | 0.6 | 0.6 | 0.6 | 6.3 | 0.6 | 0.6 |
| MIN | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| WTR YR 2005 | MEAN | 0.67 | MAX | 6.26 | MIN | 0.59 | | | | | | |

See also Surface Water Streamflow and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| EFCC Basin #1 | | | |
|--|-------------------------------------|---------------|----------------------|
| STATION ID | 4648 | DRAINAGE AREA | 1.18 MI ² |
| IN-SERVICE DATE | 03/02/1994 | | |
| PERIOD OF AVAILABLE RECORD | 03/02/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | | 1.71 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | | 3.92 FEET | 07/14/2002 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 0.2 |
| 3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 0.2 |
| 4 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 5 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 7 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 8 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 9 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 10 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 |
| 11 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 12 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 13 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 14 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 15 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 16 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 17 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 18 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 19 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 20 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 21 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 22 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 23 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 24 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 25 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 26 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 |
| 27 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 28 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 29 | 0.2 | 0.2 | 0.3 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 30 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 31 | 0.2 | --- | 0.2 | 0.2 | --- | 0.2 | --- | 0.2 | --- | 0.3 | 0.2 | --- |
| MEAN | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| MAX | 0.2 | 0.3 | 0.4 | 0.6 | 0.9 | 0.2 | 0.2 | 0.2 | 0.2 | 1.5 | 1.7 | 0.6 |
| MIN | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| WTR YR 2005 | MEAN | 0.23 | MAX | 1.71 | MIN | 0.23 | | | | | | |

See also Surface Water Streamflow and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Tatum Basin | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4653 | DRAINAGE AREA | 2.17 MI ² |
| IN-SERVICE DATE | 05/08/1998 | | |
| PERIOD OF AVAILABLE RECORD | 05/08/1998 - CURRENT YEAR | | |
| WY 2005 PEAK | | 9.93 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | | 9.93 FEET | 08/02/2005 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.8 |
| 3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 2.5 |
| 4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.8 |
| 5 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.6 |
| 6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.4 |
| 7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 |
| 8 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 9 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 10 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 11 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 12 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 13 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 14 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 15 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 16 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 17 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 18 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 19 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 20 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 21 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 22 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 23 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 24 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 25 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 26 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 27 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 28 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 29 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 30 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 31 | 0.1 | --- | 0.1 | 0.1 | --- | 0.1 | --- | 0.1 | --- | 0.1 | 0.1 | --- |
| MEAN | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 |
| MAX | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 9.9 | 0.1 |
| MIN | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| WTR YR 2005 | MEAN | 0.06 | MAX | 9.93 | MIN | 0.05 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| EFCC Basin #4 | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4658 | DRAINAGE AREA | 0.68 MI ² |
| IN-SERVICE DATE | 01/18/1994 | | |
| PERIOD OF AVAILABLE RECORD | 01/18/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | | 3.50 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | | 3.65 FEET | 07/14/1999 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 |
| 2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 |
| 3 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 |
| 4 | 0.0 | 0.0 | 0.1 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | 0.0 | 0.0 | 0.2 | 0.2 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 |
| 10 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.1 | 0.1 |
| 11 | 0.0 | 0.0 | 0.0 | 0.1 | 0.6 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.2 | 0.0 |
| 12 | 0.0 | 0.0 | 0.0 | 0.2 | 0.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 |
| 13 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 |
| 14 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 15 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | --- | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 16 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 17 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 18 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 19 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 20 | 0.0 | 0.1 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 21 | 0.2 | 0.2 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 22 | 0.1 | 0.4 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 23 | 0.0 | 0.2 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 |
| 24 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 |
| 25 | 0.0 | 0.0 | 0.0 | 0.2 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 |
| 26 | 0.0 | 0.0 | 0.0 | 0.4 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.1 | 0.0 |
| 27 | 0.0 | 0.0 | 0.0 | 0.2 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 |
| 28 | 0.3 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 29 | 0.0 | 0.0 | 0.6 | 0.3 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 30 | 0.0 | 0.0 | 0.2 | 0.2 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 |
| 31 | 0.0 | --- | 0.0 | 0.1 | --- | 0.0 | --- | 0.0 | --- | 0.3 | 0.0 | --- |
| MEAN | 0.0 | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 |
| MAX | 0.9 | 1.1 | 1.5 | 2.7 | 3.0 | 0.9 | 1.3 | 0.3 | 0.0 | 2.7 | 3.5 | 1.2 |
| MIN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| WTR YR 2005 | MEAN | 0.04 | MAX | 3.50 | MIN | 0.00 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| EFCC Basin #3 | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4683 | DRAINAGE AREA | 3.52 MI ² |
| IN-SERVICE DATE | 09/13/1994 | | |
| PERIOD OF AVAILABLE RECORD | 09/13/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | | 3.53 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | | 3.60 FEET | 07/14/1999 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 |
| 3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 5 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 6 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 7 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 8 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 9 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 10 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 11 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 12 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 13 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 |
| 14 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 15 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 16 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 17 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 |
| 18 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 |
| 19 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 20 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 21 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 |
| 22 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 23 | 0.1 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 24 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 25 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 26 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 27 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 28 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 29 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 30 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 31 | 0.2 | --- | 0.2 | 0.2 | --- | 0.2 | --- | 0.2 | --- | 0.2 | 0.2 | --- |
| MEAN | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 |
| MAX | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.7 | 3.5 | 0.3 |
| MIN | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| WTR YR 2005 | MEAN | 0.15 | MAX | 3.53 | MIN | 0.15 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Dreamy Draw Dam | | | |
|--|-------------------------------------|---------------|---------------------|
| STATION ID | 4803 | DRAINAGE AREA | 1.5 MI ² |
| IN-SERVICE DATE | 01/24/1984 | | |
| PERIOD OF AVAILABLE RECORD | 08/29/1988 - CURRENT YEAR | | |
| REVISED RECORDS | WY1996:WY1995 | | |
| WY 2005 PEAK | | 6.72 FEET | 02/18/2005 |
| EXTREME FOR PERIOD OF RECORD | | 19.17 FEET | 10/06/1993 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 |
| 3 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 |
| 4 | 0.1 | 0.1 | 0.1 | 0.8 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 5 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 8 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 9 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 10 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 11 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 12 | 0.1 | 0.1 | 0.1 | 0.1 | 0.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 13 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 14 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 15 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 16 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 17 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 18 | 0.1 | 0.1 | 0.1 | 0.1 | 0.6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 19 | 0.1 | 0.1 | 0.1 | 0.1 | 0.9 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 20 | 0.1 | 0.1 | 0.1 | 0.1 | 0.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 21 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 22 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 23 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 24 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 25 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 26 | 0.1 | 0.1 | 0.1 | 0.5 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 27 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 28 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 29 | 0.1 | 0.1 | 0.3 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 30 | 0.1 | 0.1 | 0.4 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 31 | 0.1 | --- | 0.1 | 0.1 | --- | 0.1 | --- | 0.1 | --- | 0.1 | 0.1 | --- |
| MEAN | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| MAX | 0.1 | 0.1 | 1.2 | 4.9 | 6.7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 1.6 | 0.1 |
| MIN | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| WTR YR 2005 | MEAN | 0.13 | MAX | 6.72 | MIN | 0.12 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| 10th Street Wash Basin #1 | | | |
|--|-------------------------------------|---------------|---------------------|
| STATION ID | 4818 | DRAINAGE AREA | 1.2 MI ² |
| IN-SERVICE DATE | 11/26/1996 | | |
| PERIOD OF AVAILABLE RECORD | 11/26/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | | 1.73 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | | 3.33 FEET | 07/14/2002 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 5 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 6 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 7 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | --- | 0.3 |
| 8 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 9 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 10 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 11 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 12 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 13 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 14 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 15 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 16 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 17 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 18 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 19 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 20 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 21 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 22 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 23 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 24 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 25 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 26 | 0.3 | 0.3 | 0.3 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 27 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 28 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 29 | 0.3 | 0.3 | 0.3 | 0.3 | --- | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 30 | 0.3 | 0.3 | 0.3 | 0.3 | --- | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 31 | 0.3 | --- | 0.3 | 0.3 | --- | 0.3 | --- | 0.3 | --- | 0.3 | 0.3 | --- |
| MEAN | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| MAX | 0.4 | 0.7 | 0.7 | 1.7 | 1.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 1.7 | 0.3 |
| MIN | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |

WTR YR 2005 MEAN 0.30 MAX 1.73 MIN 0.30

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Phoenix Basin #3 | | | |
|--|-------------------------------------|---------------|---------------------|
| STATION ID | 4828 | DRAINAGE AREA | 1.2 MI ² |
| IN-SERVICE DATE | 12/18/2001 | | |
| PERIOD OF AVAILABLE RECORD | 12/18/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | | 3.08 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | | 10.36 FEET | 07/14/2002 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 2 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 |
| 4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 6 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 7 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 8 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 9 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 10 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 11 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 12 | 0.4 | --- | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 13 | 0.4 | --- | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 14 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 15 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 16 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 17 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 18 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 19 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 20 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 21 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 22 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 23 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 24 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 25 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 26 | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 27 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 28 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 29 | 0.4 | 0.4 | 0.4 | 0.4 | --- | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 30 | 0.4 | 0.4 | 0.4 | 0.4 | --- | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 31 | 0.4 | --- | 0.4 | 0.4 | --- | 0.4 | --- | 0.4 | --- | 0.4 | 0.4 | --- |
| MEAN | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| MAX | 0.4 | 0.4 | 0.6 | 3.0 | 2.0 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 3.1 | 1.0 |
| MIN | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| WTR YR 2005 | MEAN | 0.40 | MAX | 3.08 | MIN | 0.40 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Phoenix East Park Dam | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4848 | DRAINAGE AREA | 0.11 MI ² |
| IN-SERVICE DATE | 11/28/2001 | | |
| PERIOD OF AVAILABLE RECORD | 11/28/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | | 2.10 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | | 4.84 FEET | 07/14/2002 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 |
| 4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 5 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 8 | 0.1 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 9 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 10 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 11 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 12 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 13 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 14 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 15 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 16 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 17 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 18 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 19 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 20 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 21 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 22 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 23 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 24 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 25 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 26 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 27 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 28 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 29 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 30 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 31 | 0.1 | --- | 0.1 | 0.1 | --- | 0.1 | --- | 0.1 | --- | 0.1 | 0.1 | --- |
| MEAN | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| MAX | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.9 | 2.1 |
| MIN | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| WTR YR 2005 | MEAN | 0.10 | MAX | 2.10 | MIN | 0.10 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Phoenix Basin #7 | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4853 | DRAINAGE AREA | 1.2 MI ² |
| IN-SERVICE DATE | 12/19/2001 | | |
| PERIOD OF AVAILABLE RECORD | 12/19/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | | 8.40 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | | 12.11 FEET | 07/14/2002 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 |
| 4 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 13 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 14 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 15 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 16 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 17 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 18 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 19 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 20 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 21 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 22 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 23 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 24 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 26 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 27 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 28 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 29 | 0.0 | 0.0 | 0.0 | 0.1 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 30 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 31 | 0.0 | --- | 0.0 | 0.0 | --- | 0.0 | --- | 0.0 | --- | 0.0 | 0.0 | --- |
| MEAN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MAX | 0.0 | 0.4 | 0.2 | 1.3 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 8.4 |
| MIN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| WTR YR 2005 | MEAN | 0.00 | MAX | 8.40 | MIN | 0.00 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Phoenix West Park Dam | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 4858 | DRAINAGE AREA | 0.68 MI ² |
| IN-SERVICE DATE | 11/29/2001 | | |
| PERIOD OF AVAILABLE RECORD | 11/29/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | | 5.85 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | | 10.73 FEET | 07/14/2002 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.7 |
| 4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 5 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 7 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 8 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 9 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 10 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 11 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 12 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 13 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 14 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 15 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 16 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 17 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 18 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 19 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 20 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 21 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 22 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 23 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 24 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 25 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 26 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 27 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 28 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 29 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 30 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 31 | 0.2 | --- | 0.2 | 0.2 | --- | 0.2 | --- | 0.2 | --- | 0.2 | 0.2 | --- |
| MEAN | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| MAX | 0.2 | 0.2 | 0.2 | 0.5 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 5.8 |
| MIN | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| WTR YR 2005 | MEAN | 0.20 | MAX | 5.85 | MIN | 0.20 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Cave Buttes Dam | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 4899 | DRAINAGE AREA | 191 MI ² |
| IN-SERVICE DATE | 01/25/1984 | | |
| PERIOD OF AVAILABLE RECORD | 10/01/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | | 30.31 FEET | 02/16/2005 |
| EXTREME FOR PERIOD OF RECORD | | 75.89 FEET | 01/11/1993 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|-------|------|------|-----|-----|-----|-----|-----|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 2 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 3 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 2.4 | 2.7 |
| 4 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 16.4 |
| 5 | 1.9 | 1.9 | 1.9 | 9.6 | 1.9 | 2.0 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 8.0 |
| 6 | 1.9 | 1.9 | 1.9 | 18.6 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 2.5 |
| 7 | 1.9 | 1.9 | 1.9 | 10.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 8 | 1.9 | 1.9 | 1.9 | 2.0 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 10 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 11 | 1.9 | 1.9 | 1.9 | 1.9 | 3.6 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 12 | 1.9 | 1.9 | 1.9 | 1.9 | 2.3 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 2.3 | 1.9 |
| 13 | 1.9 | 1.9 | 1.9 | 1.9 | 3.6 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 14 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 15 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 16 | 1.9 | 1.9 | 1.9 | 1.9 | 23.1 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 17 | 1.9 | 1.9 | 1.9 | 1.9 | 25.5 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 18 | 1.9 | 1.9 | 1.9 | 1.9 | 22.5 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 19 | 1.9 | 1.9 | 1.9 | 1.9 | 20.6 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 20 | 1.9 | 1.9 | 1.9 | 1.9 | 25.8 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 21 | 1.9 | 1.9 | 1.9 | 1.9 | 24.2 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 22 | 1.9 | 1.9 | 1.9 | 1.9 | 19.2 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 23 | 1.9 | 1.9 | 1.9 | 1.9 | 15.4 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 24 | 1.9 | 1.9 | 1.9 | 1.9 | 7.2 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 25 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 26 | 1.9 | 1.9 | 1.9 | 2.2 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 27 | 1.9 | 1.9 | 1.9 | 12.3 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 28 | 1.9 | 1.9 | 1.9 | 9.4 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 2.5 | 1.9 | 1.9 |
| 29 | 1.9 | 1.9 | 1.9 | 2.0 | --- | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 30 | 1.9 | 1.9 | 1.9 | 1.9 | --- | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 31 | 1.9 | --- | 1.9 | 1.9 | --- | 1.9 | --- | 1.9 | --- | 1.9 | 1.9 | --- |
| MEAN | 1.9 | 1.9 | 1.9 | 3.6 | 8.0 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 2.6 |
| MAX | 1.9 | 1.9 | 1.9 | 22.1 | 30.3 | 2.2 | 1.9 | 1.9 | 2.0 | 6.6 | 5.2 | 22.0 |
| MIN | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| WTR YR 2005 | MEAN | 2.57 | MAX | 30.31 | MIN | 1.85 | | | | | | |

*NOTE: Non-submersible pressure transducer type gage was replaced with a bubbler type digital gage on February 17, 2000. The gage id number changed from 4904 to 4899.

See also Surface Water Streamflow (4903) and Storage Volume data (4902).

Flood Control District of Maricopa County ALERT System

| Reata Pass Dam | | | |
|--|-------------------------------------|---------------|---------------------|
| STATION ID | 4938 | DRAINAGE AREA | 1.0 MI ² |
| IN-SERVICE DATE | 10/02/2001 | | |
| PERIOD OF AVAILABLE RECORD | 10/02/2001 - CURRENT YEAR | | |
| WY 2005 PEAK | | 3.22 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | | 4.72 FEET | 03/05/2004 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 3 | 0.1 | 0.1 | 0.1 | 0.4 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 4 | 0.1 | 0.1 | 0.1 | 1.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 5 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.9 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 6 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 8 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 9 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 10 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 11 | 0.1 | 0.1 | 0.1 | 0.1 | 0.5 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 12 | 0.1 | 0.1 | 0.1 | 0.1 | 1.7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 13 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 14 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 15 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 16 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 17 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 18 | 0.1 | 0.1 | 0.1 | 0.1 | 0.6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 19 | 0.1 | 0.1 | 0.1 | 0.1 | 2.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 20 | 0.1 | 0.1 | 0.1 | 0.1 | 1.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 21 | 0.1 | 0.1 | 0.1 | 0.1 | 0.7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 22 | 0.1 | 0.1 | 0.1 | 0.1 | 0.8 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 23 | 0.1 | 0.1 | 0.1 | 0.1 | 0.5 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 24 | 0.1 | 0.1 | 0.1 | 0.1 | 0.5 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 25 | 0.1 | 0.1 | 0.1 | 0.1 | 0.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 26 | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 |
| 27 | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 28 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 29 | 0.1 | 0.1 | 1.0 | 0.2 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 30 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 31 | 0.1 | --- | 0.1 | 0.1 | --- | 0.1 | --- | 0.1 | --- | 0.1 | 0.1 | --- |
| MEAN | 0.1 | 0.1 | 0.1 | 0.1 | 0.4 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| MAX | 0.2 | 0.2 | 3.1 | 1.9 | 3.2 | 2.2 | 1.2 | 0.1 | 0.1 | 2.0 | 0.6 | 0.1 |
| MIN | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| WTR YR 2005 | MEAN | 0.10 | MAX | 3.22 | MIN | 0.05 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Saddleback FRS | | | |
|--|---------------------------|-------------------------------------|----------------------|
| STATION ID | 5113 | DRAINAGE AREA | 29.6 MI ² |
| IN-SERVICE DATE | 12/16/1988 | | |
| PERIOD OF AVAILABLE RECORD | 12/16/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | | 0.82 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | | 2.50 FEET | 07/15/1996 |
| Surface Water Streamflow | | Storage Volume Data | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 4 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 5 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 6 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 7 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 8 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 9 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 10 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 11 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 12 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 13 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 14 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 15 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 16 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 17 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 18 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 19 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 20 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 21 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 22 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 23 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 24 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 25 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 26 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 27 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 28 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 29 | 0.3 | 0.3 | 0.3 | 0.3 | --- | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 30 | 0.3 | 0.3 | 0.3 | 0.3 | --- | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 31 | 0.3 | --- | 0.3 | 0.3 | --- | 0.3 | --- | 0.3 | --- | 0.3 | 0.3 | --- |
| MEAN | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| MAX | 0.3 | 0.3 | 0.5 | 0.7 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.8 | 0.3 |
| MIN | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| WTR YR 2005 | MEAN | 0.30 | MAX | 0.82 | MIN | 0.30 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Harquahala FRS | | | |
|--|-------------------------------------|---------------|-----------------------|
| STATION ID | 5128 | DRAINAGE AREA | 102.3 MI ² |
| IN-SERVICE DATE | 03/01/1994 | | |
| PERIOD OF AVAILABLE RECORD | 03/01/1994 - CURRENT YEAR | | |
| WY 2005 PEAK | | 6.92 FEET | 02/20/2005 |
| EXTREME FOR PERIOD OF RECORD | | 21.47 FEET | 10/27/2000 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 2 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 3.5 | 0.4 |
| 4 | 0.4 | 0.4 | 0.4 | 1.7 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 2.8 | 0.4 |
| 5 | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 | 0.6 | 0.4 | 0.4 | 0.4 | 0.4 | 2.1 | 0.4 |
| 6 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 1.8 | 0.4 | 0.4 | 0.4 | 0.4 | 1.7 | 0.4 |
| 7 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 1.1 | 0.4 | 0.4 | 0.4 | 0.4 | 1.3 | 0.4 |
| 8 | 0.4 | 0.6 | 0.4 | 0.4 | 0.4 | 0.6 | 0.4 | 0.4 | 0.4 | 0.4 | 0.9 | 0.4 |
| 9 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 |
| 10 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 11 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 12 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 13 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 14 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 15 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 16 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 17 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 18 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 19 | 0.4 | 0.4 | 0.4 | 0.4 | 0.7 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 20 | 0.4 | 0.4 | 0.4 | 0.4 | 5.7 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 21 | 0.4 | 0.4 | 0.4 | 0.4 | 3.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 22 | 0.4 | 0.4 | 0.4 | 0.4 | 2.1 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 23 | 0.4 | 0.4 | 0.4 | 0.4 | 1.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 24 | 0.4 | 0.4 | 0.4 | 0.4 | 2.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 25 | 0.4 | 0.4 | 0.4 | 0.4 | 1.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 26 | 0.4 | 0.4 | 0.4 | 0.4 | 0.9 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 27 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 28 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 29 | 0.4 | 0.4 | 0.4 | 0.4 | --- | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 30 | 0.4 | 0.4 | 0.4 | 0.4 | --- | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 31 | 0.4 | --- | 0.4 | 0.4 | --- | 0.4 | --- | 0.4 | --- | 0.4 | 0.4 | --- |
| MEAN | 0.4 | 0.4 | 0.4 | 0.4 | 0.9 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.7 | 0.4 |
| MAX | 0.4 | 1.2 | 0.4 | 2.0 | 6.9 | 2.2 | 0.4 | 0.4 | 0.4 | 0.4 | 4.4 | 0.4 |
| MIN | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| WTR YR 2005 | MEAN | 0.46 | MAX | 6.92 | MIN | 0.38 | | | | | | |

NOTE: Gated outlet not opened. Therefore, many days of post-flood impoundment.
See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Buckeye #1 FRS | | | |
|--|-------------------------------------|-------------------|--------------------|
| STATION ID | 5203 | DRAINAGE AREA | 74 MI ² |
| IN-SERVICE DATE | 07/26/1983 | | |
| PERIOD OF AVAILABLE RECORD | 11/23/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | | -0.89 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | | 4.96 FEET | 02/14/2003 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|------|-------------------|------|------|------|------|------|------|------|------|------|------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 2 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 3 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.0 | -2.5 |
| 4 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 6 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 7 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 8 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 9 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 10 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 11 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 12 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 13 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 14 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 15 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 16 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | --- | -2.5 | -2.5 | -2.5 | -2.5 |
| 17 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 18 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 19 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 20 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 21 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 22 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 23 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 24 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 25 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 26 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 27 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 28 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 29 | -2.5 | -2.5 | -2.5 | -2.5 | --- | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 30 | -2.5 | -2.5 | -2.5 | -2.5 | --- | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| 31 | -2.5 | --- | -2.5 | -2.5 | --- | -2.5 | --- | -2.5 | --- | -2.5 | -2.5 | --- |
| MEAN | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |
| MAX | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -0.9 | -2.5 |
| MIN | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 | -2.5 |

WTR YR 2005 MEAN -2.49 MAX -0.89 MIN -2.49

NOTE: Instrument is 2.49 feet below gage datum zero at invert elevation of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Buckeye #2 FRS | | | |
|--|-------------------------------------|------------------|---------------------|
| STATION ID | 5208 | DRAINAGE AREA | 5.7 MI ² |
| IN-SERVICE DATE | 11/11/1992 | | |
| PERIOD OF AVAILABLE RECORD | 11/11/1992 - CURRENT YEAR | | |
| WY 2005 PEAK | 92 CFS | 2.76 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 121 CFS | 4.66 FEET | 02/14/2003 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|------|-------------------|------|------|------|------|------|------|------|------|------|------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 2 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 3 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 5 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 6 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 7 | -1.4 | --- | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 8 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 9 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -0.5 | -1.4 |
| 10 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -0.8 | -1.4 |
| 11 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 12 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 13 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 14 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 15 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 16 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 17 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 18 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 19 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 20 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 21 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 22 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 23 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 24 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 25 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 26 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 27 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 28 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 29 | -1.4 | -1.4 | -1.4 | -1.4 | --- | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 30 | -1.4 | -1.4 | -1.4 | -1.4 | --- | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |
| 31 | -1.4 | --- | -1.4 | -1.4 | --- | -1.4 | --- | -1.4 | --- | -1.4 | -1.4 | --- |
| MEAN | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.3 | -1.4 |
| MAX | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | 2.8 | -1.4 |
| MIN | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 | -1.4 |

WTR YR 2005 MEAN -1.39 MAX 2.76 MIN -1.39

Instrument is 1.39 feet below zero gage datum at invert of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Sunset FRS | | | |
|--|-------------------------------------|---------------|----------------------|
| STATION ID | 5233 | DRAINAGE AREA | 0.95 MI ² |
| IN-SERVICE DATE | 02/12/1989 | | |
| PERIOD OF AVAILABLE RECORD | 02/12/1989 - CURRENT YEAR | | |
| WY 2005 PEAK | | 7.28 FEET | 08/11/2005 |
| EXTREME FOR PERIOD OF RECORD | | 12.27 FEET | 09/26/1997 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.1 | 0.1 | 0.1 | 3.6 | 2.6 | 1.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 2 | 0.1 | 0.1 | 0.1 | 3.1 | 2.5 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 3 | 0.1 | 0.1 | 0.1 | 2.7 | 2.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.4 | 0.1 |
| 4 | 0.1 | 0.1 | 0.1 | 5.0 | 2.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 5 | 0.1 | 0.1 | 0.2 | 5.3 | 2.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 6 | 0.1 | 0.1 | 0.6 | 5.0 | 2.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 7 | 0.1 | 0.3 | 0.1 | 4.7 | 2.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 8 | 0.1 | 2.8 | 0.1 | 4.4 | 1.9 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 9 | --- | 2.2 | 0.1 | 4.1 | 1.8 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 1.9 | 0.1 |
| 10 | 0.1 | 0.3 | 0.1 | 3.8 | 1.7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 3.9 | 0.1 |
| 11 | 0.1 | 0.1 | 0.1 | 3.6 | 3.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 5.2 | 0.1 |
| 12 | 0.1 | 1.5 | 0.1 | 3.3 | 6.6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 6.3 | 0.1 |
| 13 | 0.1 | 3.2 | 0.1 | 3.0 | 6.4 | 0.1 | 0.1 | 0.1 | --- | 0.1 | 3.5 | 0.1 |
| 14 | 0.1 | 2.6 | 0.1 | 2.7 | 5.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 |
| 15 | 0.1 | 1.3 | 0.1 | 2.5 | 1.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 16 | 0.1 | 0.2 | 0.1 | 2.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 17 | 0.1 | 0.2 | 0.1 | 1.8 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 18 | 0.1 | 0.1 | 0.1 | 1.4 | 0.7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 19 | 0.1 | 0.1 | 0.1 | 1.1 | 2.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 20 | 0.1 | 0.1 | 0.1 | 0.6 | 5.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 21 | 2.1 | 0.1 | 0.1 | 0.2 | 4.9 | 0.1 | 0.1 | --- | 0.1 | 1.4 | 0.1 | 0.1 |
| 22 | 3.9 | 3.0 | 0.1 | 0.2 | 5.0 | 0.1 | 0.1 | 0.1 | 0.1 | 1.4 | 0.1 | 0.1 |
| 23 | 3.7 | 3.3 | 0.1 | 0.2 | 5.3 | 0.1 | 0.1 | 0.1 | 0.1 | 1.4 | 0.1 | 0.1 |
| 24 | 3.4 | 2.6 | 0.1 | 0.2 | 5.0 | 0.1 | 0.1 | 0.1 | 0.1 | 4.1 | 0.1 | 0.1 |
| 25 | 3.2 | 1.1 | 0.1 | 0.2 | 4.7 | 0.1 | 0.1 | 0.1 | 0.1 | 3.9 | 0.1 | 0.1 |
| 26 | 3.0 | 0.2 | 0.1 | 0.2 | 4.5 | 0.1 | 0.1 | 0.1 | 0.1 | 3.2 | 0.1 | 0.1 |
| 27 | 2.3 | 0.2 | 0.1 | 0.2 | 4.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 |
| 28 | 2.7 | 0.2 | 0.1 | 0.2 | 3.7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 29 | 2.2 | 0.2 | 3.8 | 2.3 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 30 | 0.6 | 0.1 | 4.8 | 2.8 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.7 | 0.1 | 0.1 |
| 31 | 0.1 | --- | 4.2 | 2.8 | --- | 0.1 | --- | 0.1 | --- | 0.4 | 0.1 | --- |
| MEAN | 1.0 | 0.9 | 0.5 | 2.4 | 3.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.6 | 0.8 | 0.1 |
| MAX | 4.1 | 4.0 | 5.3 | 5.6 | 6.9 | 2.8 | 0.1 | 0.1 | 0.1 | 4.4 | 7.3 | 0.1 |
| MIN | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| WTR YR 2005 | MEAN | 0.83 | MAX | 7.28 | MIN | 0.13 | | | | | | |

See also Surface Water Streamflow and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| Sunnycove FRS | | | |
|--|-------------------------------------|-------------------|----------------------|
| STATION ID | 5248 | DRAINAGE AREA | 1.35 MI ² |
| IN-SERVICE DATE | 07/01/1986 | | |
| PERIOD OF AVAILABLE RECORD | 12/16/1988 - CURRENT YEAR | | |
| REVISED RECORDS | WY2000:WY1999 | | |
| WY 2005 PEAK | | 9.39 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | | 21.68 FEET | 08/22/1992 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|-------------|------------|-------------|------------|-------------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.6 | 1.4 | 3.4 | 5.3 | 4.6 | 1.3 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 2 | 0.6 | 1.3 | 3.3 | 5.2 | 4.5 | 0.8 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 3 | 0.6 | 1.1 | 3.2 | 5.3 | 4.4 | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 4 | 0.6 | 1.0 | 3.2 | 6.9 | 4.3 | 0.8 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 5 | 0.6 | 0.9 | 3.1 | 7.3 | 4.2 | 0.8 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 6 | 0.6 | 0.8 | 3.1 | 7.2 | 4.2 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 7 | 0.6 | 0.7 | 3.0 | 7.2 | 4.1 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 8 | 0.6 | 1.2 | 3.0 | 7.1 | 4.0 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 9 | 0.6 | 1.3 | 2.9 | 6.9 | 3.9 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 1.9 | 0.6 |
| 10 | 0.6 | 1.2 | 2.9 | 6.9 | 3.8 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 3.5 | 0.6 |
| 11 | 0.6 | 1.1 | 2.8 | 6.7 | 4.5 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 6.0 | 0.6 |
| 12 | 0.6 | 2.4 | 2.8 | 6.7 | 8.7 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 7.8 | 0.6 |
| 13 | 0.6 | 4.3 | 2.7 | 6.5 | 9.3 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 1.7 | 0.6 |
| 14 | 0.6 | 4.1 | 2.6 | 6.4 | 7.0 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 15 | 0.6 | 4.0 | 2.6 | 6.3 | 0.8 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 16 | 0.6 | 4.0 | 2.5 | 6.2 | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 17 | 0.6 | 3.8 | 2.4 | 6.1 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 18 | 0.6 | 3.7 | 2.4 | 6.0 | 0.9 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 19 | 0.6 | 3.7 | 2.4 | 5.8 | 1.8 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 20 | 0.6 | 3.6 | 2.3 | 5.7 | 6.4 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 21 | 1.4 | 3.5 | 2.2 | 5.6 | 6.4 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 22 | 2.1 | 3.8 | 2.2 | 5.5 | 6.8 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 23 | 2.0 | 4.0 | 2.1 | 5.3 | 7.5 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 24 | 1.8 | 3.9 | 2.1 | 5.2 | 7.4 | 0.6 | 0.6 | 0.6 | 0.6 | 2.2 | 0.6 | 0.6 |
| 25 | 1.7 | 3.8 | 2.0 | 5.1 | 7.4 | 0.6 | 0.6 | 0.6 | 0.6 | 2.1 | 0.6 | 0.6 |
| 26 | 1.5 | 3.8 | 2.0 | 5.1 | 7.3 | 0.6 | 0.6 | 0.6 | 0.6 | 1.5 | 0.6 | 0.6 |
| 27 | 1.4 | 3.7 | 1.9 | 5.0 | 7.2 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 28 | 1.5 | 3.6 | 1.9 | 4.8 | 6.1 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 29 | 1.5 | 3.6 | 3.8 | 4.8 | --- | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 30 | 1.5 | 3.4 | 5.6 | 4.8 | --- | 0.6 | 0.6 | 0.6 | 0.6 | 1.0 | 0.6 | 0.6 |
| 31 | 1.4 | --- | 5.4 | 4.7 | --- | 0.6 | --- | 0.6 | --- | 0.8 | 0.6 | --- |
| MEAN | 1.0 | 2.8 | 2.8 | 5.9 | 4.9 | 0.6 | 0.6 | 0.6 | 0.6 | 0.7 | 1.2 | 0.6 |
| MAX | 2.2 | 4.7 | 5.6 | 7.6 | 9.4 | 3.5 | 0.6 | 0.6 | 0.6 | 3.5 | 9.3 | 0.6 |
| MIN | 0.6 | 0.7 | 1.8 | 4.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| WTR YR 2005 | MEAN | 1.85 | MAX | 9.39 | MIN | 0.60 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| White Tanks #3 FRS | | | |
|--|-------------------------------------|---------------|----------------------|
| STATION ID | 5418 | DRAINAGE AREA | 20.5 MI ² |
| IN-SERVICE DATE | 03/12/1986 | | |
| PERIOD OF AVAILABLE RECORD | 01/01/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | | 2.60 FEET | 01/11/1993 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | --- | 0.0 |
| 7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | --- | 0.0 |
| 8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 10 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 11 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 12 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 13 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 14 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 |
| 15 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 16 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 17 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 18 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 19 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 20 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 21 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 22 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 23 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 24 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 26 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 27 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 28 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 29 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 30 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 |
| 31 | 0.0 | --- | 0.0 | 0.0 | --- | 0.0 | --- | --- | --- | 0.0 | 0.0 | --- |
| MEAN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MAX | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MIN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| WTR YR 2005 | MEAN | 0.00 | MAX | 0.00 | MIN | 0.00 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| McMicken Dam South | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5443 | DRAINAGE AREA | 247 MI ² |
| IN-SERVICE DATE | 02/13/2002 | | |
| PERIOD OF AVAILABLE RECORD | 02/13/2002 - CURRENT YEAR | | |
| WY 2005 PEAK | | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | | 1.30 FEET | 02/13/2003 |
| Storage Volume Data | | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 13 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 14 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 15 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 16 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 17 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 18 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 19 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 20 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 21 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 22 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 23 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 24 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 26 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 27 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 28 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 29 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 30 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 31 | 0.0 | --- | 0.0 | 0.0 | --- | 0.0 | --- | 0.0 | --- | 0.0 | 0.0 | --- |
| MEAN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MAX | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MIN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| WTR YR 2005 | MEAN | 0.00 | MAX | 0.00 | MIN | 0.00 | | | | | | |

See also Storage Volume data.

Flood Control District of Maricopa County ALERT System

| McMicken Dam | | | |
|--|-------------------------------------|---------------|---------------------|
| STATION ID | 5448 | DRAINAGE AREA | 247 MI ² |
| IN-SERVICE DATE | 03/20/1983 | | |
| PERIOD OF AVAILABLE RECORD | 02/18/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | | 4.90 FEET | 09/04/1990 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 13 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 14 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 15 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 16 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 17 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 18 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 19 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 20 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 21 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 22 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 23 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 24 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 26 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 27 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 28 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 29 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 30 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 31 | 0.0 | --- | 0.0 | 0.0 | --- | 0.0 | --- | 0.0 | --- | 0.0 | 0.0 | --- |
| MEAN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MAX | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MIN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| WTR YR 2005 | MEAN | 0.00 | MAX | 0.00 | MIN | 0.00 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Adobe Dam | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 5534 | DRAINAGE AREA | 89.6 MI ² |
| IN-SERVICE DATE | 10/28/1982 | | |
| PERIOD OF AVAILABLE RECORD | 08/30/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | | 4.23 FEET | 02/16/2005 |
| EXTREME FOR PERIOD OF RECORD | | 14.45 FEET | 08/16/1990 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- |
| 2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- |
| 3 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- |
| 4 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- |
| 5 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- |
| 6 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 7 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 8 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 9 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 10 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 11 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 12 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 13 | 3.2 | 3.2 | 3.2 | 3.2 | 3.5 | --- | --- | --- | --- | --- | --- | --- |
| 14 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 15 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 16 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 17 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 18 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- |
| 19 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | 3.2 |
| 20 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | 3.2 |
| 21 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | 3.2 |
| 22 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | 3.2 |
| 23 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | 3.2 |
| 24 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | 3.2 |
| 25 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | 3.2 |
| 26 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | 3.2 |
| 27 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | 3.2 |
| 28 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | 3.2 |
| 29 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- | 3.2 |
| 30 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- | 3.2 |
| 31 | --- | --- | 3.2 | 3.2 | --- | --- | --- | --- | --- | --- | --- | --- |
| MEAN | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | 3.2 |
| MAX | 3.2 | 3.2 | 3.2 | 3.2 | 4.2 | 3.2 | --- | --- | --- | --- | --- | 3.2 |
| MIN | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | --- | --- | --- | --- | --- | 3.2 |
| WTR YR 2005 | MEAN | 3.20 | MAX | 4.23 | MIN | 3.20 | | | | | | |

NOTE(1). Gage down due to vandalism from March 6 - September 18

NOTE(2). Non-submersible pressure transducer type gage was replaced with a bubbler type digital gage on August 10, 2000. The gage id number changed from 5539 to 5534. Gage was also moved from at the principal outlet to the original stilling well location and thus the datum increased by 3.1 feet.

See also Surface Water Streamflow (5538) and Storage Volume data (5537).

Flood Control District of Maricopa County ALERT System

| New River Dam | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5609 | DRAINAGE AREA | 164 MI ² |
| IN-SERVICE DATE | 04/15/1986 | | |
| PERIOD OF AVAILABLE RECORD | 08/30/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | | 20.71 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | | 44.37 FEET | 01/08/1993 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|-------|------|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 4.7 | 2.9 |
| 2 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 3.3 | 2.9 |
| 3 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 3.0 | 2.9 |
| 4 | 2.9 | 2.9 | 2.9 | 5.2 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 5 | 2.9 | 2.9 | 2.9 | 11.5 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 6 | 2.9 | 2.9 | 2.9 | 11.6 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 7 | 2.9 | 2.9 | 2.9 | 11.6 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 8 | 2.9 | 2.9 | 2.9 | 11.6 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 9 | 2.9 | 2.9 | 2.9 | 11.6 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 10 | 2.9 | 2.9 | 2.9 | 11.6 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 4.0 | 2.9 |
| 11 | 2.9 | 2.9 | 2.9 | 6.5 | 3.5 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 3.1 | 2.9 |
| 12 | 2.9 | 2.9 | 2.9 | 2.9 | 17.5 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 5.0 | 2.9 |
| 13 | 2.9 | 2.9 | 2.9 | 2.9 | 17.3 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 3.1 | 2.9 |
| 14 | 2.9 | 2.9 | 2.9 | 2.9 | 10.3 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 15 | 2.9 | 2.9 | 2.9 | 2.9 | 5.7 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 16 | 2.9 | 2.9 | 2.9 | 2.9 | 3.2 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 17 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 18 | 2.9 | 2.9 | 2.9 | 2.9 | 4.0 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 19 | 2.9 | 2.9 | 2.9 | 2.9 | 7.3 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 20 | 2.9 | 2.9 | 2.9 | 2.9 | 9.3 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 21 | 2.9 | 2.9 | 2.9 | 2.9 | 6.6 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 22 | 2.9 | 2.9 | 2.9 | 2.9 | 4.7 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 23 | 2.9 | 2.9 | 2.9 | 2.9 | 4.8 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 24 | 2.9 | 2.9 | 2.9 | 2.9 | 3.7 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 25 | 2.9 | 2.9 | 2.9 | 2.9 | 3.1 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 26 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 27 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 28 | 2.9 | 2.9 | 2.9 | 3.0 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 29 | 2.9 | 2.9 | 2.9 | 2.9 | --- | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 30 | 2.9 | 2.9 | 2.9 | 2.9 | --- | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 31 | 2.9 | --- | 2.9 | 2.9 | --- | 2.9 | --- | 2.9 | --- | 2.9 | 2.9 | --- |
| MEAN | 2.9 | 2.9 | 2.9 | 4.8 | 5.1 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 3.1 | 2.9 |
| MAX | 2.9 | 2.9 | 2.9 | 11.7 | 20.7 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 5.9 | 2.9 |
| MIN | 2.9 | 2.9 | 2.9 | 1.4 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| WTR YR 2005 | MEAN | 3.22 | MAX | 20.71 | MIN | 1.38 | | | | | | |

*NOTE: Non-submersible pressure transducer type gage was replaced with a bubbler type digital gage on August 10, 2000. The gage id number changed from 5614 to 5609.

See also Surface Water Streamflow (5613) and Storage Volume data (5612).

Flood Control District of Maricopa County ALERT System

| Stoneridge Dam | | | |
|--|---------------------------|-------------------------------------|----------------------|
| STATION ID | 5968 | DRAINAGE AREA | 0.86 MI ² |
| IN-SERVICE DATE | 12/11/1996 | | |
| PERIOD OF AVAILABLE RECORD | 12/11/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | | 4.72 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | | 7.15 FEET | 08/31/1999 |
| Surface Water Streamflow | | Storage Volume Data | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 2 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 1.1 | 0.9 |
| 3 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 4 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 5 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 6 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 7 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 8 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 10 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 11 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 12 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 13 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 14 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 15 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 16 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 17 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 18 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 19 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | --- | 0.9 |
| 20 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 21 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 22 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 23 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 24 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 25 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 26 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 27 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | --- | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 28 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 29 | 0.9 | 0.9 | 0.9 | 0.9 | --- | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 30 | 0.9 | 0.9 | 0.9 | 0.9 | --- | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 31 | 0.9 | --- | 0.9 | 0.9 | --- | 0.9 | --- | 0.9 | --- | 0.9 | 0.9 | --- |
| MEAN | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| MAX | 0.9 | 0.9 | 1.3 | 2.6 | 1.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 4.7 | 0.9 |
| MIN | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| WTR YR 2005 | MEAN | 0.87 | MAX | 4.72 | MIN | 0.87 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Sun Ridge Canyon Dam | | | |
|------------------------------|---------------------------|---------------------|----------------------|
| STATION ID | 5973 | DRAINAGE AREA | 1.60 MI ² |
| IN-SERVICE DATE | 02/04/1997 | | |
| PERIOD OF AVAILABLE RECORD | 02/04/1997 - CURRENT YEAR | | |
| WY 2005 PEAK | | 6.03 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | | 7.68 FEET | 10/26/1998 |
| Surface Water Streamflow | | Storage Volume Data | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 2 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.5 | 1.4 |
| 3 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 5 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 6 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 7 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 8 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 9 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | --- | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 10 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 11 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 12 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 13 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 14 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 15 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 16 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 17 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 18 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 19 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 20 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 21 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 22 | 1.4 | 1.4 | 1.4 | --- | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 23 | 1.4 | 1.4 | 1.4 | --- | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 24 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 25 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 26 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 27 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 28 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 29 | 1.4 | 1.4 | 1.4 | 1.4 | --- | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 30 | 1.4 | 1.4 | 1.4 | 1.4 | --- | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 31 | 1.4 | --- | 1.4 | 1.4 | --- | 1.4 | --- | 1.4 | --- | 1.4 | 1.4 | --- |
| MEAN | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| MAX | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 6.0 | 1.4 |
| MIN | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| WTR YR 2005 | MEAN | 1.36 | MAX | 6.03 | MIN | 1.36 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Golden Eagle Park Dam | | | |
|--|-------------------------------------|-------------------|----------------------|
| STATION ID | 5978 | DRAINAGE AREA | 7.13 MI ² |
| IN-SERVICE DATE | 12/12/1996 | | |
| PERIOD OF AVAILABLE RECORD | 12/12/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | | 12.02 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | | 12.02 FEET | 08/02/2005 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|-------------|------------|--------------|------------|-------------|-----|-----|-----|-----|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 2 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 3.2 | 2.6 |
| 3 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 3.2 | 2.6 |
| 4 | 2.6 | 2.6 | 2.6 | 2.8 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.7 | 2.6 |
| 5 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 7 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 8 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 9 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 10 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 11 | 2.6 | 2.6 | 2.6 | 2.6 | 2.7 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 12 | 2.6 | 2.6 | 2.6 | 2.6 | 2.9 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 13 | 2.6 | 2.6 | 2.6 | 2.6 | 2.7 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 14 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 15 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 16 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 17 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 18 | 2.6 | 2.6 | 2.6 | 2.6 | 2.8 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 19 | 2.6 | 2.6 | 2.6 | 2.6 | 3.0 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 20 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 21 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 22 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 23 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 24 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 25 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 26 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 27 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 28 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 29 | 2.6 | 2.6 | 2.6 | 2.6 | --- | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 30 | 2.6 | 2.6 | 2.6 | 2.6 | --- | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 31 | 2.6 | --- | 2.6 | 2.6 | --- | 2.6 | --- | 2.6 | --- | 2.9 | 2.6 | --- |
| MEAN | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| MAX | 2.6 | 2.6 | 3.2 | 3.4 | 5.0 | 2.6 | 3.4 | 2.6 | 2.6 | 5.0 | 12.0 | 2.6 |
| MIN | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| WTR YR 2005 | MEAN | 2.57 | MAX | 12.02 | MIN | 2.56 | | | | | | |

See also Surface Water Streamflow and Storage Volume Data.

Flood Control District of Maricopa County ALERT System

| North Heights Dam | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 5983 | DRAINAGE AREA | 2.13 MI ² |
| IN-SERVICE DATE | 10/11/1996 | | |
| PERIOD OF AVAILABLE RECORD | 10/11/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | | 0.29 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | | 14.82 FEET | 09/10/2002 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 5 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 7 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 8 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 9 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 10 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 11 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 12 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 13 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 14 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 15 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 16 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 17 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 18 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 19 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 20 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 21 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 22 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 23 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 24 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 25 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 26 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 27 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 28 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 |
| 29 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 30 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 31 | 0.2 | --- | 0.2 | 0.2 | --- | 0.2 | --- | 0.2 | --- | 0.2 | 0.2 | --- |
| MEAN | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| MAX | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| MIN | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| WTR YR 2005 | MEAN | 0.25 | MAX | 0.25 | MIN | 0.25 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Aspen Dam | | | |
|--|-------------------------------------|---------------|----------------------|
| STATION ID | 5988 | DRAINAGE AREA | 2.02 MI ² |
| IN-SERVICE DATE | 01/02/1997 | | |
| PERIOD OF AVAILABLE RECORD | 01/02/1997 - CURRENT YEAR | | |
| WY 2005 PEAK | | 2.29 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | | 5.84 FEET | 03/05/2004 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 |
| 3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 |
| 4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 5 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 |
| 6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 7 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 8 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 9 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 10 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 11 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 12 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 13 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 14 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 15 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 16 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 17 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 18 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 19 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 20 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 21 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 22 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 23 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 24 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 25 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 26 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 27 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 28 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 29 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 30 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 31 | 0.2 | --- | 0.2 | 0.2 | --- | 0.2 | --- | 0.2 | --- | 0.3 | 0.2 | --- |
| MEAN | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| MAX | 0.2 | 0.2 | 0.2 | 0.2 | 0.5 | 0.2 | 0.2 | 0.5 | 0.2 | 0.9 | 2.3 | 0.2 |
| MIN | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| WTR YR 2005 | MEAN | 0.24 | MAX | 2.29 | MIN | 0.24 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Hesperus Dam | | | |
|--|-------------------------------------|---------------|----------------------|
| STATION ID | 5993 | DRAINAGE AREA | 2.91 MI ² |
| IN-SERVICE DATE | 12/18/1996 | | |
| PERIOD OF AVAILABLE RECORD | 12/18/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | | 1.03 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | | 8.93 FEET | 09/10/2002 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 2 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 3 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 4 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 5 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 6 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 7 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 8 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 9 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 10 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 11 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 12 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 13 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 14 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 15 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 16 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 17 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 18 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 19 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 20 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 21 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 22 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 23 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 24 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 25 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 26 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 27 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 28 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 29 | 1.0 | 1.0 | 1.0 | 1.0 | --- | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 30 | 1.0 | 1.0 | 1.0 | 1.0 | --- | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 31 | 1.0 | --- | 1.0 | 1.0 | --- | 1.0 | --- | 1.0 | --- | 1.0 | 1.0 | --- |
| MEAN | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| MAX | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| MIN | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| WTR YR 2005 | MEAN | 1.03 | MAX | 1.03 | MIN | 1.03 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Guadalupe FRS | | | |
|--|-------------------------------------|---------------|----------------------|
| STATION ID | 6503 | DRAINAGE AREA | 1.87 MI ² |
| IN-SERVICE DATE | 06/29/1989 | | |
| PERIOD OF AVAILABLE RECORD | 06/29/1989 - CURRENT YEAR | | |
| WY 2005 PEAK | 0 CFS | 1.66 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 0 CFS | 5.50 FEET | 08/15/1990 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 |
| 4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 5 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 6 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 7 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 8 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 9 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 10 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 11 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 12 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 13 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 14 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 15 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 16 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 17 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 18 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 19 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 20 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 21 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 22 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 23 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 24 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 25 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 26 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 27 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 28 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 29 | 0.3 | 0.3 | 0.3 | 0.3 | --- | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 30 | 0.3 | 0.3 | 0.3 | 0.3 | --- | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 31 | 0.3 | --- | 0.3 | 0.3 | --- | 0.3 | --- | 0.3 | --- | 0.3 | 0.3 | --- |
| MEAN | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| MAX | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 1.7 | 0.3 |
| MIN | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| WTR YR 2005 | MEAN | 0.26 | MAX | 1.66 | MIN | 0.26 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Freestone Basin | | | |
|-------------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 6608 | DRAINAGE AREA | 2.2 MI ² |
| IN-SERVICE DATE | 12/19/1995 | | |
| PERIOD OF AVAILABLE RECORD | 12/19/1995 - CURRENT YEAR | | |
| WY 2005 PEAK | | 7.45 FEET | 08/10/2005 |
| EXTREME FOR PERIOD OF RECORD | | 11.30 FEET | 08/28/1999 |
| Storage Volume Data | | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.0 | 0.2 | 0.4 | 1.2 | 0.3 | 0.7 | 0.1 | 0.0 |
| 2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 1.5 | 0.5 | 0.0 | 1.1 | 0.7 | 0.1 |
| 3 | 0.2 | 0.1 | 0.1 | 2.2 | 0.0 | 0.1 | 1.2 | 0.5 | 0.3 | 1.5 | 6.7 | 0.0 |
| 4 | 0.1 | 0.2 | 0.8 | 5.2 | 0.2 | 0.0 | 0.5 | 0.1 | 0.1 | 1.7 | 6.4 | 0.4 |
| 5 | 0.1 | 0.1 | 2.1 | 4.9 | 0.5 | 2.1 | 0.3 | 0.5 | 1.3 | 0.8 | 5.6 | 0.6 |
| 6 | 0.2 | 0.1 | 3.1 | 3.8 | 0.7 | 3.6 | 0.0 | 0.4 | 0.7 | 0.2 | 4.6 | 0.2 |
| 7 | 0.2 | 0.1 | 1.7 | 1.7 | 0.3 | 1.8 | 0.0 | 0.0 | 0.6 | 0.0 | 2.2 | 0.0 |
| 8 | 0.1 | 0.1 | 0.2 | 0.1 | 0.0 | 0.0 | 0.1 | 0.6 | 0.0 | 0.3 | 2.3 | 0.0 |
| 9 | 0.1 | 0.1 | 0.2 | 0.1 | 0.0 | 0.2 | 0.0 | 0.4 | 0.9 | 0.7 | 2.7 | 0.6 |
| 10 | 0.4 | 0.1 | 0.2 | 0.1 | 0.6 | 0.0 | 0.5 | 0.5 | 1.6 | 1.7 | 6.9 | 1.9 |
| 11 | 0.2 | 0.1 | 0.2 | --- | 4.0 | 0.0 | 0.4 | 0.0 | 1.1 | 0.4 | 6.1 | 1.9 |
| 12 | 0.1 | 0.1 | 0.2 | --- | 6.7 | 0.0 | 0.2 | 1.2 | 1.4 | 0.2 | 5.2 | 0.5 |
| 13 | 0.1 | 0.1 | 0.2 | --- | 6.9 | 0.9 | 0.0 | 1.6 | 1.2 | 0.0 | 4.1 | 0.1 |
| 14 | 0.1 | 0.1 | 0.2 | --- | 5.9 | 0.4 | 0.4 | 0.5 | 0.6 | 0.1 | 1.0 | 0.0 |
| 15 | 0.1 | 0.2 | 0.3 | --- | 4.2 | 0.7 | 0.4 | 0.5 | 0.4 | 0.3 | 0.0 | 0.1 |
| 16 | 0.1 | 0.3 | 0.3 | --- | 1.5 | 1.1 | 0.0 | 1.4 | 0.4 | 0.9 | 0.0 | 0.1 |
| 17 | 0.1 | 0.1 | 0.3 | --- | 0.0 | 0.3 | 0.7 | 1.8 | 0.9 | 0.9 | 0.0 | 0.0 |
| 18 | 0.2 | 0.1 | 0.3 | --- | 2.1 | 0.6 | 0.5 | 1.8 | 2.1 | 0.4 | 0.0 | 0.2 |
| 19 | 0.1 | 0.1 | 0.3 | --- | 6.5 | 0.7 | 0.4 | 1.6 | 2.2 | 0.0 | 0.0 | 0.2 |
| 20 | 0.1 | 0.6 | 0.2 | --- | 7.3 | 1.0 | 0.0 | 1.9 | 0.7 | 0.0 | 0.0 | 0.1 |
| 21 | 0.6 | 2.6 | 0.1 | --- | 7.1 | 0.4 | 0.0 | 2.1 | 0.2 | 0.8 | 0.8 | 0.0 |
| 22 | 0.6 | 1.7 | 0.2 | --- | 6.5 | 0.3 | 0.2 | 2.1 | 0.0 | 0.6 | 0.2 | 0.0 |
| 23 | 0.2 | 0.1 | 0.1 | --- | 5.5 | 0.0 | 0.0 | 1.9 | 1.1 | 1.3 | 0.0 | 0.0 |
| 24 | 0.9 | 0.1 | 0.2 | --- | 4.1 | 0.0 | 2.6 | 2.0 | 0.7 | 3.2 | 0.0 | 0.0 |
| 25 | 0.4 | 0.1 | 0.2 | --- | 1.3 | 0.3 | 0.9 | 1.7 | 0.9 | 1.9 | 0.1 | 0.0 |
| 26 | 0.1 | 0.1 | 0.1 | 1.9 | 0.0 | 0.0 | 0.4 | 0.6 | 1.4 | 2.1 | 0.1 | 0.0 |
| 27 | 0.1 | 0.5 | 0.2 | 1.1 | 0.0 | 0.0 | 0.2 | 0.7 | 0.4 | 0.0 | 0.0 | 0.0 |
| 28 | 1.1 | 0.8 | 0.2 | 0.0 | 0.4 | 0.0 | 1.2 | 0.1 | 0.8 | 0.2 | 0.4 | 0.0 |
| 29 | 0.8 | 0.4 | 1.7 | 0.0 | --- | 0.1 | 0.5 | 0.6 | 0.5 | 0.1 | 0.2 | 0.0 |
| 30 | 0.1 | 0.2 | 2.4 | 0.0 | --- | 0.2 | 0.2 | 1.0 | 0.0 | 0.6 | 0.0 | 0.2 |
| 31 | 0.1 | --- | 0.1 | 0.0 | --- | 0.4 | --- | 0.7 | --- | 0.5 | 0.0 | --- |
| MEAN | 0.2 | 0.3 | 0.5 | 0.7 | 2.6 | 0.5 | 0.5 | 1.0 | 0.8 | 0.7 | 1.8 | 0.2 |
| MAX | 2.2 | 3.2 | 3.8 | 5.4 | 7.4 | 4.1 | 2.7 | 2.2 | 2.4 | 4.2 | 7.4 | 2.0 |
| MIN | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| WTR YR 2005 | MEAN | 0.82 | MAX | 7.45 | MIN | 0.00 | | | | | | |

Many days of impoundment due to irrigation tailwater. The gage is located inside a pump housing that, when stage reaches a certain level, pumps water from the gage house and basin. The daily stage values fluctuate substantially. Gage heights above 10.0 feet are generally caused by storm events.

See also Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Crossroads Park | | | |
|-------------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 6623 | DRAINAGE AREA | 15.7 MI ² |
| IN-SERVICE DATE | 12/18/1995 | | |
| PERIOD OF AVAILABLE RECORD | 12/18/1995 - CURRENT YEAR | | |
| WY 2005 PEAK | | 2.28 FEET | 02/24/2005 |
| EXTREME FOR PERIOD OF RECORD | | 2.28 FEET | 02/24/2005 |
| Storage Volume Data | | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.6 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 2 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.5 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 4 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 5 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.4 | 1.3 |
| 6 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.7 | 1.3 |
| 7 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.7 | 1.3 |
| 8 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.6 | 1.3 |
| 9 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.6 | 1.3 |
| 10 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.7 | 1.3 |
| 11 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.6 | 1.3 |
| 12 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.5 | 1.3 |
| 13 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.4 | 1.3 |
| 14 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 15 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 16 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 17 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 18 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 19 | 1.3 | 1.3 | 1.3 | 1.3 | 1.5 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 20 | 1.3 | 1.3 | 1.3 | 1.3 | 1.6 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 21 | 1.3 | 1.3 | 1.3 | 1.3 | 1.6 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 22 | 1.3 | 1.3 | 1.3 | 1.3 | 1.6 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 23 | 1.3 | 1.3 | 1.3 | 1.3 | 2.1 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 24 | 1.3 | 1.3 | 1.3 | 1.3 | 2.2 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 25 | 1.3 | 1.3 | 1.3 | 1.3 | 2.2 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 26 | 1.3 | 1.3 | 1.3 | 1.3 | 2.1 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 27 | 1.3 | 1.3 | 1.3 | 1.3 | 2.0 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 28 | 1.3 | 1.3 | 1.3 | 1.3 | 1.8 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 29 | 1.3 | 1.3 | 1.3 | 1.3 | --- | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 30 | 1.3 | 1.3 | 1.3 | 1.3 | --- | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 31 | 1.3 | --- | 1.3 | 1.3 | --- | 1.3 | --- | 1.3 | --- | 1.3 | 1.3 | --- |
| MEAN | 1.3 | 1.3 | 1.3 | 1.3 | 1.5 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.4 | 1.3 |
| MAX | 1.3 | 1.3 | 1.3 | 1.3 | 2.3 | 1.7 | 1.3 | 1.3 | 1.3 | 1.3 | 1.9 | 1.3 |
| MIN | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| WTR YR 2005 | MEAN | 1.35 | MAX | 2.28 | MIN | 1.33 | | | | | | |

See also Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Signal Butte FRS | | | |
|------------------------------|---------------------------|---------------------|----------------------|
| STATION ID | 6628 | DRAINAGE AREA | 16.4 MI ² |
| IN-SERVICE DATE | 11/10/1987 | | |
| PERIOD OF AVAILABLE RECORD | 11/10/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | | 4.70 FEET | 02/20/2005 |
| EXTREME FOR PERIOD OF RECORD | | 13.30 FEET | 01/11/1993 |
| Surface Water Streamflow | | Storage Volume Data | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|------|------|------|-------|------|------|------|------|------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | -0.2 | -0.2 | -0.2 | 1.4 | 0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 |
| 2 | -0.2 | -0.2 | -0.2 | 1.3 | 0.0 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 |
| 3 | -0.2 | -0.2 | -0.2 | 1.5 | -0.1 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 |
| 4 | -0.2 | -0.2 | -0.2 | 3.0 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 |
| 5 | -0.2 | -0.2 | -0.2 | 4.0 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 |
| 6 | -0.2 | -0.2 | 0.1 | 3.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 |
| 7 | -0.2 | -0.2 | 0.0 | 2.8 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 |
| 8 | -0.2 | -0.2 | -0.2 | 2.5 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 |
| 9 | -0.2 | -0.2 | -0.2 | 2.3 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 0.4 | -0.2 |
| 10 | -0.2 | -0.2 | -0.2 | 2.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 0.0 | -0.2 |
| 11 | -0.2 | -0.2 | -0.2 | 1.9 | 0.0 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 |
| 12 | -0.2 | -0.2 | -0.2 | 1.7 | 2.4 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 0.4 | -0.2 |
| 13 | -0.2 | -0.2 | -0.2 | 1.7 | 2.6 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 1.9 | -0.2 |
| 14 | -0.2 | -0.2 | -0.2 | --- | 2.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 1.4 | -0.2 |
| 15 | -0.2 | -0.2 | -0.2 | --- | 0.6 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 1.3 | -0.2 |
| 16 | -0.2 | -0.2 | -0.2 | --- | 0.0 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 1.1 | -0.2 |
| 17 | -0.2 | -0.2 | -0.2 | 1.1 | -0.1 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 1.0 | -0.2 |
| 18 | -0.2 | -0.2 | -0.2 | 1.1 | 0.0 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 0.9 | -0.2 |
| 19 | -0.2 | -0.2 | -0.2 | 1.0 | 4.1 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 0.8 | -0.2 |
| 20 | -0.2 | -0.2 | -0.2 | 0.9 | 4.3 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 0.6 | -0.2 |
| 21 | -0.2 | -0.2 | -0.2 | 0.8 | 3.8 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 0.4 | -0.2 |
| 22 | -0.2 | -0.2 | -0.2 | 0.7 | 3.4 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | 0.2 | -0.2 |
| 23 | -0.2 | -0.2 | -0.2 | 0.5 | 3.0 | -0.2 | -0.2 | -0.2 | -0.2 | 0.5 | 0.0 | -0.2 |
| 24 | -0.2 | -0.2 | -0.2 | 0.4 | 2.7 | -0.2 | -0.2 | -0.2 | -0.2 | 3.8 | -0.2 | -0.2 |
| 25 | -0.2 | -0.2 | -0.2 | 0.2 | 2.4 | -0.2 | -0.2 | -0.2 | -0.2 | 3.4 | -0.2 | -0.2 |
| 26 | -0.2 | -0.2 | -0.2 | 0.1 | 2.1 | -0.2 | -0.2 | -0.2 | -0.2 | 3.0 | -0.2 | -0.2 |
| 27 | -0.2 | -0.2 | -0.2 | 0.2 | 0.4 | -0.2 | -0.2 | -0.2 | -0.2 | 2.7 | -0.2 | -0.2 |
| 28 | -0.2 | -0.2 | -0.2 | 0.2 | 0.0 | -0.2 | -0.2 | -0.2 | -0.2 | 2.3 | -0.2 | -0.2 |
| 29 | -0.2 | -0.2 | 0.5 | 0.1 | --- | -0.2 | -0.2 | -0.2 | -0.2 | 0.3 | -0.2 | -0.2 |
| 30 | -0.2 | -0.2 | 1.8 | 0.2 | --- | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 |
| 31 | -0.2 | --- | 1.6 | 0.2 | --- | -0.2 | --- | -0.2 | --- | -0.2 | -0.2 | --- |
| MEAN | -0.2 | -0.2 | -0.1 | 1.4 | 1.1 | -0.2 | -0.2 | -0.2 | -0.2 | 0.3 | 0.2 | -0.2 |
| MAX | -0.2 | -0.2 | 1.9 | 4.2 | 4.7 | -0.1 | -0.2 | -0.2 | -0.2 | 4.0 | 2.2 | -0.2 |
| MIN | -0.2 | -0.2 | -0.2 | 0.1 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 | -0.2 |
| WTR YR 2005 | MEAN | 0.09 | MAX | 4.70 | MIN | -0.25 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Apache Junction FRS | | | |
|--|-------------------------------------|---------------|---------------------|
| STATION ID | 6673 | DRAINAGE AREA | 5.8 MI ² |
| IN-SERVICE DATE | 12/16/1981 | | |
| PERIOD OF AVAILABLE RECORD | 09/15/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | | 2.65 FEET | 02/19/2005 |
| EXTREME FOR PERIOD OF RECORD | | 4.76 FEET | 07/23/1999 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 3 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 4 | 0.1 | 0.1 | 0.1 | 0.6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 5 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 7 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 8 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 9 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 |
| 10 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 11 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 12 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 |
| 13 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 |
| 14 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 |
| 15 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 16 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 17 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 18 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 19 | 0.1 | 0.1 | 0.1 | 0.1 | 1.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 20 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 21 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 22 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 23 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.4 | 0.1 | 0.1 |
| 24 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 |
| 25 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 26 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 27 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 28 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 29 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 30 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 31 | 0.1 | --- | 0.1 | 0.1 | --- | 0.1 | --- | 0.1 | --- | 0.1 | 0.1 | --- |
| MEAN | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| MAX | 0.1 | 0.1 | 0.1 | 1.1 | 2.7 | 0.1 | 0.1 | 0.1 | 0.1 | 2.3 | 0.6 | 0.1 |
| MIN | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| WTR YR 2005 | MEAN | 0.14 | MAX | 2.65 | MIN | 0.13 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Powerline FRS | | | |
|--|---------------------------|-------------------------------------|----------------------|
| STATION ID | 6683 | DRAINAGE AREA | 49.9 MI ² |
| IN-SERVICE DATE | 12/02/1992 | | |
| PERIOD OF AVAILABLE RECORD | 12/02/1992 - CURRENT YEAR | | |
| WY 2005 PEAK | | 3.22 FEET | 02/19/2005 |
| EXTREME FOR PERIOD OF RECORD | | 11.00 FEET | 01/11/1993 |
| Surface Water Streamflow | | Storage Volume Data | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 4 | 0.2 | 0.2 | 0.2 | 1.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 5 | 0.2 | 0.2 | 0.2 | 2.0 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 6 | 0.2 | 0.2 | 0.2 | 1.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 7 | 0.2 | 0.2 | 0.2 | 0.6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 8 | 0.2 | 0.2 | 0.2 | 0.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 9 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 10 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 11 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 12 | 0.2 | 0.2 | 0.2 | 0.2 | 1.6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 |
| 13 | 0.2 | 0.2 | 0.2 | 0.2 | 2.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 |
| 14 | 0.2 | 0.2 | 0.2 | 0.2 | 1.6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 |
| 15 | 0.2 | 0.2 | 0.2 | 0.2 | 0.9 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 16 | 0.2 | 0.2 | 0.2 | 0.2 | 0.7 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 17 | 0.2 | 0.2 | 0.2 | 0.2 | 0.5 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 18 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 19 | 0.2 | 0.2 | 0.2 | 0.2 | 2.6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 20 | 0.2 | 0.2 | 0.2 | 0.2 | 2.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 21 | 0.2 | 0.2 | 0.2 | 0.2 | 1.6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 22 | 0.2 | 0.2 | 0.2 | 0.2 | 0.7 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 23 | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 24 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 25 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 26 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 27 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 28 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 29 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 30 | 0.2 | 0.2 | 0.2 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 31 | 0.2 | --- | 0.2 | 0.2 | --- | 0.2 | --- | 0.2 | --- | 0.2 | 0.2 | --- |
| MEAN | 0.2 | 0.2 | 0.2 | 0.3 | 0.7 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| MAX | 0.2 | 0.2 | 0.3 | 2.3 | 3.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.5 | 0.2 |
| MIN | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| WTR YR 2005 | MEAN | 0.25 | MAX | 3.22 | MIN | 0.20 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Vineyard FRS | | | |
|------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 6688 | DRAINAGE AREA | 57.8 MI ² |
| IN-SERVICE DATE | 11/02/1983 | | |
| PERIOD OF AVAILABLE RECORD | 11/09/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | | 3.58 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | | 5.90 FEET | 11/16/1993 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | 0.0 | 0.0 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | 0.0 | 0.0 | 0.0 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | 0.0 | 0.0 | 0.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | 0.0 | 0.0 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | 0.0 | 0.0 | 0.0 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | 0.0 | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12 | 0.0 | 0.0 | 0.0 | 0.1 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 |
| 13 | 0.0 | 0.0 | 0.0 | 0.0 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 |
| 14 | 0.0 | 0.0 | 0.0 | 0.0 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 |
| 15 | 0.0 | 0.0 | 0.0 | 0.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 16 | 0.0 | 0.0 | 0.0 | 0.0 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 17 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 18 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 19 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 20 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 21 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 22 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 23 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 24 | 0.0 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 26 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 27 | 0.0 | 0.0 | 0.0 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 28 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 29 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 30 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 31 | 0.0 | --- | 0.0 | 0.0 | --- | 0.0 | --- | 0.0 | --- | 0.0 | 0.0 | --- |
| MEAN | 0.0 | 0.0 | 0.0 | 0.5 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MAX | 0.0 | 0.0 | 0.1 | 3.4 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MIN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| WTR YR 2005 | MEAN | 0.12 | MAX | 3.58 | MIN | 0.00 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Rittenhouse FRS | | | |
|--|-------------------------------------|-------------------|----------------------|
| STATION ID | 6703 | DRAINAGE AREA | 51.3 MI ² |
| IN-SERVICE DATE | 09/27/1988 | | |
| PERIOD OF AVAILABLE RECORD | 09/27/1988 - CURRENT YEAR | | |
| WY 2005 PEAK | | 12.58 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | | 12.58 FEET | 02/12/2005 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|-------------|------------|--------------|------------|-------------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.5 | 0.1 |
| 3 | 0.1 | 0.1 | 0.1 | 1.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 1.2 | 0.1 |
| 4 | 0.1 | 0.1 | 0.2 | 9.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 5 | 0.1 | 0.1 | 0.2 | 9.8 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 6 | 0.1 | 0.1 | 0.2 | 7.2 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 7 | 0.1 | 0.1 | 0.1 | 2.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 8 | 0.1 | 0.1 | 0.1 | 0.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 9 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | --- |
| 10 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | --- |
| 11 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | --- |
| 12 | 0.1 | 0.1 | 0.1 | 0.1 | 9.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 |
| 13 | 0.1 | 0.1 | 0.1 | 0.1 | 11.6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 |
| 14 | 0.1 | 0.1 | 0.1 | 0.1 | 9.5 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | --- | 0.1 |
| 15 | 0.1 | 0.1 | 0.1 | 0.1 | 6.6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 16 | 0.1 | 0.1 | 0.1 | 0.1 | 1.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 17 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 18 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 19 | 0.1 | 0.1 | 0.1 | 0.1 | 4.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 20 | 0.1 | 0.1 | 0.1 | 0.1 | 2.6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 21 | 0.1 | 0.1 | 0.1 | 0.1 | 0.8 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 22 | 0.1 | 0.1 | 0.1 | 0.1 | 4.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 23 | 0.1 | 0.1 | 0.1 | 0.1 | 1.8 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 24 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 25 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 26 | 0.1 | 0.1 | 0.1 | 0.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 27 | 0.1 | 0.1 | 0.1 | 0.6 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.8 | 0.1 | 0.1 |
| 28 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 |
| 29 | 0.1 | 0.1 | 1.0 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 30 | 0.1 | 0.1 | 0.7 | 0.1 | --- | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | --- |
| 31 | 0.1 | --- | 0.1 | 0.1 | --- | 0.1 | --- | 0.1 | --- | 0.1 | 0.1 | --- |
| MEAN | 0.1 | 0.1 | 0.2 | 1.1 | 2.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 |
| MAX | 0.1 | 0.1 | 3.1 | 10.5 | 12.6 | 0.8 | 0.1 | 0.1 | 0.1 | 2.5 | 3.7 | 0.1 |
| MIN | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| WTR YR 2005 | MEAN | 0.36 | MAX | 12.58 | MIN | 0.13 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Whitlow Ranch Dam | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 6739 | DRAINAGE AREA | 143 MI ² |
| IN-SERVICE DATE | 08/02/2000 | | |
| PERIOD OF AVAILABLE RECORD | 08/02/2000 - CURRENT YEAR | | |
| WY 2005 PEAK | | 58.20 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | | 58.20 FEET | 02/12/2005 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|-------|------|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 2 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 4 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 5 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 6 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 7 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 8 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 9 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 10 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 11 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 12 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | --- | 3.3 |
| 13 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | --- | 3.3 |
| 14 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | --- | 3.3 |
| 15 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 16 | 3.3 | 3.3 | 3.3 | 3.3 | 21.2 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 17 | 3.3 | 3.3 | 3.3 | 3.3 | 27.0 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 18 | 3.3 | 3.3 | --- | 3.3 | 9.8 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 19 | 3.3 | 3.3 | --- | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 20 | 3.3 | 3.3 | 3.3 | 3.3 | 3.6 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 21 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 22 | 3.3 | 3.3 | 3.3 | 3.3 | 4.8 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 23 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 24 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 25 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 26 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 27 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 28 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 29 | 3.3 | 3.3 | 3.3 | 3.3 | --- | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 30 | 3.3 | 3.3 | 3.3 | 3.3 | --- | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 31 | 3.3 | --- | 3.3 | 3.3 | --- | 3.3 | --- | 3.3 | --- | 3.3 | 3.3 | --- |
| MEAN | 3.3 | 3.3 | 3.3 | 3.3 | 5.1 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| MAX | 3.3 | 3.3 | 3.3 | 3.3 | 36.0 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| MIN | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| WTR YR 2005 | MEAN | 3.44 | MAX | 36.01 | MIN | 3.30 | | | | | | |

NOTE: Gage becomes disconnected from the USACOE gaging equipment on occasion. There may have been several impoundments behind the dam during the water year that may not have been recorded by FCDMC gaging equipment. For more information, refer to the *U. S. Army Corps of Engineers, Los Angeles District*.

Actual peak was 58.20 feet. Gage failed to record any peaks above 36 feet.

Flood Control District of Maricopa County ALERT System

| Buckeye #3 FRS | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 6813 | DRAINAGE AREA | 9.3 MI ² |
| IN-SERVICE DATE | 11/23/1992 | | |
| PERIOD OF AVAILABLE RECORD | 05/18/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | | -3.40 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | | -1.05 FEET | 09/04/1996 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-------|------|-------|------|-------|------|------|------|------|------|------|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 3 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 4 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 5 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 6 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 7 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 8 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 9 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.1 | -4.2 |
| 10 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 11 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 12 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 13 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 14 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 15 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 16 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 17 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 18 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 19 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 20 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 21 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 22 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 23 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 24 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 25 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 26 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 27 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 28 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 29 | -4.2 | -4.2 | -4.2 | -4.2 | --- | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 30 | -4.2 | -4.2 | -4.2 | -4.2 | --- | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| 31 | -4.2 | --- | -4.2 | -4.2 | --- | -4.2 | --- | -4.2 | --- | -4.2 | -4.2 | --- |
| MEAN | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| MAX | -4.2 | -4.2 | -4.2 | -4.1 | -4.0 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -3.4 | -4.2 |
| MIN | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 | -4.2 |
| WTR YR 2005 | MEAN | -4.18 | MAX | -3.40 | MIN | -4.18 | | | | | | |

Note: Instrument is 4.08 feet below zero gage datum at invert of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| White Tanks #4 FRS | | | |
|--|-------------------------------------|---------------|----------------------|
| STATION ID | 6823 | DRAINAGE AREA | 18.6 MI ² |
| IN-SERVICE DATE | 01/09/1986 | | |
| PERIOD OF AVAILABLE RECORD | 10/01/1987 - CURRENT YEAR | | |
| WY 2005 PEAK | | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | | 0.75 FEET | 08/15/1990 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 13 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 14 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 15 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 16 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 17 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 18 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 19 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 20 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 21 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 22 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 23 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 24 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 26 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 27 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 28 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 29 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 30 | 0.0 | 0.0 | 0.0 | 0.0 | --- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 31 | 0.0 | --- | 0.0 | 0.0 | --- | 0.0 | --- | 0.0 | --- | 0.0 | 0.0 | --- |
| MEAN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MAX | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MIN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| WTR YR 2005 | MEAN | 0.00 | MAX | 0.00 | MIN | 0.00 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Flood Control District of Maricopa County ALERT System

| Casandro Dam | | | |
|------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 7133 | DRAINAGE AREA | 1.3 MI ² |
| IN-SERVICE DATE | 08/15/1996 | | |
| PERIOD OF AVAILABLE RECORD | 08/15/1996 - CURRENT YEAR | | |
| WY 2005 PEAK | | 2.29 FEET | 02/12/2005* |
| EXTREME FOR PERIOD OF RECORD | | 11.30 FEET | 09/26/1997 |
| Surface Water Streamflow | Storage Volume Data | | |

Depth, in feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 4 | 0.2 | 0.2 | 0.2 | 1.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 5 | 0.2 | 0.2 | 0.2 | 0.7 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 7 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 8 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 9 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 10 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 11 | 0.2 | 0.2 | 0.2 | 0.2 | 0.5 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 12 | 0.2 | 0.2 | 0.2 | 0.2 | 1.6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 13 | 0.2 | 0.2 | 0.2 | 0.2 | 0.6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 14 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 15 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 16 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 17 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 18 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 19 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 20 | 0.2 | 0.2 | 0.2 | 0.2 | 1.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 21 | 0.8 | 0.2 | 0.2 | 0.2 | 0.6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 22 | 0.4 | 0.4 | 0.2 | 0.2 | 1.0 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 23 | 0.2 | 0.2 | 0.2 | 0.2 | 1.0 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 24 | 0.2 | 0.2 | 0.2 | 0.2 | 0.6 | 0.2 | 0.2 | 0.2 | 0.2 | 0.6 | 0.2 | 0.2 |
| 25 | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 26 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 27 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 28 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 29 | 0.2 | 0.2 | 0.8 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 30 | 0.2 | 0.2 | 0.4 | 0.2 | --- | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 0.2 | 0.2 |
| 31 | 0.2 | --- | 0.2 | 0.2 | --- | 0.2 | --- | 0.2 | --- | 0.2 | 0.2 | --- |
| MEAN | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| MAX | 1.9 | 0.7 | 1.8 | 1.4 | 2.3 | 0.2 | 0.2 | 0.2 | 0.2 | 1.7 | 0.2 | 0.2 |
| MIN | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| WTR YR 2005 | MEAN | 0.22 | MAX | 2.29 | MIN | 0.19 | | | | | | |

See also Surface Water Streamflow and Storage Volume data.

Note: Maximum impoundment for Water Year 2004 occurred on August 15, 2004. The peak stage was 9.65 feet with a peak volume of 45 acre-feet.

*A second peak of same stage and discharge occurred on 02/22/2005.

Page Intentionally Blank

STORAGE VOLUME DATA

Flood Control District of Maricopa County ALERT System

| Tat Momolikot Dam | | | |
|--|---------------------------------|---------------|-----------------------|
| STATION ID | 0773* | DRAINAGE AREA | 1,780 MI ² |
| IN-SERVICE DATE | 01/24/2000 | | |
| PERIOD OF AVAILABLE RECORD | 01/24/2000 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 198,545 ACRE-FEET | | |
| WY 2005 PEAK | 1,858 AC-FT | 8.39 FEET | 08/04/2005 |
| EXTREME FOR PERIOD OF RECORD | 2,328 AC-FT | 10.49 FEET | 08/29/2003 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|-----|-----|-----|-----|-----|-----|------|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | 626 | 456 | 274 | | 470 | 480 | 334 | 78 | | | | 863 |
| 2 | 615 | 447 | 265 | 101 | 461 | 475 | 333 | 43 | | | | 844 |
| 3 | 604 | 440 | 265 | 161 | 452 | 471 | 318 | 5 | | | | 825 |
| 4 | 595 | 436 | 263 | 547 | 444 | 462 | 304 | | | | 1653 | 812 |
| 5 | 585 | 434 | 266 | 959 | 436 | 457 | 309 | | | | 1580 | 795 |
| 6 | 577 | 427 | 271 | 1048 | 433 | 538 | 301 | | | | 1510 | 776 |
| 7 | 564 | 423 | 270 | 1000 | 423 | 575 | 293 | | | | 1441 | 765 |
| 8 | 555 | 416 | 269 | 942 | 417 | 570 | 282 | | | | 1415 | 748 |
| 9 | 545 | 412 | 266 | 887 | 413 | 565 | 262 | | | | 1395 | 733 |
| 10 | 538 | 400 | 262 | 840 | 470 | 553 | 260 | | | | 1407 | 716 |
| 11 | 523 | 395 | 259 | 800 | 438 | 546 | 252 | | | | 1376 | 699 |
| 12 | 519 | 388 | 256 | 765 | 439 | 540 | 245 | | | | 1373 | 687 |
| 13 | 509 | 383 | 251 | 728 | 482 | 525 | 246 | | | | 1336 | 673 |
| 14 | 501 | 375 | 247 | 699 | 525 | 511 | 231 | | | | 1315 | 658 |
| 15 | 494 | 367 | 238 | 675 | 533 | 497 | 221 | | | | 1293 | 648 |
| 16 | 488 | 364 | 235 | 655 | 527 | 497 | 210 | | | | 1257 | 636 |
| 17 | 478 | 362 | 224 | 635 | 515 | 488 | 207 | | | | 1236 | 625 |
| 18 | 466 | 357 | 214 | 620 | 511 | 474 | 198 | | | | 1202 | 614 |
| 19 | 458 | 353 | 209 | 602 | 517 | 464 | 181 | | | | 1168 | 602 |
| 20 | 454 | 346 | 207 | 589 | 520 | 459 | 190 | | | | 1140 | 591 |
| 21 | 446 | 332 | 201 | 578 | 518 | 459 | 193 | | | | 1111 | 581 |
| 22 | 440 | 315 | 198 | 567 | 507 | 457 | 190 | | | | 1084 | 571 |
| 23 | 436 | 312 | 186 | 554 | 501 | 427 | 180 | | | | 1058 | 559 |
| 24 | 433 | 312 | 99 | 544 | 493 | 404 | 167 | | | | 1035 | 550 |
| 25 | 426 | 312 | 104 | 534 | 487 | 411 | 168 | | | | 1012 | 538 |
| 26 | 422 | 308 | 102 | 528 | 500 | 397 | 148 | | | | 994 | 528 |
| 27 | 413 | 305 | 115 | 519 | 496 | 390 | 140 | | | | 967 | 516 |
| 28 | 416 | 297 | 116 | 509 | 487 | 380 | 126 | | | | 944 | 507 |
| 29 | 465 | 290 | 158 | 498 | --- | 362 | 124 | | | | 928 | 498 |
| 30 | 472 | 281 | | 487 | --- | 361 | 119 | | | | 904 | 488 |
| 31 | 467 | --- | | 478 | --- | 349 | --- | | --- | | 888 | --- |
| MEAN | 501 | 368 | 203 | 614 | 479 | 469 | 224 | 4 | 0 | 0 | 1076 | 655 |
| MAX | 632 | 462 | 276 | 1059 | 683 | 575 | 338 | 104 | 0 | 0 | 1858 | 864 |
| MIN | 395 | 276 | 0 | 0 | 405 | 338 | 104 | 0 | 0 | 0 | 0 | 477 |
| WTR YR 2005 | MEAN | 383 | MAX | 1858 | MIN | 0 | | | | | | |

*Gage ID was 0769 prior to January 24, 2000.

**FCD Operated gage since January 1998. However, previous gage did not work properly. A pressure transducer gage was installed January 24, 2000 and all previous data were deleted. Previously, the US Army Corps of Engineers, Los Angeles District maintained a gage at this location.

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Spookhill FRS | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 4562 | DRAINAGE AREA | 13.6 MI ² |
| IN-SERVICE DATE | 03/13/1984 | | |
| PERIOD OF AVAILABLE RECORD | 12/30/1987 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 1,391 ACRE-FEET | | |
| WY 2005 PEAK | 60 AC-FT | 6.26 FEET | 07/23/2005 |
| EXTREME FOR PERIOD OF RECORD | 60 AC-FT | 6.26 FEET | 10/27/2000 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 11 | | | | | | | | |
| 5 | | | | 7 | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | 17 | | | | | | | |
| 13 | | | | | 16 | | | | | | | |
| 14 | | | | | 6 | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 4 | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | 1 | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 1 | 13 | 22 | 0 | 0 | 0 | 0 | 60 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 0 | | MAX | 60 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| EFCC Basin #1 | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 4647 | DRAINAGE AREA | 1.18 MI ² |
| IN-SERVICE DATE | 03/02/1994 | | |
| PERIOD OF AVAILABLE RECORD | 03/02/1994 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 59 ACRE-FEET | | |
| WY 2005 PEAK | 13 AC-FT | 1.71 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 21 AC-FT | 3.92 FEET | 07/14/2002 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 13 | 3 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 0 | | MAX | 13 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Tatum Basin Capacity | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 4652 | DRAINAGE AREA | 2.17 MI ² |
| IN-SERVICE DATE | 05/08/1998 | | |
| PERIOD OF AVAILABLE RECORD | 05/08/1998 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 30.8 ACRE-FEET | | |
| WY 2005 PEAK VOLUME | 25.0 AC-FT | 9.93 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 25.0 AC-FT | 9.93 FEET | 08/02/2005 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | 2 | |
| 3 | | | | | | | | | | | 6 | |
| 4 | | | | | | | | | | | 2 | |
| 5 | | | | | | | | | | | 1 | |
| 6 | | | | | | | | | | | 1 | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 25 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| EFCC Basin #4 | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 4657 | DRAINAGE AREA | 0.68 MI ² |
| IN-SERVICE DATE | 01/18/1994 | | |
| PERIOD OF AVAILABLE RECORD | 01/18/1994 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 74 ACRE-FEET | | |
| WY 2005 PEAK | 7 AC-FT | 3.50 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 8 AC-FT | 3.65 FEET | 07/14/1999 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | --- | | | |
| 12 | | | | | 1 | | | | --- | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | --- | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | | --- | | --- | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 1 | 3 | 4 | 0 | 1 | 0 | 0 | 3 | 7 | 1 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 0 | | MAX | 7 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| EFCC Basin #3 | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 4682 | DRAINAGE AREA | 3.52 MI ² |
| IN-SERVICE DATE | 09/13/1994 | | |
| PERIOD OF AVAILABLE RECORD | 09/13/1994 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 175 ACRE-FEET | | |
| WY 2005 PEAK | 30 AC-FT | 3.53 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 32 AC-FT | 3.60 FEET | 07/14/1999 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | --- | | | | | | | | |
| 23 | | | | --- | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | | --- | | | | | |
| 30 | | | | | | | --- | | | | | |
| 31 | | --- | | | | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 30 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 30 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Dreamy Draw Dam | | | |
|--|---------------------------------|---------------|---------------------|
| STATION ID | 4802 | DRAINAGE AREA | 1.5 MI ² |
| IN-SERVICE DATE | 01/24/1984 | | |
| PERIOD OF AVAILABLE RECORD | 08/29/1988 - CURRENT YEAR | | |
| REVISED RECORDS | WY1996:WY1995 | | |
| SPILLWAY CAPACITY | 299 ACRE-FEET | | |
| WY 2005 PEAK | < 1 AC-FT | 6.72 FEET | 02/18/2005 |
| EXTREME FOR PERIOD OF RECORD | 38 AC-FT | 19.17 FEET | 10/06/1993 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 0 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| 10th Street Wash Basin #1 | | | |
|--|---------------------------------|---------------|---------------------|
| STATION ID | 4817 | DRAINAGE AREA | 1.2 MI ² |
| IN-SERVICE DATE | 11/26/1996 | | |
| PERIOD OF AVAILABLE RECORD | 11/26/1996 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 21.6 ACRE-FEET | | |
| WY 2005 PEAK | 1.0 AC-FT | 1.73 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 3.3 AC-FT | 3.33 FEET | 07/14/2002 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | --- | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 1 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Phoenix Basin #3 | | | |
|--|---------------------------------|---------------|---------------------|
| STATION ID | 4827 | DRAINAGE AREA | 1.2 MI ² |
| IN-SERVICE DATE | 12/18/2001 | | |
| PERIOD OF AVAILABLE RECORD | 12/18/2001 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 60.2 ACRE-FEET | | |
| WY 2005 PEAK | 2.2 AC-FT | 3.08 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 7.0 AC-FT | 10.36 FEET | 07/14/2002 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | --- | | | | | | | | | | |
| 13 | | --- | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 2 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Phoenix East Park Dam | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 4847 | DRAINAGE AREA | 0.11 MI ² |
| IN-SERVICE DATE | 11/28/2001 | | |
| PERIOD OF AVAILABLE RECORD | 11/28/2001 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 23.4 ACRE-FEET | | |
| WY 2005 PEAK | 0.8 AC-FT | 2.10 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 1.7 AC-FT | 4.84 FEET | 07/14/2002 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | --- | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 1 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Phoenix Basin #7 | | | |
|--|---------------------------------|---------------|---------------------|
| STATION ID | 4852 | DRAINAGE AREA | 1.2 MI ² |
| IN-SERVICE DATE | 12/19/2001 | | |
| PERIOD OF AVAILABLE RECORD | 12/19/2001 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 103.5 ACRE-FEET | | |
| WY 2005 PEAK | 9.2 AC-FT | 8.40 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 20.8 AC-FT | 12.11 FEET | 07/14/2002 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | 1 |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | --- | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 9 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Phoenix West Park Dam | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 4857 | DRAINAGE AREA | 0.68 MI ² |
| IN-SERVICE DATE | 11/29/2001 | | |
| PERIOD OF AVAILABLE RECORD | 11/29/2001 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 113 ACRE-FEET | | |
| WY 2005 PEAK | 8.8 AC-FT | 5.85 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 18.4 AC-FT | 10.73 FEET | 07/14/2002 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | 1 |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 0 | | MAX | 9 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Cave Buttes Dam | | | |
|--|---------------------------------|---------------|---------------------|
| STATION ID | 4902 | DRAINAGE AREA | 191 MI ² |
| IN-SERVICE DATE | 01/25/1984 | | |
| PERIOD OF AVAILABLE RECORD | 10/01/1987 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 46,100 ACRE-FEET | | |
| WY 2005 PEAK | 1,463 AF | 30.31 FEET | 02/16/2005 |
| EXTREME FOR PERIOD OF RECORD | 17,592 AF | 75.89 FEET | 01/11/1993 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|------|------|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | 4 | 17 |
| 4 | | | | | | | | | | | | 471 |
| 5 | | | | 308 | | 2 | | | | | | 150 |
| 6 | | | | 544 | | | | | | | | 8 |
| 7 | | | | 234 | | | | | | | | 2 |
| 8 | | | | 3 | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | 1 | | | | | | 1 | |
| 11 | | | | | 40 | | | | | | | |
| 12 | | | | | 7 | | | | | | 3 | |
| 13 | | | | | 58 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | 919 | | | | | | | |
| 17 | | | | | 1010 | | | | | | | |
| 18 | | | | | 779 | | | | | | | |
| 19 | | | | | 656 | | | | | | | |
| 20 | | | | | 1036 | | | | | | | |
| 21 | | | | | 896 | | | | | | | |
| 22 | | | | | 580 | | | | | | | |
| 23 | | | | | 414 | | | | | | | |
| 24 | | | | | 113 | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | 2 | | | | | | | | |
| 27 | | | | 299 | | | | | | | | |
| 28 | | | | 169 | | | | | | 6 | | |
| 29 | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | |
| MEAN | 0 | 0 | 0 | 50 | 232 | 0 | 0 | 0 | 0 | 0 | 0 | 22 |
| MAX | 0 | 0 | 0 | 819 | 1463 | 7 | 0 | 0 | 6 | 59 | 20 | 718 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 24 | MAX | 1463 | MIN | 0 | | | | | | |

See also Surface Water Streamflow (4903) and Pool Level (4899) data.

Flood Control District of Maricopa County ALERT System

| Reata Pass Dam | | | |
|--|---------------------------------|----------------------|---------------------|
| STATION ID | 14938 | DRAINAGE AREA | 1.0 MI ² |
| IN-SERVICE DATE | 10/02/2001 | | |
| PERIOD OF AVAILABLE RECORD | 10/02/2001 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | UNDETERMINED | | |
| WY 2005 PEAK | | 3.22 FEET | 09/03/2005 |
| EXTREME FOR PERIOD OF RECORD | | 4.72 FEET | 03/05/2004 |
| Surface Water Streamflow | Pool Level Data | | |

NOTE: Volumetric Capacities unavailable at this time for Reata Pass Dam.

Flood Control District of Maricopa County ALERT System

| Saddleback FRS | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 5112 | DRAINAGE AREA | 29.6 MI ² |
| IN-SERVICE DATE | 12/16/1988 | | |
| PERIOD OF AVAILABLE RECORD | 12/16/1988 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 6,743 ACRE-FEET | | |
| WY 2005 PEAK | 58 AC-FT | 0.82 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 102 AC-FT | 2.50 FEET | 07/15/1996 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | 13 | | | | | | | | | |
| 3 | | | 27 | 6 | | | | | | | | |
| 4 | | | 22 | 9 | | | | | | | | |
| 5 | | | 22 | | | | | | | | | |
| 6 | | | 11 | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | 6 | |
| 10 | | | | | | | | | | | 8 | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 3 | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 43 | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 58 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 58 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Harquahala FRS | | | |
|--|---------------------------------|---------------|-----------------------|
| STATION ID | 5127 | DRAINAGE AREA | 102.3 MI ² |
| IN-SERVICE DATE | 03/01/1994 | | |
| PERIOD OF AVAILABLE RECORD | 03/01/1994 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 8,689 ACRE-FEET | | |
| WY 2005 PEAK | 2 AC-FT | 6.92 FEET | 02/20/2005 |
| EXTREME FOR PERIOD OF RECORD | 492 AC-FT | 21.47 FEET | 10/27/2000 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | 1 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 0 | | MAX | 2 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Buckeye #1 FRS | | | |
|--|---------------------------------|-------------------|--------------------|
| STATION ID | 5202 | DRAINAGE AREA | 74 MI ² |
| IN-SERVICE DATE | 07/26/1983 | | |
| PERIOD OF AVAILABLE RECORD | 11/23/1987 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 8,105 ACRE-FEET | | |
| WY 2005 PEAK | 7 AC-FT | -0.89 FEET | 08/03/2005 |
| EXTREME FOR PERIOD OF RECORD | 595 AC-FT | 4.96 FEET | 02/14/2003 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|-----|----------|------------|----------|------------|----------|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | 2 | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 7 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Buckeye #2 FRS | | | |
|--|---------------------------------|---------------|---------------------|
| STATION ID | 5207 | DRAINAGE AREA | 5.7 MI ² |
| IN-SERVICE DATE | 11/11/1992 | | |
| PERIOD OF AVAILABLE RECORD | 11/11/1992 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 824 ACRE-FEET | | |
| WY 2005 PEAK | 30 AC-FT | 2.76 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 77 AC-FT | 4.66 FEET | 02/14/2003 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | --- | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | 4 | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 30 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 0 | | MAX | 30 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Sunset FRS | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 5232 | DRAINAGE AREA | 0.95 MI ² |
| IN-SERVICE DATE | 02/12/1989 | | |
| PERIOD OF AVAILABLE RECORD | 02/12/1989 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 86 ACRE-FEET | | |
| WY 2005 PEAK | 11 AC-FT | 7.28 FEET | 08/11/2005 |
| EXTREME FOR PERIOD OF RECORD | 34 AC-FT | 12.27 FEET | 09/26/1997 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 1 | 1 | | | | | | | |
| 2 | | | | 1 | 1 | | | | | | | |
| 3 | | | | 1 | 1 | | | | | | | |
| 4 | | | | 5 | 1 | | | | | | | |
| 5 | | | | 6 | 1 | | | | | | | |
| 6 | | | | 5 | | | | | | | | |
| 7 | | | | 4 | | | | | | | | |
| 8 | | 1 | | 3 | | | | | | | | |
| 9 | --- | 1 | | 3 | | | | | | | | 1 |
| 10 | | | | 2 | | | | | | | | 2 |
| 11 | | | | 1 | 3 | | | | | | | 5 |
| 12 | | | | 1 | 9 | | | | | | | 8 |
| 13 | | 1 | | 1 | 8 | | | | --- | | | 2 |
| 14 | | 1 | | 1 | 6 | | | | | | | |
| 15 | | | | 1 | | | | | | | | |
| 16 | | | | 1 | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 1 | | | | | | | |
| 20 | | | | | 5 | | | | | | | |
| 21 | 1 | | | | 5 | | | --- | | | | |
| 22 | 2 | 1 | | | 5 | | | | | | | |
| 23 | 1 | 1 | | | 6 | | | | | | | |
| 24 | 1 | 1 | | | 5 | | | | | 3 | | |
| 25 | 1 | | | | 4 | | | | | 2 | | |
| 26 | 1 | | | | 4 | | | | | 1 | | |
| 27 | 1 | | | | 3 | | | | | | | |
| 28 | 1 | | | | 2 | | | | | | | |
| 29 | 1 | | 3 | 1 | --- | | | | | | | |
| 30 | | | 4 | 1 | --- | | | | | | | |
| 31 | | --- | 3 | 1 | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MAX | 3 | 2 | 6 | 6 | 10 | 1 | 0 | 0 | 0 | 3 | 11 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 0 | MAX | 11 | MIN | 0 | | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Sunnycove FRS | | | |
|--|---------------------------------|-------------------|----------------------|
| STATION ID | 5247 | DRAINAGE AREA | 1.35 MI ² |
| IN-SERVICE DATE | 07/01/1986 | | |
| PERIOD OF AVAILABLE RECORD | 12/16/1988 - CURRENT YEAR | | |
| REVISED RECORDS | WY2000:WY1999 | | |
| SPILLWAY CAPACITY | 216 ACRE-FEET | | |
| WY 2005 PEAK | 7 AC-FT | 9.39 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 53 AC-FT | 21.68 FEET | 08/22/1992 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|-----|----------|------------|----------|------------|----------|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | 1 | 2 | 2 | | | | | | | |
| 2 | | | 1 | 2 | 1 | | | | | | | |
| 3 | | | 1 | 2 | 1 | | | | | | | |
| 4 | | | 1 | 4 | 1 | | | | | | | |
| 5 | | | 1 | 4 | 1 | | | | | | | |
| 6 | | | 1 | 4 | 1 | | | | | | | |
| 7 | | | 1 | 4 | 1 | | | | | | | |
| 8 | | | 1 | 4 | 1 | | | | | | | |
| 9 | | | 1 | 4 | 1 | | | | | | | |
| 10 | | | 1 | 4 | 1 | | | | | | 1 | |
| 11 | | | 1 | 4 | 2 | | | | | | 4 | |
| 12 | | 1 | 1 | 4 | 6 | | | | | | 5 | |
| 13 | | 1 | 1 | 4 | 7 | | | | | | | |
| 14 | | 1 | 1 | 3 | 4 | | | | | | | |
| 15 | | 1 | 1 | 3 | | | | | | | | |
| 16 | | 1 | 1 | 3 | | | | | | | | |
| 17 | | 1 | | 3 | | | | | | | | |
| 18 | | 1 | | 3 | | | | | | | | |
| 19 | | 1 | | 3 | | | | | | | | |
| 20 | | 1 | | 3 | 3 | | | | | | | |
| 21 | | 1 | | 3 | 3 | | | | | | | |
| 22 | | 1 | | 3 | 4 | | | | | | | |
| 23 | | 1 | | 2 | 4 | | | | | | | |
| 24 | | 1 | | 2 | 4 | | | | | | | |
| 25 | | 1 | | 2 | 4 | | | | | | | |
| 26 | | 1 | | 2 | 4 | | | | | | | |
| 27 | | 1 | | 2 | 4 | | | | | | | |
| 28 | | 1 | | 2 | 3 | | | | | | | |
| 29 | | 1 | 1 | 2 | --- | | | | | | | |
| 30 | | 1 | 3 | 2 | --- | | | | | | | |
| 31 | | --- | 2 | 2 | --- | | --- | | --- | | | --- |
| MEAN | 0 | 1 | 1 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 1 | 3 | 5 | 7 | 1 | 0 | 0 | 0 | 1 | 7 | 0 |
| MIN | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 1 | MAX | 7 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| White Tanks #3 FRS | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 5417 | DRAINAGE AREA | 20.5 MI ² |
| IN-SERVICE DATE | 03/12/1986 | | |
| PERIOD OF AVAILABLE RECORD | 01/01/1988 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 3,134 ACRE-FEET | | |
| WY 2005 PEAK | 0 AC-FT | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 249 AC-FT | 2.60 FEET | 01/11/1993 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | --- | | | |
| 2 | | | | | | | | | --- | | | |
| 3 | | | | | | | | | --- | | | |
| 4 | | | | | | | | | --- | | | |
| 5 | | | | | | | | | --- | | | |
| 6 | | | | | | | | | --- | | --- | |
| 7 | | | | | | | | | --- | | --- | |
| 8 | | | | | | | | | --- | | | |
| 9 | | | | | | | | | --- | | | |
| 10 | | | | | | | | | --- | | | |
| 11 | | | | | | | | | --- | | | |
| 12 | | | | | | | | | --- | | | |
| 13 | | | | | | | | | --- | | | |
| 14 | | | | | | | | | --- | | | |
| 15 | | | | | | | | --- | | | | |
| 16 | | | | | | | | --- | | | | |
| 17 | | | | | | | | --- | | | | |
| 18 | | | | | | | | --- | | | | |
| 19 | | | | | | | | --- | | | | |
| 20 | | | | | | | | --- | | | | |
| 21 | | | | | | | | --- | | | | |
| 22 | | | | | | | | --- | | | | |
| 23 | | | | | | | | --- | | | | |
| 24 | | | | | | | | --- | | | | |
| 25 | | | | | | | | --- | | | | |
| 26 | | | | | | | | --- | | | | |
| 27 | | | | | | | | --- | | | | |
| 28 | | | | | | | | --- | | | | |
| 29 | | | | | --- | | | --- | | | | |
| 30 | | | | | --- | | | --- | | | | |
| 31 | | --- | | | --- | | --- | --- | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 0 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| McMicken Dam South | | | |
|---------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 5443 | DRAINAGE AREA | 247 MI ² |
| IN-SERVICE DATE | 02/13/2002 | | |
| PERIOD OF AVAILABLE RECORD | 02/13/2002 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 20,700 ACRE-FEET | | |
| WY 2005 PEAK | 0 AC-FT | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | NOT AVAIL. | 1.30 FEET | 02/13/2003 |
| Pool Level Data | | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 0 | MAX | 0 | MIN | 0 | | | | | | |

See also Pool Level data.

Flood Control District of Maricopa County ALERT System

| McMicken Dam | | | |
|--|---------------------------------|---------------|---------------------|
| STATION ID | 5447 | DRAINAGE AREA | 247 MI ² |
| IN-SERVICE DATE | 03/20/1983 | | |
| PERIOD OF AVAILABLE RECORD | 02/18/1988 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 20,700 ACRE-FEET | | |
| WY 2005 PEAK | 0 AC-FT | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 1,316 AC-FT | 4.90 FEET | 09/04/1990 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 0 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Adobe Dam | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 5537 | DRAINAGE AREA | 89.6 MI ² |
| IN-SERVICE DATE | 10/28/1982 | | |
| PERIOD OF AVAILABLE RECORD | 08/30/1988 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 18,776 ACRE-FEET | | |
| WY 2005 PEAK | 69 AC-FT | 4.23 FEET | 02/16/2005 |
| EXTREME FOR PERIOD OF RECORD | 1,033 AC-FT | 14.45 FEET | 08/16/1990 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | 3 | | | | | | | |
| 13 | | | | | 23 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | |
| 31 | --- | --- | | | | | | | | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 1 | 0 | --- | --- | --- | --- | --- | 0 |
| MAX | 0 | 0 | 0 | 0 | 46 | 0 | --- | --- | --- | --- | --- | 69 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | --- | --- | --- | --- | --- | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 69 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| New River Dam | | | |
|--|---------------------------------|---------------|---------------------|
| STATION ID | 5612 | DRAINAGE AREA | 164 MI ² |
| IN-SERVICE DATE | 04/15/1986 | | |
| PERIOD OF AVAILABLE RECORD | 08/30/1988 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 43,700 ACRE-FEET | | |
| WY 2005 PEAK | 11,885 AF | 20.71 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 14,670 AF | 44.37 FEET | 01/08/1993 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-------|-------|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | 184 | |
| 2 | | | | | | | | | | | 128 | |
| 3 | | | | | | | | | | | 62 | |
| 4 | | | | 156 | | | | | | | | |
| 5 | | | | 639 | | | | | | | | |
| 6 | | | | 643 | | | | | | | | |
| 7 | | | | 643 | | | | | | | | |
| 8 | | | | 643 | | | | | | | | |
| 9 | | | | 643 | | | | | | | 8 | |
| 10 | | | | 643 | | | | | | | 163 | |
| 11 | | | | 272 | 49 | | | | | | 37 | |
| 12 | | | | | 3923 | | | | | | 215 | |
| 13 | | | | | 1648 | | | | | | 100 | |
| 14 | | | | | 544 | | | | | | | |
| 15 | | | | | 249 | | | | | | | |
| 16 | | | | | 92 | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | 123 | | | | | | | |
| 19 | | | | | 328 | | | | | | | |
| 20 | | | | | 426 | | | | | | | |
| 21 | | | | | 293 | | | | | | | |
| 22 | | | | | 196 | | | | | | | |
| 23 | | | | | 205 | | | | | | | |
| 24 | | | | | 149 | | | | | | | |
| 25 | | | | | 118 | | | | | | | |
| 26 | | | | | 76 | | | | | | | |
| 27 | | | | 20 | | | | | | | | |
| 28 | | | | 80 | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 141 | 301 | 0 | 0 | 0 | 0 | 0 | 29 | 0 |
| MAX | 0 | 0 | 0 | 1748 | 11885 | 0 | 0 | 0 | 0 | 0 | 260 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 38 | MAX | 11885 | MIN | 0 | | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Stoneridge Dam | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 5967 | DRAINAGE AREA | 0.86 MI ² |
| IN-SERVICE DATE | 12/11/1996 | | |
| PERIOD OF AVAILABLE RECORD | 12/11/1996 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 66.2 ACRE-FEET | | |
| WY 2005 PEAK | 0.6 AC-FT | 4.72 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 2.1 AC-FT | 7.15 FEET | 08/31/1999 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | --- | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | --- | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 1 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Sun Ridge Canyon Dam | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 5972 | DRAINAGE AREA | 1.60 MI ² |
| IN-SERVICE DATE | 02/04/1997 | | |
| PERIOD OF AVAILABLE RECORD | 02/04/1997 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 94 ACRE-FEET | | |
| WY 2005 PEAK | 0.1 AC-FT | 6.03 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 0.2 AC-FT | 7.68 FEET | 10/26/1998 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | --- | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | --- | | | | | | | | |
| 23 | | | | --- | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | --- | | | | | | |
| 30 | | | | | | --- | | | | | | |
| 31 | | --- | | | | --- | | --- | | --- | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 0 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Golden Eagle Park Dam | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 5977 | DRAINAGE AREA | 7.13 MI ² |
| IN-SERVICE DATE | 12/12/1996 | | |
| PERIOD OF AVAILABLE RECORD | 12/12/1996 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 98 ACRE-FEET | | |
| WY 2005 PEAK | 15 AC-FT | 12.02 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 15 AC-FT | 12.02 FEET | 08/02/2005 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 0 | 0 | 2 | 14 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 0 | | MAX | 14 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| North Heights Dam | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 5982 | DRAINAGE AREA | 2.13 MI ² |
| IN-SERVICE DATE | 10/11/1996 | | |
| PERIOD OF AVAILABLE RECORD | 10/11/1996 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 138 ACRE-FEET | | |
| WY 2005 PEAK | 0 AC-FT | 0.29 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 16 AC-FT | 14.82 FEET | 09/10/2002 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | --- | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 0 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Aspen Dam | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 5987 | DRAINAGE AREA | 2.02 MI ² |
| IN-SERVICE DATE | 01/02/1997 | | |
| PERIOD OF AVAILABLE RECORD | 01/02/1997 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 183 ACRE-FEET | | |
| WY 2005 PEAK | 0.8 AC-FT | 2.29 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 8.8 AC-FT | 5.84 FEET | 03/05/2004 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 1 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Hesperus Dam | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 5992 | DRAINAGE AREA | 2.91 MI ² |
| IN-SERVICE DATE | 12/18/1996 | | |
| PERIOD OF AVAILABLE RECORD | 12/18/1996 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 276 ACRE-FEET | | |
| WY 2005 PEAK | 0 AC-FT | 1.03 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 2.6 AC-FT | 8.93 FEET | 09/10/2002 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 0 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Guadalupe FRS | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 6502 | DRAINAGE AREA | 1.87 MI ² |
| IN-SERVICE DATE | 06/29/1989 | | |
| PERIOD OF AVAILABLE RECORD | 06/29/1989 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 329 ACRE-FEET | | |
| WY 2005 PEAK | 5 AC-FT | 1.66 FEET | 08/02/2005 |
| EXTREME FOR PERIOD OF RECORD | 18 AC-FT | 5.50 FEET | 08/15/1990 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 0 | | MAX | 5 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Freestone Basin | | | |
|-------------------------------------|---------------------------|---------------|---------------------|
| STATION ID | 6608 | DRAINAGE AREA | 2.2 MI ² |
| IN-SERVICE DATE | 12/19/1995 | | |
| PERIOD OF AVAILABLE RECORD | 12/19/1995 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 218 ACRE-FEET | | |
| WY 2005 PEAK | 27.9 AC-FT | 7.45 FEET | 08/10/2005 |
| EXTREME FOR PERIOD OF RECORD | 36.8 AC-FT | 11.30 FEET | 08/28/1999 |
| Storage Volume Data | | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | 1 | | 1 | | |
| 2 | | | | | | | 1 | | | 1 | 2 | |
| 3 | | | | 4 | | | 1 | | | 1 | 23 | |
| 4 | | | 1 | 14 | | | 1 | | | 2 | 21 | |
| 5 | | | 2 | 12 | 1 | 3 | | | 1 | 1 | 16 | 1 |
| 6 | | | 5 | 8 | 1 | 7 | | | 1 | | 11 | |
| 7 | | | 3 | 3 | | 4 | | | 1 | | 4 | |
| 8 | | | | | | | | 1 | | | 3 | |
| 9 | | | | | | | | | 1 | 1 | 7 | 1 |
| 10 | | | | | 1 | | | | 2 | 2 | 23 | 2 |
| 11 | | | | --- | 8 | | | | 1 | | 18 | 2 |
| 12 | | | | --- | 23 | | | 1 | 2 | | 14 | 1 |
| 13 | | | | --- | 24 | 1 | | 2 | 1 | | 9 | |
| 14 | | | | --- | 18 | | | | 1 | | 1 | |
| 15 | | | | --- | 9 | 1 | | 1 | | | | |
| 16 | | | | --- | 3 | 1 | | 1 | | 1 | | |
| 17 | | | | --- | | | 1 | 2 | 1 | 1 | | |
| 18 | | | | --- | 3 | 1 | 1 | 2 | 2 | | | |
| 19 | | | | --- | 22 | 1 | | 2 | 3 | | | |
| 20 | | 1 | | --- | 27 | 1 | | 2 | 1 | | | |
| 21 | 1 | 4 | | --- | 25 | | | 2 | | 1 | 1 | |
| 22 | 1 | 3 | | --- | 21 | | | 2 | | 1 | | |
| 23 | | | | --- | 15 | | | 2 | 1 | 2 | | |
| 24 | 1 | | | --- | 9 | | 3 | 2 | 1 | 5 | | |
| 25 | | | | --- | 2 | | 1 | 2 | 1 | 4 | | |
| 26 | | | | 2 | | | | 1 | 1 | 4 | | |
| 27 | | | | 1 | | | | 1 | | | | |
| 28 | 1 | 1 | | | | | 1 | | 1 | | | |
| 29 | 1 | | 2 | | --- | | | 1 | 1 | | | |
| 30 | | | 4 | | --- | | | 1 | | 1 | | |
| 31 | | --- | | | --- | | --- | 1 | --- | | | --- |
| MEAN | 0 | 0 | 1 | 1 | 8 | 1 | 0 | 1 | 1 | 1 | 5 | 0 |
| MAX | 3 | 6 | 7 | 15 | 27 | 9 | 4 | 3 | 3 | 9 | 28 | 2 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 2 | MAX | 28 | MIN | 0 | | | | | | |

See also Pool Level data.

Many days of storage from irrigation tailwater. The gage is located inside a pump housing that, when stage reaches a certain level, pumps water from the gage house and basin. The daily stage values fluctuate substantially. Gage Heights above 10.0 feet are generally caused by storm events.

Flood Control District of Maricopa County ALERT System

| Crossroads Park | | | |
|---------------------------------|---------------------------|---------------|----------------------|
| STATION ID | 6623 | DRAINAGE AREA | 15.7 MI ² |
| IN-SERVICE DATE | 12/18/1995 | | |
| PERIOD OF AVAILABLE RECORD | 12/18/1995 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 456 ACRE-FEET | | |
| WY 2005 PEAK | 17.1 AF | 2.28 FEET | 02/24/2005 |
| EXTREME FOR PERIOD OF RECORD | 17.1 AF | 2.28 FEET | 02/24/2005 |
| Pool Level Data | | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | 13 | | | | | | |
| 2 | | | | | | 11 | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | 6 | |
| 6 | | | | | | | | | | | 13 | |
| 7 | | | | | | | | | | | 13 | |
| 8 | | | | | | | | | | | 12 | |
| 9 | | | | | | | | | | | 12 | |
| 10 | | | | | | | | | | | 14 | |
| 11 | | | | | | | | | | | 13 | |
| 12 | | | | | | | | | | | 11 | |
| 13 | | | | | | | | | | | 3 | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 9 | | | | | | | |
| 20 | | | | | 13 | | | | | | | |
| 21 | | | | | 12 | | | | | | | |
| 22 | | | | | 12 | | | | | | | |
| 23 | | | | | 16 | | | | | | | |
| 24 | | | | | 17 | | | | | | | |
| 25 | | | | | 16 | | | | | | | |
| 26 | | | | | 16 | | | | | | | |
| 27 | | | | | 15 | | | | | | | |
| 28 | | | | | 14 | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 5 | 1 | 0 | 0 | 0 | 0 | 3 | 0 |
| MAX | 0 | 0 | 0 | 0 | 17 | 13 | 0 | 0 | 0 | 0 | 15 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 1 | MAX | 17 | MIN | 0 | | | | | |

See also Pool Level data.

Flood Control District of Maricopa County ALERT System

| Signal Butte FRS | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 6627 | DRAINAGE AREA | 16.4 MI ² |
| IN-SERVICE DATE | 11/10/1987 | | |
| PERIOD OF AVAILABLE RECORD | 11/10/1987 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 1,665 ACRE-FEET | | |
| WY 2005 PEAK | 26 AC-FT | 4.70 FEET | 02/20/2005 |
| EXTREME FOR PERIOD OF RECORD | 166 AC-FT | 13.30 FEET | 01/11/1993 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | 1 | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 1 | | | | | | | | |
| 4 | | | | 9 | | | | | | | | |
| 5 | | | | 17 | | | | | | | | |
| 6 | | | | 10 | | | | | | | | |
| 7 | | | | 6 | | | | | | | | |
| 8 | | | | 5 | | | | | | | | |
| 9 | | | | 4 | | | | | | | | |
| 10 | | | | 3 | | | | | | | | |
| 11 | | | | 2 | | | | | | | | |
| 12 | | | | 1 | 4 | | | | | | 1 | |
| 13 | | | | 1 | 5 | | | | | | 2 | |
| 14 | | | | --- | 3 | | | | | | 1 | |
| 15 | | | | --- | 1 | | | | | | | |
| 16 | | | | --- | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 20 | | | | | | | |
| 20 | | | | | 20 | | | | | | | |
| 21 | | | | | 15 | | | | | | | |
| 22 | | | | | 11 | | | | | | | |
| 23 | | | | | 8 | | | | | 3 | | |
| 24 | | | | | 6 | | | | | 16 | | |
| 25 | | | | | 4 | | | | | 11 | | |
| 26 | | | | | 3 | | | | | 8 | | |
| 27 | | | | | | | | | | 6 | | |
| 28 | | | | | | | | | | 4 | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | 2 | --- | | | | | | | |
| 31 | | --- | 1 | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 2 | 4 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| MAX | 0 | 0 | 2 | 19 | 26 | 0 | 0 | 0 | 0 | 17 | 3 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 1 | MAX | 26 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Apache Junction FRS | | | |
|--|---------------------------------|---------------|---------------------|
| STATION ID | 6672 | DRAINAGE AREA | 5.8 MI ² |
| IN-SERVICE DATE | 12/16/1981 | | |
| PERIOD OF AVAILABLE RECORD | 09/15/1988 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 676 ACRE-FEET | | |
| WY 2005 PEAK | 2 AC-FT | 2.65 FEET | 02/19/2005 |
| EXTREME FOR PERIOD OF RECORD | 15 AC-FT | 4.76 FEET | 07/23/1999 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | --- | |
| 13 | | | | | | | | | | | --- | |
| 14 | | | | | | | | | | | --- | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 2 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Powerline FRS | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 6682 | DRAINAGE AREA | 49.9 MI ² |
| IN-SERVICE DATE | 12/02/1992 | | |
| PERIOD OF AVAILABLE RECORD | 12/02/1992 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 4,064 ACRE-FEET | | |
| WY 2005 PEAK | 240 AC-FT | 3.22 FEET | 02/19/2005 |
| EXTREME FOR PERIOD OF RECORD | 952 AC-FT | 11.00 FEET | 01/11/1993 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 3 | | | | | | | | |
| 4 | | | | 64 | | | | | | | | |
| 5 | | | | 120 | | | | | | | | |
| 6 | | | | 61 | | | | | | | | |
| 7 | | | | 35 | | | | | | | | |
| 8 | | | | 31 | | | | | | | | |
| 9 | | | | 12 | | | | | | | 8 | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 9 | | | | | | | |
| 12 | | | | | 107 | | | | | | --- | |
| 13 | | | | | 159 | | | | | | --- | |
| 14 | | | | | 90 | | | | | | --- | |
| 15 | | | | | 44 | | | | | | | |
| 16 | | | | | 37 | | | | | | | |
| 17 | | | | | 33 | | | | | | | |
| 18 | | | | | 29 | | | | | | | |
| 19 | | | | | 187 | | | | | | | |
| 20 | | | | | 152 | | | | | | | |
| 21 | | | | | 88 | | | | | | | |
| 22 | | | | | 42 | | | | | | | |
| 23 | | | | | 30 | | | | | | | |
| 24 | | | | | 29 | | | | | | | |
| 25 | | | | | 12 | | | | | | | |
| 26 | | | | 7 | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 10 | 7 | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 11 | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 29 | 143 | 240 | 0 | 0 | 0 | 0 | 0 | 33 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 4 | MAX | 240 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Vineyard FRS | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 6687 | DRAINAGE AREA | 57.8 MI ² |
| IN-SERVICE DATE | 11/02/1983 | | |
| PERIOD OF AVAILABLE RECORD | 11/09/1987 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 3,531 ACRE-FEET | | |
| WY 2005 PEAK | 355 AC-FT | 3.58 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 897 AC-FT | 5.90 FEET | 11/16/1993 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 3 | | | | | | | | |
| 4 | | | | 113 | | | | | | | | |
| 5 | | | | 285 | | | | | | | | |
| 6 | | | 1 | 235 | | | | | | | | |
| 7 | | | | 175 | | | | | | | | |
| 8 | | | 2 | 95 | | | | | | | | |
| 9 | | | 4 | 50 | | | | | | | | |
| 10 | | | | 26 | | | | | | | | |
| 11 | | | | 16 | | | | | | | | |
| 12 | | | | 6 | 144 | | | | | | --- | |
| 13 | | | | | 310 | | | | | | --- | |
| 14 | | | | | 276 | | | | | | --- | |
| 15 | | | | | 243 | | | | | | | |
| 16 | | | | | 180 | | | | | | | |
| 17 | | | | | 108 | | | | | | | |
| 18 | | | | | 61 | | | | | | | |
| 19 | | | | | 143 | | | | | | | |
| 20 | | | | | 170 | | | | | | | |
| 21 | | | | | 112 | | | | | | | |
| 22 | | | | | 67 | | | | | | | |
| 23 | | | | | 72 | | | | | | | |
| 24 | | | | | 59 | | | | | | | |
| 25 | | | | | 33 | | | | | | | |
| 26 | | | | 1 | 19 | | | | | | | |
| 27 | | | | 15 | 13 | | | | | | | |
| 28 | | | | 6 | 4 | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 33 | 72 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 11 | 310 | 335 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | 8 | MAX | 335 | MIN | 0 | | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Rittenhouse FRS | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 6702 | DRAINAGE AREA | 51.3 MI ² |
| IN-SERVICE DATE | 09/27/1988 | | |
| PERIOD OF AVAILABLE RECORD | 09/27/1988 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 3,475 ACRE-FEET | | |
| WY 2005 PEAK | 919 AC-FT | 12.58 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 919 AC-FT | 12.58 FEET | 02/12/2005 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | 8 | | | | | | | | |
| 4 | | | | 285 | | | | | | | | |
| 5 | | | | 372 | | | | | | | | |
| 6 | | | | 101 | | | | | | | | |
| 7 | | | | 2 | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | --- |
| 10 | | | | | | | | | | | | --- |
| 11 | | | | | | | | | | | | --- |
| 12 | | | | | 493 | | | | | | --- | |
| 13 | | | | | 692 | | | | | | --- | |
| 14 | | | | | 329 | | | | | | --- | |
| 15 | | | | | 70 | | | | | | | |
| 16 | | | | | 1 | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | 14 | | | | | | | |
| 20 | | | | | 2 | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | 16 | | | | | | | |
| 23 | | | | | 1 | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | --- |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 25 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 1 | 484 | 919 | 0 | 0 | 0 | 0 | 1 | 4 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 7 | MAX | 919 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Whitlow Ranch Dam | | | |
|--|---------------------------------|---------------|---------------------|
| STATION ID | 6742 | DRAINAGE AREA | 143 MI ² |
| IN-SERVICE DATE | 08/02/2000 | | |
| PERIOD OF AVAILABLE RECORD | 08/02/2000 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 35,593 ACRE-FEET | | |
| WY 2005 PEAK | 6,965 AC-FT | 58.20 FEET | 02/12/2005 |
| EXTREME FOR PERIOD OF RECORD | 6,965 AC-FT | 58.20 FEET | 02/12/2005 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | --- | |
| 13 | | | | | | | | | | | --- | |
| 14 | | | | | | | | | | | --- | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | 883 | | | | | | | |
| 17 | | | | | 737 | | | | | | | |
| 18 | | | --- | | 52 | | | | | | | |
| 19 | | | --- | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | 1 | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | --- | | | | | | |
| 30 | | | | | | --- | | | | | | |
| 31 | | --- | | | | --- | | --- | | --- | | --- |
| MEAN | 0 | 0 | 0 | 0 | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 1836 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 5 | MAX | 1836 | MIN | 0 | | | | | |

NOTE: Tie-in to Corps of Engineers gaging equipment was set up in August 2000. FCD gage was in operation since January 8, 1998. All FCD data prior to August 2000 has been deleted because it is believed that the gage did not operate correctly during that period. See U.S. Army Corps of Engineers, Los Angeles District for official information at this gage site.

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Buckeye #3 FRS | | | |
|--|---------------------------------|-------------------|---------------------|
| STATION ID | 6812 | DRAINAGE AREA | 9.3 MI ² |
| IN-SERVICE DATE | 11/23/1992 | | |
| PERIOD OF AVAILABLE RECORD | 05/18/1996 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 1,286 ACRE-FEET | | |
| WY 2005 PEAK | 0 AC-FT | -3.40 FEET | 08/09/2005 |
| EXTREME FOR PERIOD OF RECORD | 0 AC-FT | -1.05 FEET | 09/04/1996 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre-feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|--------------------|-------------------|-----|----------|------------|----------|------------|----------|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 0 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| White Tanks #4 FRS | | | |
|--|---------------------------------|---------------|----------------------|
| STATION ID | 6822 | DRAINAGE AREA | 18.6 MI ² |
| IN-SERVICE DATE | 01/09/1986 | | |
| PERIOD OF AVAILABLE RECORD | 10/01/1987 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 1,243 ACRE-FEET | | |
| WY 2005 PEAK | 0 AC-FT | 0.00 FEET | NONE |
| EXTREME FOR PERIOD OF RECORD | 644 AC-FT | 0.75 FEET | 08/15/1990 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | --- | | | | | | | |
| 30 | | | | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 0 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Flood Control District of Maricopa County ALERT System

| Casandro Dam | | | |
|--|---------------------------------|---------------|---------------------|
| STATION ID | 7132 | DRAINAGE AREA | 1.3 MI ² |
| IN-SERVICE DATE | 08/15/1996 | | |
| PERIOD OF AVAILABLE RECORD | 08/15/1996 - CURRENT YEAR | | |
| SPILLWAY CAPACITY | 143 ACRE-FEET | | |
| WY 2005 PEAK | 6.5 AC-FT | 2.29 FEET | 02/12/2005* |
| EXTREME FOR PERIOD OF RECORD | 65.0 AC-FT | 11.30 FEET | 09/26/1997 |
| Surface Water Streamflow | Pool Level Data | | |

Volume, in acre feet, Water Year October 2004 to September 2005

| DAY | Daily Mean Values | | | | | | | | | | | |
|-------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | 3 | | | | | | | | |
| 5 | | | | 1 | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | 1 | | | | | | | |
| 12 | | | | | 4 | | | | | | | |
| 13 | | | | | 1 | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | 2 | | | | | | | |
| 21 | 2 | | | | 1 | | | | | | | |
| 22 | 1 | | | | 2 | | | | | | | |
| 23 | | | | | 2 | | | | | | | |
| 24 | | | | | 1 | | | | | 1 | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | 2 | | --- | | | | | | | |
| 30 | | | 1 | | --- | | | | | | | |
| 31 | | --- | | | --- | | --- | | --- | | | --- |
| MEAN | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MAX | 5 | 1 | 5 | 3 | 7 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| MIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WTR YR 2005 | MEAN | | 0 | MAX | 7 | MIN | 0 | | | | | |

See also Surface Water Streamflow and Pool Level data.

Note: Maximum impoundment for Water Year 2004 occurred on August 15, 2004. The peak stage was 9.65 feet with a peak volume of 45 acre-feet.

This page intentionally blank.

Flood Control District of Maricopa County
Flood Warning and Data Collection Branch
2801 W. Durango Street
Phoenix, Arizona 85009

Place
Stamp
Here

FLOOD CONTROL DISTRICT OF MARICOPA COUNTY
FLOOD WARNING AND DATA COLLECTION BRANCH
2801 W. DURANGO STREET
PHOENIX, ARIZONA 85009