

**HYDROLOGIC DATA REPORT
VOLUME II - SURFACE WATER AND STREAMFLOW DATA
WATER YEAR 2012**



*Sycamore Creek Fire, ID# 5873
(photo taken October 23, 2012)*

PREFACE

This publication presents the surface water data collected by the Flood Control District of Maricopa County's automated water-level gage network. This telemetered network is located primarily throughout Maricopa County, Arizona with additional gages in Yavapai, Pinal, and La Paz Counties.

The surface water data contained in this report were collected, compiled and edited by the Flood Warning Branch of the Engineering Division. Data include mean daily, total, maximum, and minimum discharges at the flow sites; mean daily, maximum, and minimum pool levels at the storage locations; and mean daily, maximum, and minimum volumes stored at the storage locations. Also included are maximum discharges, pool levels, and storage volumes for flood events of interest at each site. Additionally, following the annual data is one or two graphics representing the runoff / impoundment history for the station and, when available, a graphic of the flood flow frequency with annual maximums. Flood flow frequency graphics are provided for informational purposes only and should not be used for regulatory purposes, unless the information is provided by a regulatory agency such as FEMA.

The information contained herein is as accurate and complete as possible within the limitations of real-time data collection technology currently available. Wherever possible, notes have been included to identify questionable data. Reliance upon the accuracy, reliability, and authority of this information is solely the responsibility of the user.

Revisions to any of these data for any reason will be published in the following years' reports immediately following the data for the current year for the site where the revisions have been made.

Copies of this report may be purchased from:

Flood Control District of Maricopa County
2801 W. Durango Street
Phoenix, Arizona 85009
(602) 506-1501

Or downloaded from:

<http://www.flood.maricopa.gov/Rainfall/publications.aspx>

Any mention of specific brand names within this report does not indicate endorsement of that particular brand or product.

TABLE OF CONTENTS

Preface	ii
Contents	iii
Introduction	iv
Definition of Terms	viii
Surface Water Gage Location Map	xii
List of New Gage Locations in Water Year 2012	xiii
List of Stations Sorted By Sensor ID#	xv
List of Stations Sorted By Name	xix
Summary of Significant Streamflow Events	xxiii
Surface Water Streamflow and Storage Facility Discharge Data	Part 1
Pool Levels at Storage Facilities (Reservoir Depths)	Part 2
Storage Volumes at Storage Facilities	Part 3

INTRODUCTION

The Flood Control District of Maricopa County in cooperation with federal, state, and local agencies collects a large amount of data pertaining to surface water runoff in and around Maricopa County. These data provide a valuable resource for information not otherwise furnished by the traditional sources of this type of material. To make these data readily available to interested parties outside the Flood Control District, the data are published annually in this report entitled "Annual Hydrologic Data Report, Volume II -- Surface Water and Streamflow Data." On-line users of this document have additional resources available by selecting hyperlinks. Gage names will link to the web page for that streamgage. Other hyperlinks will link within the document.

This report includes records on discharge at stream gages and at flood control storage structures, on depths at flood control storage structures, and on contents at flood control storage structures. Specifically it contains: (1) Streamflow records at 115 stream gages and 45 flood control storage structures; (2) Pool levels of stored water at 51 flood control storage structures; and (3) Storage volumes at 51 flood control storage structures where stage-storage relationships are available. Records included are only averages of data collected at each site during this water year.

Several streamflow gages are operated cooperatively between the FCDMC and the United States Geological Survey (USGS). Although real-time data for these sites are collected by the FCDMC ALERT System for the purposes of flood event monitoring, quality control for the data at these gages lies with the USGS. The official records for these sites are published in the USGS Surface Water Data Reports each water year or for current data go to <http://az.water.usgs.gov/>. The cooperative gages collected jointly for Water Year 2012 were:

<u>USGS Gage Name</u>	<u>FCDMC ID</u>	<u>USGS ID</u>
Gila River near Maricopa, AZ*	0788	09479350
Salt River at Priest Drive	4523	09512165
Cave Creek below Cottonwood Cr.	4923	09512280
Skunk Creek near Phoenix, AZ	5568	09513860
Gila River at Estrella Parkway	6853	09514100
Hassayampa River near Morristown	5223	09516500
Centennial Wash at SPRR	5103	09517490

*Gage is a cooperative between ADOT and USGS.

There are three additional continuous cooperative gages which the USGS operates, but are not ALERT equipped.

<u>Gage Site Name</u>	<u>USGS ID Number</u>
Indian Bend Wash at Curry Road, Tempe	09512162
New River near Rock Springs	09513780
Hassayampa River near Arlington	09517000

In addition to the continuous cooperative stations, the FCDMC also cooperates with the USGS in the collection of peak discharges at a number of crest-stage gage sites. The data for these crest-stage gage sites are also published by the USGS in its Surface Water Data Reports each water year.

The cooperative crest-stage gage sites for Water Year 2012 were:

<u>Gage Site Name</u>	<u>USGS ID</u>
Vekol Wash near Stanfield, AZ*	09488650
Tortilla Creek at Tortilla Flat	09501300
Camp Creek near Sunflower	09510170
Rock Creek near Sunflower	09510180
Indian Bend Wash at Shea Blvd*	09512090
Salt River Tributary in South Mountain Park	09512200
Agua Fria River Tributary No. 2	09512700
Deadman Wash near New River	09513820
Waterman Wash near Buckeye	09514200
Hartman Wash near Wickenburg*	09515800
Ox Wash near Morristown	09516600
Jackrabbit Wash near Tonopah	09516800
Centennial Wash Tributary near Wenden	09517200
Tiger Wash near Aguila*	09517280
Winters Wash near Tonopah	09517400
Rainbow Wash Tributary near Buckeye	09519600
Bender Wash near Gila Bend	09519750
Sauceda Wash near Gila Bend*	09519760
Military Wash near Sentinel	09520100
Crater Range Wash near Ajo	09520230
Star Wash	09516790

*Located at or near a FCDMC ALERT water-level gage.

Furthermore, the USGS and FCDMC operate several Continuous Slope Area gaging locations at several of the above stations.

ALERT water-level sensors are located on two Corps of Engineers structures. Tat Momolikot and Whitlow Ranch Dams are monitored by the Corps of Engineers. Again, these data are collected in real-time by the FCDMC for the purpose of flood monitoring. The District will publish data for Tat Momolikot Dam since data are no longer collected

by the Corps. Please refer to the Los Angeles District office for official data for Whitlow Ranch Dam at <http://www.spl.usace.army.mil/resreg/>.

This is the nineteenth annual surface water report published by the District. Prior to water year 1994, surface water data collected by the FCDMC ALERT System were not quality controlled, and therefore, not published. However, there are data resident in archives prior to water year 1994 that may have value to specific individuals. Data are available back to October 1987 for some stations.

The data are collected as a depth of flow in feet (or stage). The discharge and/or contents is then obtained by applying the stage to a rating curve of stage versus discharge in cubic feet per second (cfs), or stage versus contents in acre-feet (ac-ft). The discharge rating curves have been developed at stream gages by using field surveyed cross sections in a HEC-2 or HECRAS step-backwater computer model to obtain a range of stage versus discharge points to be plotted on a curve. These step-backwater ratings are refined whenever possible using direct and/or indirect measurements made at or near the gage site. For flood control storage structures, discharge ratings were obtained in one of two ways. First, the design ratings may be used. In most cases however, the discharge rating curves were developed by application of the Federal Highway Administration's HY-8 computer model for culvert flow and U.S. Geological Survey methods for weir flow over the uncontrolled emergency spillways. The storage rating curves were obtained from published as-built or construction plans or developed from digital elevation data.

Daily mean discharges are computed by applying the daily mean stages (gage heights) to the stage-discharge curves or tables. A similar computation is done for storage facility contents. The minimum and maximum values are based on instantaneous readings and the volumes for discharge stations are based on accumulations of daily means. Those gages in section 2, Pool Levels at Storage Facilities, which show a continuous gage height during obvious periods of no storage, do so because the orifice of the pressure transducer is set at that gage height above or below 0.0 feet gage datum.

All data in this report have been reviewed and edited in an attempt to provide the most accurate data possible. A blank or blanks, represented with ---, within the data set is an indication that data were lost either due to hardware, software, or radio problems, or that the gage had not yet been installed. Where possible, these data are flagged with footnotes describing the time the gage was down. In the event that published records require revision, revisions are printed in later reports. Listed in the heading for each gage where records have been revised are all the reports in which revisions have been published for the station and the water years to which the revisions apply (e.g. WY1999: WY1994-95 means that the data for Water Years 1994-1995 were revised in the report for Water Year 1999).

Comments about this report or errors discovered may be sent to the Flood Warning Branch via Internet e-mail from the FCDMC ALERT System Home Page or directly to David Gardner at deg@mail.maricopa.gov.

An index of gage names, numbers, locations, and other descriptors is included following the Definition of Terms in this report.

Additional, more detailed, or historical surface water data are available on the FCD ALERT Internet site at <http://www.fcd.maricopa.gov/Rainfall/Streamflow/streamflow.aspx>.

For information about the Internet site, contact the Flood Control District, Engineering Division, Flood Warning and Data Collection Branch at (602) 506-1501.

DEFINITION OF TERMS

Terms related to streamflow and other hydrologic data as used in this report are defined below:

Acre-foot (ac-ft) is the quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet or about 326,000 gallons or 1,233 cubic meters.

Contents is the volume of water in a reservoir or lake. Unless otherwise indicated, volume is computed on the basis of a level pool.

Control designates a feature downstream from the gage that determines the stage-discharge relation at the gage. This feature may be a natural constriction of the channel, an artificial structure, or a uniform cross section over a long reach of the channel.

Control Structure as used in this report is a structure on a stream or canal that is used to regulate the flow or stage of the stream.

Cubic Foot per Second (cfs) is the rate of discharge representing a volume of 1 cubic foot passing a given point during 1 second and is equivalent to approximately 7.48 gallons per second or 448.8 gallons per minute or 0.02832 cubic meters per second.

Cubic foot per second-day is the volume of water represented by a flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, approximately 1.9835 acre-feet, or about 646,000 gallons or 2,445 cubic meters.

Daily Mean Discharge is the average discharge in cfs for a 24 hour period from midnight to midnight the following day.

Discharge is the volume of water (or more broadly, total fluid plus suspended sediment), that passes a given point within a given period of time.

Drainage Area of a stream at a specified location is that area, measured in a horizontal plane, enclosed by a topographic divide from which direct surface runoff from precipitation normally drains by gravity into the stream above the specified point.

Drainage Basin is a part of the surface of the Earth that is occupied by a drainage system, which consists of a surface stream or body of impounded surface water, together with all tributary surface streams and bodies of impounded surface water.

El Niño is a condition where sea surface temperatures are warmer in the eastern Pacific Ocean and cooler in the western Pacific Ocean in the lower latitudes. Normal conditions of sea surface temperatures are opposite with warmer waters in the western Pacific and

cooler waters in the eastern Pacific. El Niño conditions may result in higher than normal precipitation in the southwestern United States.

Flood Elevation Frequency refers to the magnitude (in terms of depth or elevation) and probability of floods at a given flood control impoundment structure. The flood elevation frequency is usually given as a depth or elevation of impoundment associated with a given recurrence interval at a particular flood control impoundment structure.

Flood Flow Frequency refers to the magnitude (in terms of peak discharge) and probability of floods at a given gaging station. The flood flow frequency is usually given as a peak discharge associated with a given recurrence interval at a particular gaging station.

Gage Datum is the elevation of the zero point of the reference gage from which gage height is determined. This elevation is established by a system of levels from known bench marks or by approximation from topographic maps or arbitrarily established to a known point such as a culvert invert elevation.

Gage Height is the water-surface elevation referred to some arbitrary gage datum. Gage height is often used interchangeably with the more general term "stage," although gage height is more appropriate when used with a reading on a gage.

Gaging Station is a particular site on a river, stream, canal, lake, or reservoir where systematic observations of hydrologic data are obtained.

Instantaneous Discharge is the discharge at a particular moment in time.

La Niña is a condition where above normal sea surface temperatures exist in the western Pacific Ocean and cooler than normal sea surface temperatures exist in the eastern Pacific Ocean. La Niña conditions usually result in drier than normal conditions in the southwestern United States.

Maximum Level is the highest pool level recorded or observed at a particular gaging station at a flood control impoundment structure for a particular event.

Maximum Storage is the greatest volume of water stored behind or within a flood control impoundment structure for a given event. This occurs at the maximum pool level and is obtained from the stage-storage relation for that maximum level for a particular flood control impoundment structure.

Mean Discharge (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period.

Miner's Inch in Arizona is equal to 1/40 of a cubic-foot per second (cfs), or about 11.25 gallons per minute.

National Geodetic Vertical Datum of 1929 (NGVD 1929) is a geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. It was formerly called "Sea Level Datum of 1929" or "mean sea level." Although the datum was derived from the average sea level over a period of many years at 26 tide stations along the Atlantic, Gulf of Mexico, and Pacific Coasts, it does not necessarily represent local mean sea level at any particular place.

North American Vertical Datum of 1988 (NAVD 1988) is a datum based on the mass or density of the Earth instead of the varying values of the heights of the seas. Measurements of the acceleration of gravity are made at observation points in a network. Only one point is defined as the datum point. The vertical reference surface is then defined by the surface on which the gravity values are equal to the datum point value. This is called an equipotential surface.

Peak Discharge is the maximum instantaneous discharge for a given flood event.

Period of Record is the time period for which data exists for a given stream gaging station.

Pressure Transducer is an instrument used to measure the depth of water. It is an analog instrument which measures a pressure change over a diaphragm. The depth of water is related to the change in pressure over the diaphragm created by the weight of the water above the instrument.

Recurrence Interval is the reciprocal of the probability of a flood occurring in any given year. Thus, the flood having a 1% (1/100, or 1 in 100) chance of occurring in any given year has a recurrence interval of 100 years and is referred to as the 100-year flood. Similarly, the flood having a 50% (1/2 or 1 in 2) chance of occurring in any given year has a recurrence interval of 2 years and is referred to as the 2-year flood.

Staff Gage is a device located at the gaging station to provide a visual reference to the depth of water at a gage in terms of gage height above the water level measuring instrument.


Stage-Discharge Relation is the relation between gage height (stage) and the volume of water, per unit of time, flowing in a channel or from a pipe or culvert.

Stage-Storage Relation is the relation between gage height (stage) and the volume of water stored behind or within a flood control impoundment structure.

Streamflow is the discharge that occurs in a natural channel. Although the term "discharge" can be applied to the flow of a canal, the word "streamflow" uniquely describes the discharge in a surface stream course. The term "streamflow" is more general than "runoff" as streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

Water Year dealing with surface-water data is the 12-month period, October 1 through September 30. The water year is designated by the calendar year in which it ends and includes 9 of the 12 months. Thus, the water year beginning October 1, 2011 and ending September 30, 2012, is called the "2012 Water Year."

FCD STAGE GAGE LOCATIONS – WY 2012



New Installations in Water Year 2012

There were five new streamgage stations established during Water Year 2012.



Salt River below Granite Reef, #4583



Salt River at 7th Avenue, #4763



Centennial Tributary at Dobbins Road, #5049



Picacho Wash near SR74, #5678



Sycamore Creek Fire, #5871, #5873

Station Changes in Water Year 2012

White Tank FRS #4 had a second stage gage installed in November. Due to construction, the original 6823 gage was removed from the west outlet on June 1, 2011. On November 17, 2011, the 6823 gage was located in the pool to monitor inflow in the low flow channel. A second gage 6822 was placed on top of the dam structure near the east outlet on November 22, 2011. No impoundments affected the 6822 gage, and therefore data from this ID are not presented in this report.

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2012 -- Sorted by Sensor ID

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev	Page #s
0773	Tat Momolikot Dam	01/21/1998	9S-4E-30	32 30 46	111 57 06	1540	1:1 ; 2:1 ; 3:1
0778	Gila River at Maricopa Rd	04/09/1995	3S-3E-13	33 10 19	112 00 20	1120	1:2
0783	Gila River at Olberg	04/12/1995	4S-6E-12	33 05 15	111 41 11	1290	1:4
0788	Santa Cruz at SR 84	03/16/1994	7S-5E-21	32 52 47	111 49 43	1311	1:6
0793	Greene Wash at SR 84	03/23/1994	7S-4E-21	32 52 48	111 56 01	1350	1:8
0798	Santa Rosa at SR 84	03/16/1994	7S-4E-20	32 52 49	111 56 46	1305	1:10
4523	Salt River at Priest Dr	12/07/1993	1N-4E-17	33 26 00	111 57 43	1133	1:12
4548	Salt River at Val Vista Dr	04/13/2011	2N-6E-29	33 29 03	111 45 44	1260	1:14
4563	Spookhill FRS	03/13/1984	2N-7E-31	33 28 01	111 40 48	1595	1:16 ; 2:2 ; 3:3
4568	Granite Reef	07/21/2005	2N-7E-18	33 30 43	111 41 02	1330	1:17
4573	Price Drain at Loop 202	02/18/2001	1N-5E-18	33 26 04	111 53 25	1215	1:19
4578	Laveen Basin	11/07/2006	1N-2E-34	33 23 25	112 09 03	1015	1:21 ; 2:3 ; 3:5
4583	Salt River blw Granite Reef	04/02/2012	2N-6E-13	33 30 54	111 41 56	1295	1:22
4588	Reata Pass Wash	05/15/2001	4N-5E-17	33 41 52	111 51 51	2170	1:24
4603	IBW near McKellips Rd.	05/21/1985	1N-4E-11	33 26 58	111 54 58	1187	1:26
4613	IBW at Indian Bend Rd.	09/28/1983	2N-4E-11	33 32 01	111 54 48	1280	1:28
4618	IBW at Indian School Rd	11/25/1997	2N-4E-23	33 29 42	111 54 38	1235	1:30
4623	IBW Interceptor	04/21/1994	2N-4E-12	33 32 00	111 53 55	1280	1:32
4628	IBW at McDonald	11/24/1997	2N-4E-11	33 31 26	111 54 33	1262	1:34
4638	Tatum Wash Basin Inflow	05/06/1998	3N-4E-30	33 34 54	111 59 01	1397	1:36
4643	IBW at Sweetwater	12/27/1990	3N-3E-13	33 36 15	112 00 18	1400	1:38
4648	East Fork CC #1	03/02/1994	4N-3E-23	33 40 11	112 01 29	1515	1:40 ; 2:4 ; 3:7
4653	Tatum Wash Basin	05/08/1998	3N-4E-30	33 34 57	111 58 58	1394	1:41 ; 2:5 ; 3:9
4658	East Fork CC #4	01/18/1994	4N-3E-25	33 38 55	112 00 35	1456	1:42 ; 2:6 ; 3:11
4668	EFCC near 7th Ave.	05/21/1997	3N-3E-05	33 37 40	112 04 49	1325	1:43
4678	Lake Marguerite	11/25/1997	3N-4E-36	33 33 49	111 53 56	1325	1:45
4683	East Fork CC #3	09/13/1994	4N-3E-34	33 38 45	112 02 19	1456	1:47 ; 2:7 ; 3:13
4688	Berneil Wash	07/30/1998	3N-4E-34	33 34 01	111 56 17	1320	1:48
4693	IBW at Shea	06/09/1998	3N-4E-29	33 34 55	111 58 03	1350	1:50
4728	Granite Reef Wash	06/26/2007	2N-4E-36	33 27 58	111 53 55	1190	1:52
4748	Old Crosscut at McDowell	07/27/1994	1N-4E-06	33 27 56	111 58 48	1250	1:54
4753	Salt River at 51st Avenue	04/27/2011	1N-2E-29	33 24 15	112 10 08	1010	1:56
4758	Salt River at 67th Ave	07/14/2008	1N-2E-30	33 23 52	112 12 13	975	1:58
4763	Salt River at 7th Ave	01/25/2012	1N-3E-19	33 25 08	112 04 56	1065	1:60
4778	Phoenix Basin 2b	06/30/2009	3N-3E-16	33 36 24	112 03 29	1420	1:62 ; 2:8 ; 3:15
4789	Phoenix Basin 2a	06/29/2009	3N-3E-16	33 36 13	112 03 53	1380	1:63 ; 2:9 ; 3:17
4803	Dreamy Draw Dam	01/24/1984	3N-3E-34	33 33 45	112 01 54	1407	1:64 ; 2:10 ; 3:19
4808	ACDC at 36th St	02/24/1994	2N-3E-13	33 30 49	111 59 56	1260	1:65
4813	ACDC at 14th St	02/09/1994	2N-3E-04	33 32 31	112 02 35	1230	1:67
4818	10th Street Wash Basin 1	11/26/1996	3N-3E-28	33 34 47	112 03 14	1150	1:69 ; 2:11 ; 3:21
4823	ACDC at 43rd Ave.	11/14/1990	3N-2E-22	33 35 03	112 09 16	1225	1:70
4828	Phoenix Basin #3	12/18/2001	3N-3E-22	33 35 12	112 02 49	1356	1:72 ; 2:12 ; 3:23
4833	Cave Creek at Cactus	06/27/1991	3N-2E-13	33 35 59	112 06 39	1280	1:73
4838	Phoenix Basin #4	07/06/2009	3N-3E-34	33 33 31	112 02 34	1310	1:75 ; 2:13 ; 3:25

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2012 -- Sorted by Sensor ID

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev	Page #s
4843	Phoenix Basin #99	07/07/2009	3N-3E-26	33 34 30	112 00 52	1455	1:76 ; 2:14 ; 3:27
4848	Phoenix East Park Dam	11/28/2001	3N-3E-29	33 34 45	112 04 37	1348	1:77 ; 2:15 ; 3:29
4853	Phoenix Basin #7	12/19/2001	3N-3E-17	33 36 04	112 04 21	1369	1:78 ; 2:16 ; 3:31
4858	Phoenix West Park Dam	11/29/2001	3N-3E-20	33 35 23	112 04 55	1312	1:79 ; 2:17 ; 3:33
4863	Rawhide Wash	07/26/1999	5N-4E-36	33 44 27	111 53 55	2205	1:80
4888	Skunk Tank Wash	03/02/2006	6N-3E-29	33 50 24	112 04 58	1865	1:82
4893	Cave Creek	05/29/2003	6N-4E-29	33 49 48	111 58 04	1995	1:84
4898	Desert Hills Wash	03/02/2006	6N-3E-28	33 49 42	112 02 54	1860	1:86
4903	Cave Buttes Outlet	01/25/1984	4N-3E-15	33 42 58	112 02 43	1649	1:88
4904	Cave Buttes Pool	01/25/1984	4N-3E-15	33 42 58	112 02 43	1649	2:18 ; 3:35
4913	Stagecoach Wash	06/13/2001	5N-5E-06	33 48 42	111 53 27	2550	1:90
4918	Cave Creek near Cave Creek	05/27/1994	5N-3E-12	33 47 28	112 00 05	1800	1:92
4923	Cave Creek at Spur Cross	06/16/1993	6N-4E-04	33 53 05	111 57 17	2280	1:94
4938	Reata Pass Dam	10/02/2001	5N-5E-33	33 44 06	111 50 39	2600	1:96 ; 2:19 ; 3:37
4947	Cave Creek Ashdale	02/25/2009	7N-5E-07	33 57 44	111 52 34	3280	1:97
4963	Seven Springs Wash	03/12/2002	7N-5E-09	33 57 39	111 50 45	3470	1:99
5013	Columbus Wash	09/22/1999	4S-10W-06	33 06 27	113 19 57	685	1:101
5033	Copper Wash	02/22/2001	2S-10W-33	33 12 17	113 17 07	1070	1:103
5043	Fourth of July Wash	03/14/2002	2S-9W-01	33 16 39	113 07 48	1110	1:105
5049	Centennial Trib nr Dobbins	09/27/2012	1S-7W-05	33 21 49	112 59 36	985	1:107
5078	Cruff Wash	05/14/2002	2S-6W-20	33 14 46	112 53 41	968	1:108
5093	Centennial at Wenden	09/16/1998	6N-12W-32	33 49 30	113 31 55	1860	1:110
5098	Winters at Indian School	07/14/2005	2N-6W-19	33 29 38	112 55 04	1105	1:112
5103	Centennial Railroad	02/09/1990	1S-6W-28	33 18 35	112 52 56	850	1:114
5108	Delaney Wash	12/21/1999	2N-7W-34	33 28 11	112 58 30	1110	1:116
5113	Saddleback FRS	12/16/1988	2N-10W-34	33 27 55	113 04 21	1177	1:118 ; 2:21 ; 3:38
5118	Winters Wash	07/11/2000	2N-6W-18	33 30 33	112 54 44	1125	1:119
5123	Centennial Levee	07/09/2003	2N-10W-17	33 31 10	113 15 38	1280	1:121
5128	Harquahala FRS	03/01/1994	2N-8W-05	33 32 56	113 05 47	1420	1:123 ; 2:22 ; 3:40
5163	Tiger Wash	09/15/1999	5N-10W-26	33 45 30	113 16 43	1960	1:124
5178	Centennial near Aguila	06/05/2001	7N-8W-11	33 58 02	113 04 09	2340	1:126
5203	Buckeye FRS #1	07/26/1983	1N-5W-03	33 27 31	112 45 02	1097	1:128 ; 2:23 ; 3:42
5208	Buckeye FRS #2	11/11/1992	1N-3W-07	33 26 26	112 35 47	1150	1:129 ; 2:24 ; 3:44
5218	Jackrabbit Wash	10/31/2000	4N-6W-04	33 42 57	112 52 54	2130	1:130
5223	Hassayampa nr Morristown	05/07/1996	6N-4W-03	33 53 05	112 39 42	1830	1:132
5228	Hassayampa at US 60	03/14/1994	7N-5W-12	33 58 13	112 43 31	2035	1:134
5233	Sunset FRS	02/12/1989	7N-5W-11	33 57 50	112 44 33	2100	1:136 ; 2:25 ; 3:46
5248	Sunnycove FRS	07/31/1986	7N-5W-11	33 57 25	112 44 24	2200	1:137 ; 2:26 ; 3:48
5263	Vulture Mine Road	10/26/2005	7N-5W-16	33 57 09	112 46 18	2380	1:138
5273	Box Wash	03/11/2003	6N-5W-20	33 50 57	112 47 57	2260	1:140
5276	Sols Wash at SR 71	09/10/2001	9N-7W-14	34 07 07	112 57 45	2740	1:142
5283	Hassayampa at I-10	11/09/1994	1N-5W-03	33 27 27	112 45 43	1035	1:144
5303	Sun Valley at Northern	08/02/2005	3N-4W-32	33 33 12	112 40 41	1395	1:146
5308	Hassayampa at Box Canyon	11/17/1983	8N-4W-07	34 02 41	112 42 32	2245	1:148
5352	Hassayampa at Wagoner	09/26/1991	11N-3W-09	34 18 38	112 34 05	3785	1:150

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2012 -- Sorted by Sensor ID

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev	Page #s
5403	Agua Fria at Buckeye	10/12/1988	1N-1W-14	33 26 05	112 19 55	940	1:152
5408	Colter at El Mirage	06/29/1994	2N-1W-13	33 30 28	112 19 24	1025	1:154
5413	Dysart Drain at LAFB	08/22/1996	2N-1W-03	33 32 38	112 20 59	1090	1:156
5418	White Tank FRS #3	03/12/1986	2N-2W-09	33 32 01	112 28 14	1190	1:158 ; 2:27 ; 3:50
5423	Dysart Drain at El Mirage	03/07/1997	2N-1W-01	33 32 36	112 19 24	1023	1:159
5428	Ford Canyon Wash	02/05/2002	3N-2W-18	33 35 48	112 29 57	1468	1:161
5438	McMicken Floodway	09/03/1992	4N-1E-18	33 41 04	112 24 24	1337	1:163
5443	McMicken Dam at Bell Rd	03/04/2009	4N-2W-34	33 38 18	112 27 41	1350	1:165
5448	McMicken Dam	03/24/1983	4N-2W-24	33 40 38	112 25 23	1361	1:167 ; 2:28 ; 3:52
5483	El Mirage Drain	02/16/2006	4N-1W-14	33 41 27	112 19 41	1265	1:168
5488	Upper Trilby Wash	09/26/2001	7N-3W-12	33 57 39	112 31 43	3040	1:170
5498	Daggs Wash	11/08/2007	5N-5W-25	33 44 45	112 43 30	1680	1:172
5503	Agua Fria at Grand Ave	04/27/1994	3N-1E-18	33 36 26	112 18 16	1125	1:174
5508	New River at Glendale Ave	03/21/1990	3N-1E-08	33 32 14	112 17 00	1050	1:176
5523	ACDC at 67th Ave	06/07/1990	3N-1E-12	33 37 26	112 12 10	1220	1:178
5538	Adobe Dam Outlet	10/28/1982	4N-2E-21	33 40 37	112 09 12	1413	1:180
5539	Adobe Dam Pool	10/28/1982	4N-2E-21	33 40 37	112 09 12	1413	2:29 ; 3:54
5543	Scatter Wash	09/18/1996	4N-2E-27	33 40 09	112 08 25	1340	1:182
5568	Skunk Creek at I-17	10/26/1989	5N-2E-35	33 43 47	112 07 21	1475	1:184
5583	Cline Creek	11/20/2001	7N-3E-33	33 54 03	112 03 19	2171	1:186
5588	Skunk Creek near New River	06/21/1995	7N-3E-29	33 55 34	112 04 56	1854	1:188
5598	New River at Bell Rd	04/04/1990	3N-1E-03	33 38 18	112 14 27	1200	1:190
5613	New River Dam Outlet	04/15/1986	5N-1E-35	33 44 09	112 13 31	1498	1:192
5614	New River Dam Pool	04/15/1986	5N-1E-35	33 44 09	112 13 31	1498	2:30 ; 3:56
5638	New River Fire	07/20/2005	7N-3E-04	33 58 33	112 03 38	2483	1:194
5678	Picacho Wash at SR74	04/11/2012	6N-2W-28	33 50 08	112 28 32	1975	1:196
5873	Sycamore Creek Fire	06/27/2012	7N-8E-25	33 55 58	111 28 46	3805	1:198
5923	McDowell Mountain Road	05/18/2004	4N-6E-26	33 39 24	111 42 23	1620	1:201
5968	Stoneridge Dam	12/11/1996	3N-6E-22	33 35 41	111 43 57	1710	1:203 ; 2:31 ; 3:58
5973	Sunridge Canyon Dam	02/04/1997	3N-6E-16	33 36 23	111 45 01	1932	1:204 ; 2:32 ; 3:60
5978	Golden Eagle Park Dam	12/12/1996	3N-6E-10	33 37 08	111 44 04	1722	1:205 ; 2:33 ; 3:62
5983	North Heights Dam	10/11/1996	3N-6E-09	33 37 17	111 44 52	1819	1:206 ; 2:34 ; 3:64
5988	Aspen Dam	01/02/1197	3N-6E-04	33 37 34	111 44 41	1840	1:207 ; 2:35 ; 3:66
5993	Hesperus Dam	12/18/1996	3N-6E-04	33 38 11	111 44 44	1894	1:208 ; 2:36 ; 3:68
6503	Guadalupe FRS	06/29/1989	1S-4E-05	33 22 16	111 58 10	1250	1:209 ; 2:37 ; 3:70
6532	Pecos North Inflow	01/21/2009	1S-4E-31	33 17 49	111 58 50	1180	1:210
6533	Pecos East Inflow	01/21/2009	1S-4E-32	33 17 48	111 58 42	1175	1:212
6534	Pecos West Inflow	01/21/2009	1S-4E-31	33 17 39	111 58 59	1170	1:214
6537	Pecos Sediment Basin	01/06/2009	1S-4E-32	33 17 38	111 58 39	1185	1:216 ; 2:38 ; 3:72
6538	Pecos Basin	01/06/2009	1S-4E-32	33 17 38	111 58 39	1185	1:217 ; 2:39 ; 3:74
6563	South Mountain Fan	06/09/1993	1S-2E-26	33 18 56	112 07 59	1420	1:218
6573	EMF at Broadway Rd	08/10/1989	1N-6E-26	33 24 21	111 42 42	1349	1:220
6583	EMF at Queen Creek Rd	01/18/1989	2S-6E-15	33 15 50	111 43 35	1317	1:222
6598	EMF at Arizona Ave	02/10/1989	3S-5E-15	33 09 57	111 49 56	1214	1:224
6603	Guadalupe Channel	08/07/1998	1S-7E-06	33 21 55	111 40 32	1345	1:226

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2012 -- Sorted by Sensor ID

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev	Page #s
6608	Freestone Park Basin	12/19/1995	1S-6E-08	33 21 28	111 46 19	1450	2:40 ; 3:76
6623	Crossroads Park Basin	12/18/1995	1S-6E-21	33 19 39	111 44 40	1270	2:41 ; 3:77
6628	Signal Butte FRS	11/10/1987	1N-7E-12	33 26 25	111 35 25	1650	1:228 ; 2:42 ; 3:78
6637	Spookhill McDowell	06/19/2008	1N-7E-06	33 27 58	111 40 42	1605	1:229
6638	Spookhill McKellips	06/19/2008	1N-7E-07	33 27 05	111 40 03	1626	1:231
6673	Apache Junction FRS	12/16/1981	1N-8E-08	33 26 28	111 33 07	1989	1:233 ; 2:43 ; 3:80
6683	Powerline FRS	12/03/1992	1S-8E-09	33 21 22	111 32 14	1580	1:234 ; 2:44 ; 3:82
6688	Vineyard FRS	11/02/1983	1S-8E-09	33 21 10	111 32 06	1582	1:235 ; 2:45 ; 3:84
6693	Spookhill Brown	06/04/2008	1N-7E-16	33 26 12	111 38 53	1595	1:236
6703	Rittenhouse FRS	09/27/1988	2S-8E-02	33 17 22	111 29 49	1580	1:238 ; 2:46 ; 3:86
6707	Queen Creek at Rittenhouse	09/14/1993	2S-7E-25	33 13 50	111 35 41	1400	1:239
6708	Powerline Floodway	02/13/2008	1S-7E-28	33 19 16	111 38 10	1385	1:241
6718	Magma FRS	11/15/2007	4S-9E-35	33 07 11	111 24 12	1625	1:243 ; 2:47 ; 3:88
6723	Queen Creek at CAP	01/14/1999	2S-8E-26	33 12 22	111 30 15	1565	1:244
6739	Whitlow Ranch Dam	01/08/1998	1S-10E-36	33 17 55	111 16 35	2199	1:246 ; 2:48 ; 3:90
6753	Weekes Wash Baseline	05/27/2008	1S-8E-04	33 22 44	111 32 15	1630	1:247
6813	Buckeye FRS #3	11/23/1992	1N-3W-10	33 26 49	112 33 20	1200	1:249 ; 2:49 ; 3:92
6823	White Tank FRS #4	01/09/1986	1N-2W-05	33 27 04	112 29 40	1044	1:250 ; 2:50 ; 3:94
6833	Waterman at Rainbow	03/18/1999	2S-2W-14	33 15 40	112 26 38	1085	1:251
6848	Gila River at 116th Ave	12/16/1998	1N-1W-36	33 23 24	112 18 28	940	1:253
6853	Gila River at Estrella Pkwy	12/02/1992	1N-1W-31	33 23 19	112 23 33	900	1:255
6863	Bullard Wash	03/30/2000	1N-1W-29	33 23 47	112 23 16	920	1:257
6868	Bullard at Indian School	06/27/2006	2N-1W-29	33 29 33	112 22 54	1025	1:259
6893	Estrella Fan	04/30/1993	2S-1W-12	33 16 02	112 18 53	1425	1:261
6923	Sauceda Wash	02/28/1990	6S-5W-04	32 52 27	112 44 57	726	1:263
6933	Sand Tank Wash at I-8	05/31/2001	6S-4W-06	32 55 59	112 42 20	775	1:265
6953	Rainbow Wash at SR 85	11/06/2000	2S-4W-23	33 14 08	112 38 22	900	1:267
6963	Bender Wash	05/12/2004	6S-3W-15	32 54 24	112 33 06	1200	1:269
6983	Vekol Wash	03/07/1990	7S-1E-03	32 50 30	112 14 58	1720	1:271
7013	Martinez Creek	11/23/1994	8N-5W-17	34 01 44	112 47 30	2300	1:273
7028	Sols Trib near US 93	01/30/2002	8N-6W-11	34 03 10	112 50 59	2580	1:275
7043	Sols Wash near Matthie	08/04/1995	8N-5W-32	33 59 14	112 47 33	2220	1:277
7063	Hartman Wash	07/06/1994	7N-5W-12	33 57 45	112 49 42	2488	1:279
7083	Flying E Wash	07/12/1994	7N-5W-09	33 57 44	112 46 55	2302	1:281
7093	Casandro Wash	07/12/1994	7N-5W-10	33 57 44	112 45 55	2240	1:283
7113	Powder House Wash	05/18/1995	7N-4W-06	33 58 50	112 42 59	2120	1:285
7133	Casandro Dam	08/15/1996	7N-5W-11	33 57 57	112 45 01	2163	1:287 ; 2:51 ; 3:96
7168	Antelope Creek	07/09/2003	8N-5W-09	34 02 56	112 46 46	2470	1:288

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2012– Sorted by Name

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev	Page #s
4818	10th Street Wash Basin 1	11/26/1996	3N-3E-28	33 34 47	112 03 14	1150	1:69 ; 2:11 ; 3:21
4813	ACDC at 14th St	02/09/1994	2N-3E-04	33 32 31	112 02 35	1230	1:67
4808	ACDC at 36th St	02/24/1994	2N-3E-13	33 30 49	111 59 56	1260	1:65
4823	ACDC at 43rd Ave	11/14/1990	3N-2E-22	33 35 03	112 09 16	1225	1:70
5523	ACDC at 67th Ave	06/07/1990	3N-1E-12	33 37 26	112 12 10	1220	1:178
5538	Adobe Dam Outlet	10/28/1982	4N-2E-21	33 40 37	112 09 12	1413	1:180
5539	Adobe Dam Pool	10/28/1982	4N-2E-21	33 40 37	112 09 12	1413	2:29 ; 3:54
5403	Agua Fria at Buckeye	10/12/1988	1N-1W-14	33 26 05	112 19 55	940	1:152
5503	Agua Fria at Grand Ave.	04/27/1994	3N-1E-18	33 36 26	112 18 16	1125	1:174
7168	Antelope Creek	07/09/2003	8N-5W-09	34 02 56	112 46 46	2470	1:288
6673	Apache Junction FRS	12/16/1981	1N-8E-08	33 26 28	111 33 07	1989	1:233 ; 2:43 ; 3:80
5988	Aspen Dam	01/02/1997	3N-6E-04	33 37 34	111 44 41	1840	1:207 ; 2:35 ; 3:66
6963	Bender Wash	05/12/2004	6S-3W-15	32 54 24	112 33 06	1200	1:269
4688	Berneil Wash	07/30/1998	3N-4E-34	33 34 01	111 56 17	1320	1:48
5273	Box Wash	03/11/2003	6N-5W-20	33 50 57	112 47 57	2260	1:140
5203	Buckeye FRS #1	07/26/1983	1N-5W-03	33 27 31	112 45 02	1097	1:128 ; 2:23 ; 3:42
5208	Buckeye FRS #2	11/11/1992	1N-3W-07	33 26 26	112 35 47	1150	1:129 ; 2:24 ; 3:44
6813	Buckeye FRS #3	11/23/1992	1N-3W-10	33 26 49	112 33 20	1200	1:249 ; 2:49 ; 3:92
6868	Bullard at Indian School	06/27/2006	2N-1W-29	33 29 33	112 22 54	1025	1:259
6863	Bullard Wash	03/30/2000	1N-1W-29	33 23 47	112 23 16	920	1:257
7133	Casandro Dam	08/15/1996	7N-5W-11	33 57 57	112 45 01	2163	1:287 ; 2:51 ; 3:96
7093	Casandro Wash	07/12/1994	7N-5W-10	33 57 44	112 45 55	2240	1:283
4903	Cave Buttes Outlet	01/25/1984	4N-3E-15	33 42 58	112 02 43	1649	1:88
4904	Cave Buttes Pool	01/25/1984	4N-3E-15	33 42 58	112 02 43	1649	2:18 ; 3:35
4893	Cave Creek	05/29/2003	6N-4E-29	33 49 48	111 58 04	1995	1:84
4833	Cave Creek at Cactus	06/27/1991	3N-2E-13	33 35 59	112 06 39	1280	1:73
4947	Cave Creek Ashdale	02/25/2009	7N-5E-07	33 57 44	111 52 34	3280	1:97
4923	Cave Creek at Spur Cross	06/16/1993	6N-4E-04	33 53 05	111 57 17	2280	1:94
4918	Cave Creek near Cave Creek	05/27/1994	5N-3E-12	33 47 28	112 00 05	1800	1:92
5093	Centennial at Wenden	09/16/1998	6N-12W-32	33 49 30	113 31 55	1860	1:110
5123	Centennial Levee	07/09/2003	2N-10W-17	33 31 10	113 15 38	1280	1:121
5178	Centennial near Aguila	06/05/2001	7N-8W-11	33 58 02	113 04 09	2340	1:126
5103	Centennial Railroad	02/09/1990	1S-6W-28	33 18 35	112 52 56	850	1:114
5049	Centennial Trib nr Dobbins	09/27/2012	1S-7W-05	33 21 49	112 59 36	985	1:107
5583	Cline Creek	11/20/2001	7N-3E-33	33 54 03	112 03 19	2171	1:186
5408	Colter at El Mirage	06/29/1994	2N-1W-13	33 30 28	112 19 24	1025	1:154
5013	Columbus Wash	09/22/1999	4S-10W-06	33 06 27	113 19 57	685	1:101
5033	Copper Wash	02/22/2001	2S-10W-33	33 12 17	113 17 07	1070	1:103
6623	Crossroads Park Basin	12/18/1995	1S-6E-21	33 19 39	111 44 40	1270	2:41 ; 3:77
5078	Cruff Wash	05/14/2002	2S-6W-20	33 14 46	112 53 41	968	1:108
5498	Daggs Wash	11/08/2007	5N-5W-25	33 44 45	112 43 30	1680	1:172
5108	Delaney Wash	12/21/1999	2N-7W-34	33 28 11	112 58 30	1110	1:116
4898	Desert Hills Wash	03/02/2006	6N-3E-28	33 49 42	112 02 54	1860	1:86
4803	Dreamy Draw Dam	01/24/1984	3N-3E-34	33 33 45	112 01 54	1407	1:64 ; 2:10 ; 3:19
5423	Dysart Drain at El Mirage	03/07/1997	2N-1W-01	33 32 36	112 19 24	1023	1:159

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2012– Sorted by Name

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev	Page #s
5413	Dysart Drain at LAFB	08/22/1996	2N-1W-03	33 32 38	112 20 59	1090	1:156
4648	East Fork CC #1	03/02/1994	4N-3E-23	33 40 11	112 01 29	1515	1:40 ; 2:4 ; 3:7
4683	East Fork CC #3	09/13/1994	4N-3E-34	33 38 45	112 02 19	1456	1:47 ; 2:7 ; 3:13
4658	East Fork CC #4	01/18/1994	4N-3E-25	33 38 55	112 00 35	1456	1:42 ; 2:6 ; 3:11
4668	EFCC near 7th Ave	05/21/1997	3N-3E-05	33 37 40	112 04 49	1325	1:43
5483	El Mirage Drain	02/16/2006	4N-1W-14	33 41 27	112 19 41	1265	1:168
6598	EMF at Arizona Ave	02/10/1989	3S-5E-15	33 09 57	111 49 56	1214	1:224
6573	EMF at Broadway Rd	08/10/1989	1N-6E-26	33 24 21	111 42 42	1349	1:220
6583	EMF at Queen Creek Rd	01/18/1989	2S-6E-15	33 15 50	111 43 35	1317	1:222
6893	Estrella Fan	04/30/1993	2S-1W-12	33 16 02	112 18 53	1425	1:261
7083	Flying E Wash	07/12/1994	7N-5W-09	33 57 44	112 46 55	2302	1:281
5428	Ford Canyon Wash	02/05/2002	3N-2W-18	33 35 48	112 29 57	1468	1:161
5043	Fourth of July Wash	03/14/2002	2S-9W-01	33 16 39	113 07 48	1110	1:105
6608	Freestone Park Basin	12/19/1995	1S-6E-08	33 21 28	111 46 19	1450	2:40 ; 3:76
6848	Gila River at 116th Ave	12/16/1998	1N-1W-36	33 23 24	112 18 28	940	1:253
6853	Gila River at Estrella Pkwy	12/02/1992	1N-1W-31	33 23 19	112 23 33	900	1:255
0778	Gila River at Maricopa Rd	04/09/1995	3S-3E-13	33 10 19	112 00 20	1120	1:2
0783	Gila River at Olberg	04/12/1995	4S-6E-12	33 05 15	111 41 11	1290	1:4
5978	Golden Eagle Park Dam	12/12/1996	3N-6E-10	33 37 08	111 44 04	1722	1:205 ; 2:33 ; 3:62
4568	Granite Reef	07/21/2005	2N-7E-18	33 30 43	111 41 02	1330	1:17
4728	Granite Reef Wash	06/26/2007	2N-4E-36	33 27 58	111 53 55	1190	1:52
0793	Greene Wash at SR 84	03/23/1994	7S-4E-21	32 52 48	111 56 01	1350	1:8
6603	Guadalupe Channel	08/07/1998	1S-7E-06	33 21 55	111 40 32	1345	1:226
6503	Guadalupe FRS	06/29/1989	1S-4E-05	33 22 16	111 58 10	1250	1:209 ; 2:37 ; 3:70
5128	Harquahala FRS	03/01/1994	2N-8W-05	33 32 56	113 05 47	1420	1:123 ; 2:22 ; 3:40
7063	Hartman Wash	07/06/1994	7N-5W-12	33 57 45	112 49 42	2488	1:279
5308	Hassayampa at Box Canyon	11/17/1983	8N-4W-07	34 02 41	112 42 32	2245	1:148
5283	Hassayampa at I-10	11/09/1994	1N-5W-03	33 27 27	112 45 43	1035	1:144
5228	Hassayampa at US 60	03/14/1994	7N-5W-12	33 58 13	112 43 31	2035	1:134
5352	Hassayampa at Wagoner	09/26/1991	11N-3W-09	34 18 38	112 34 05	3785	1:150
5223	Hassayampa nr Morristown	05/07/1996	6N-4W-03	33 53 05	112 39 42	1830	1:132
5993	Hesperus Dam	12/18/1996	3N-6E-04	33 38 11	111 44 44	1894	1:208 ; 2:36 ; 3:68
4613	IBW at Indian Bend Rd	09/28/1983	2N-4E-11	33 32 01	111 54 48	1280	1:28
4618	IBW at Indian School Rd	11/25/1997	2N-4E-23	33 29 42	111 54 38	1235	1:30
4623	IBW Interceptor	04/21/1994	2N-4E-12	33 32 00	111 53 55	1280	1:32
4628	IBW at McDonald	11/24/1997	2N-4E-11	33 31 26	111 54 33	1262	1:34
4693	IBW at Shea	06/09/1998	3N-4E-29	33 34 55	111 58 03	1350	1:50
4643	IBW at Sweetwater	12/27/1990	3N-3E-13	33 36 15	112 00 18	1400	1:38
4603	IBW near McKellips Rd	05/21/1985	1N-4E-11	33 26 58	111 54 58	1187	1:26
5218	Jackrabbit Wash	10/31/2000	4N-6W-04	33 42 57	112 52 54	2130	1:130
4678	Lake Marguerite	11/25/1997	3N-4E-36	33 33 49	111 53 56	1325	1:45
4578	Laveen Basin	11/07/2006	1N-2E-34	33 23 25	112 09 03	1015	1:21 ; 2:3 ; 3:5
6718	Magma FRS	11/15/2007	4S-9E-35	33 07 11	111 24 12	1625	1:243 ; 2:48 ; 3:89
7013	Martinez Creek	11/23/1994	8N-5W-17	34 01 44	112 47 30	2300	1:273
5923	McDowell Mountain Road	05/18/2004	4N-6E-26	33 39 24	111 42 23	1620	1:201

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2012– Sorted by Name

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev	Page #s
5448	McMicken Dam	03/24/1983	4N-2W-24	33 40 38	112 25 23	1361	1:167 ; 2:28 ; 3:52
5443	McMicken Dam at Bell Rd	03/04/2009	4N-2W-34	33 38 18	112 27 41	1350	1:165
5438	McMicken Floodway	09/03/1992	4N-1E-18	33 41 04	112 24 24	1337	1:163
5598	New River at Bell Rd	04/04/1990	3N-1E-03	33 38 18	112 14 27	1200	1:190
5508	New River at Glendale	03/21/1990	3N-1E-08	33 32 14	112 17 00	1050	1:176
5613	New River Dam Outlet	04/15/1986	5N-1E-35	33 44 09	112 13 31	1498	1:192
5614	New River Dam Pool	04/15/1986	5N-1E-35	33 44 09	112 13 31	1498	2:30 ; 3:56
5638	New River Fire	07/20/2005	7N-3E-04	33 58 33	112 03 38	2483	1:194
5983	North Heights Dam	10/11/1996	3N-6E-09	33 37 17	111 44 52	1819	1:206 ; 2:34 ; 3:64
4748	Old Crosscut at McDowell	07/27/1994	1N-4E-06	33 27 56	111 58 48	1250	1:54
6538	Pecos Basin	01/06/2009	1S-4E-32	33 17 38	111 58 39	1185	1:217 ; 2:39 ; 3:74
6533	Pecos East Inflow	01/21/2009	1S-4E-32	33 17 48	111 58 42	1175	1:212
6532	Pecos North Inflow	01/21/2009	1S-4E-31	33 17 49	111 58 50	1180	1:210
6537	Pecos Sediment Basin	01/06/2009	1S-4E-32	33 17 38	111 58 39	1185	1:216 ; 2:38 ; 3:72
6534	Pecos West Inflow	01/21/2009	1S-4E-31	33 17 39	111 58 59	1170	1:214
4828	Phoenix Basin #3	12/18/2001	3N-3E-22	33 35 12	112 02 49	1356	1:72 ; 2:12 ; 3:23
4838	Phoenix Basin #4	07/06/2009	3N-3E-34	33 33 31	112 02 34	1310	1:75 ; 2:13 ; 3:25
4853	Phoenix Basin #7	12/19/2001	3N-3E-17	33 36 04	112 04 21	1369	1:78 ; 2:16 ; 3:31
4843	Phoenix Basin #99	07/07/2009	3N-3E-26	33 34 30	112 00 52	1455	1:76 ; 2:14 ; 3:27
4789	Phoenix Basin 2a	06/29/2009	3N-3E-16	33 36 13	112 03 53	1380	1:63 ; 2:9 ; 3:17
4778	Phoenix Basin 2b	06/30/2009	3N-3E-16	33 36 24	112 03 29	1420	1:62 ; 2:8 ; 3:15
4848	Phoenix East Park Dam	11/28/2001	3N-3E-29	33 34 45	112 04 37	1348	1:77 ; 2:15 ; 3:29
4858	Phoenix West Park Dam	11/29/2001	3N-3E-20	33 35 23	112 04 55	1312	1:79 ; 2:17 ; 3:33
5678	Picacho Wash	04/11/2012	6N-2W-28	33 50 08	112 28 32	1975	1:196
7113	Powder House Wash	05/18/1995	7N-4W-06	33 58 50	112 42 59	2120	1:285
6708	Powerline Floodway	02/13/2008	1S-7E-28	33 19 16	111 38 10	1385	1:241
6683	Powerline FRS	12/03/1992	1S-8E-09	33 21 22	111 32 14	1580	1:234 ; 2:44 ; 3:82
4573	Price Drain at Loop 202	02/18/2001	1N-5E-18	33 26 04	111 53 25	1215	1:19
6707	Queen Creek at Rittenhouse	09/14/1993	2S-7E-25	33 13 50	111 35 41	1400	1:239
6723	Queen Creek at CAP	01/14/1999	2S-8E-26	33 12 22	111 30 15	1565	1:244
6953	Rainbow Wash at SR 85	11/06/2000	2S-4W-23	33 14 08	112 38 22	900	1:267
4863	Rawhide Wash	07/26/1999	5N-4E-36	33 44 27	111 53 55	2205	1:80
4938	Reata Pass Dam	10/02/2001	5N-5E-33	33 44 06	111 50 39	2600	1:96 ; 2:19 ; 3:37
4588	Reata Pass Wash	05/15/2001	4N-5E-17	33 41 52	111 51 51	2170	1:24
6703	Rittenhouse FRS	09/27/1988	2S-8E-02	33 17 22	111 29 49	1580	1:238 ; 2:46 ; 3:86
5113	Saddleback FRS	12/16/1988	2N-10W-34	33 27 55	113 04 21	1177	1:118 ; 2:21 ; 3:38
4583	Salt River blw Granite Reef	04/02/2012	2N-6E-13	33 30 54	111 41 56	1295	1:22
4548	Salt River at Val Vista Dr	04/13/2011	2N-6E-29	33 29 03	111 45 44	1260	1:14
4523	Salt River at Priest Dr	12/07/1993	1N-4E-17	33 26 00	111 57 43	1133	1:12
4763	Salt River at 7th Ave	01/25/2012	1N-3E-19	33 25 08	112 04 56	1065	1:60
4753	Salt River at 51st Ave	04/27/2011	1N-2E-29	33 24 15	112 10 08	1010	1:56
4758	Salt River at 67th Ave	07/14/2008	1N-2E-30	33 23 52	112 12 13	975	1:58
6933	Sand Tank Wash at I-8	05/31/2001	6S-4W-06	32 55 59	112 42 20	775	1:265
0788	Santa Cruz at SR 84	03/16/1994	7S-5E-21	32 52 47	111 49 43	1311	1:6
0798	Santa Rosa at SR 84	03/16/1994	7S-4E-20	32 52 49	111 56 46	1305	1:10

Flood Control District of Maricopa County
ALERT System Water Level Sensors WY 2012– Sorted by Name

ID #	Gage Name	Installed	T-R-S	Latitude	Longitude	Elev	Page #s
6923	Sauceda Wash	02/28/1990	6S-5W-04	32 52 27	112 44 57	726	1:263
5543	Scatter Wash	09/18/1996	4N-2E-27	33 40 09	112 08 25	1340	1:182
4963	Seven Springs Wash	03/12/2002	7N-5E-09	33 57 39	111 50 45	3470	1:99
6628	Signal Butte FRS	11/10/1987	1N-7E-12	33 26 25	111 35 25	1650	1:228 ; 2:42 ; 3:78
5568	Skunk Creek at I-17	10/26/1989	5N-2E-35	33 43 47	112 07 21	1475	1:184
5588	Skunk Creek near New River	06/21/1995	7N-3E-29	33 55 34	112 04 56	1854	1:188
4888	Skunk Tank Wash	03/02/2006	6N-3E-29	33 50 24	112 04 58	1865	1:82
7028	Sols Trib near US 93	01/30/2002	8N-6W-11	34 03 10	112 50 59	2580	1:275
5276	Sols Wash at SR 71	09/10/2001	9N-7W-14	34 07 07	112 57 45	2740	1:142
7043	Sols Wash near Matthie	08/04/1995	8N-5W-32	33 59 14	112 47 33	2220	1:277
6563	South Mountain Fan	06/09/1993	1S-2E-26	33 18 56	112 07 59	1420	1:218
6693	Spookhill Brown	06/04/2008	1N-7E-16	33 26 12	111 38 53	1595	1:236
4563	Spookhill FRS	03/13/1984	2N-7E-31	33 28 01	111 40 48	1595	1:16 ; 2:2 ; 3:3
6637	Spookhill McDowell	06/19/2008	1N-7E-06	33 27 58	111 40 42	1605	1:229
6638	Spookhill McKellips	06/19/2008	1N-7E-07	33 27 05	111 40 03	1626	1:231
4913	Stagecoach Wash	06/13/2001	5N-5E-06	33 48 42	111 53 27	2550	1:90
5968	Stoneridge Dam	12/11/1996	3N-6E-22	33 35 41	111 43 57	1710	1:203 ; 2:31 ; 3:58
5303	Sun Valley at Northern	08/02/2005	3N-4W-32	33 33 12	112 40 41	1395	1:146
5248	Sunnycove FRS	07/31/1986	7N-5W-11	33 57 25	112 44 24	2200	1:137 ; 2:26 ; 3:48
5973	Sunridge Canyon Dam	02/04/1997	3N-6E-16	33 36 23	111 45 01	1932	1:204 ; 2:32 ; 3:60
5233	Sunset FRS	02/12/1989	7N-5W-11	33 57 50	112 44 33	2100	1:136 ; 2:25 ; 3:46
5873	Sycamore Creek Fire	06/27/2012	7N-8E-25	33 55 58	111 28 46	3805	1:198
0773	Tat Momolikot Dam	01/21/1998	9S-4E-30	32 30 46	111 57 06	1540	1:1 ; 2:1 ; 3:1
4653	Tatum Wash Basin	05/08/1998	3N-4E-30	33 34 57	111 58 58	1394	1:41 ; 2:5 ; 3:9
4638	Tatum Wash Basin Inflow	05/06/1998	3N-4E-30	33 34 54	111 59 01	1397	1:36
5163	Tiger Wash	09/15/1999	5N-10W-26	33 45 30	113 16 43	1960	1:124
5488	Upper Trilby Wash	09/26/2001	7N-3W-12	33 57 39	112 31 43	3040	1:170
6983	Vekol Wash	03/07/1990	7S-1E-03	32 50 30	112 14 58	1720	1:271
6688	Vineyard FRS	11/02/1983	1S-8E-09	33 21 10	111 32 06	1582	1:235 ; 2:47 ; 3:84
5263	Vulture Mine Road	10/26/2005	7N-5W-16	33 57 09	112 46 18	2380	1:138
6833	Waterman at Rainbow	03/18/1999	2S-2W-14	33 15 40	112 26 38	1085	1:251
6753	Weekes Wash Baseline	05/27/2008	1S-8E-04	33 22 44	111 32 15	1630	1:247
5418	White Tank FRS #3	03/12/1986	2N-2W-09	33 32 01	112 28 14	1190	1:158 ; 2:27 ; 3:50
6823	White Tank FRS #4	01/09/1986	1N-2W-05	33 27 04	112 29 40	1044	1:250 ; 2:50 ; 3:94
6739	Whitlow Ranch Dam	01/08/1998	1S-10E-36	33 17 55	111 16 35	2199	1:246 ; 2:48 ; 3:90
5098	Winters at Indian School	07/14/2005	2N-6W-19	33 29 38	112 55 04	1105	1:112
5118	Winters Wash	07/11/2000	2N-6W-18	33 30 33	112 54 44	1125	1:119

SUMMARY OF SIGNIFICANT STREAMFLOW EVENTS

The winter rainy season was mostly uneventful. Precipitation during the winter months was sparse with few storm events. Winter streamflow activity was confined to a few storm events, notably November 5, 2011, December 13, 2011, and March 18, 2012. January and February were nearly absent of rainfall.

The summer monsoon season provided a bit more precipitation for Maricopa County. With the exception of the western Salt River Valley, most areas experienced runoff, including a number of sites logging record runoff. In total, summer rains caused runoff at about 75 percent of the stream gages. Moreover, 15 stations (8 percent) had peaks of record.

Rainfall began in early July and continued through most of the month. The northwest part of the county experienced high runoff on July 14. The skies dried in late July causing the typically wet end of July / beginning of August period to be very hot and dry. Following that lull in precipitation, a wetter period ensued. The most significant runoff of the summer occurred during two periods in late August (21 – 23) and early September (4 – 10).

Highlights of the runoff and impoundment events are summarized on the following two pages.

Maximum Flows for Water Year 2012 at Selected FCDMC Water Level Sensor Locations

Location	Discharge (cfs)	Stage (feet)	Contents (ac-ft)	Contents (%full)	Date
Adobe Dam Outlet (5538)	340	3.68			08/23/2012
Antelope Creek (7168)	1,071	3.12			07/14/2012
Bender Wash (6963)	600	4.60			07/29/2012
*Box Wash (5273)	307	2.02			08/23/2012
*Casandro Wash (7093)	446	5.66			07/14/2012
Cave Creek (4893)	3,133	5.55			08/23/2012
Cave Creek Ashdale (4947)	2,050	7.36			09/07/2012
Cave Creek near Cave Creek (4918)	1,017	2.85			08/23/2012
Centennial Wash at SPRR (5103)	7,596	13.26			08/23/2012
Centennial Wash at Wenden (5093)	2,372	3.50			07/14/2012
*Cline Creek (5583)	1,952	6.06			09/10/2012
*Columbus Wash (5013)	615	2.45			09/04/2012
*Cruff Wash (5078)	1,043	4.13			08/21/2012
*Daggs Wash (5498)	591	2.02			08/23/2012
*EMF at Broadway Road (6573)	4,292	5.08			09/07/2012
*EMF at Queen Creek Road (6583)	3,167	4.41			09/07/2012
Fourth of July Wash (5043)	1,300	3.12			08/21/2012
*Granite Reef Wash (4728)	666	7.08			08/23/2012
Hassayampa River at Box Canyon (5308)	4,683	9.45			08/23/2012
Hassayampa River at Morristown (5223)	3,653	10.70			07/14/2012
Hassayampa River at US60 (5228)	3,599	2.45			08/23/2012
IBW at Indian School Road (4618)	1,093	3.04			08/23/2012
IBW near McKellips Road (4603)	1,156	2.90			08/23/2012
Jackrabbit Wash (5218)	5,200	5.52			07/14/2012
Martinez Creek (7013)	1,951	5.45			07/14/2012
New River Dam Outlet (5613)	462	6.05			08/01/2012
*Picacho Wash (5678)	582	2.55			08/16/2012
Powderhouse Wash (7113)	853	1.60			07/14/2012
*Powerline Floodway (6708)	1,077	4.70			09/04/2012
*Rainbow Wash (6953)	2,695	5.00			08/21/2012
Sand Tank Wash at I-8 (6933)	1,429	4.15			09/07/2012
Seven Springs Wash (4963)	1,843	6.60			09/07/2012

Location	Discharge (cfs)	Stage (feet)	Contents (ac-ft)	Contents (%full)	Date
Skunk Creek at I-17 (5568)	2,472	3.44			08/23/2012
*Skunk Tank Wash (4888)	262	6.95			08/23/2012
Sols Wash near Matthie (7043)	4,123	3.98			07/14/2012
Sycamore Creek Fire (5871)	7,906	11.96			08/16/2012
Sycamore Creek Fire (5873)	7,676	11.84			08/16/2012
*Tiger Wash (5163)	4,541	9.28			07/14/2012
*Waterman Wash at Rainbow Valley Road (6833)	2,937	9.62			08/22/2012

*Indicates that a record high flow occurred for the period of record for the gage station.

Maximum Impoundments for Water Year 2012 at Selected FCDMC Water Level Sensor Locations

Location	Discharge (cfs)	Stage (feet)	Contents		Date
			(ac-ft)	(%full)	
Adobe Dam Pool (5539)	340	7.05	157	17.3	08/23/2012
Casandro Dam (7133)	15	7.29	29.2	20.0	07/14/2012
Cave Buttes Dam Pool (4904)	140	8.40	9.0	1.3	08/23/2012
Harquahala FRS (5128)	0	12.45	14.0	5.2	08/23/2012
Laveen Basin (4578)	12	5.75	14.0	9.9	08/23/2012
New River Dam (5614)	425	6.48	286	1.5	08/01/2012
Pecos Basin Pool (6538)	56	7.15	2.8	2.3	08/22/2012
Pecos Basin Sediment Pool (6537)	0	5.06	9.9	21.6	08/17/2012
Phoenix Basin #2A (4789)	20	5.00	7.5	12.6	09/07/2012
Powerline FRS (6683)	55	4.15	352	8.5	09/04/2012
Rittenhouse FRS (6703)	92	7.82	133	7.8	08/23/2012
Sunnycove FRS (5248)	0	12.65	14.7	8.4	07/15/2012
Sunset FRS (5233)	0	7.23	11.1	12.7	07/14/2012
Tat Momolikot Dam (0773)	0	11.56	3248	4.6	09/13/2012
Vineyard FRS (6688)	63	3.20	269	8.5	09/04/2012

DATA PRESENTATION

The following three sections present the data collected by the Flood Control District ALERT system. Data have been retrieved from a Hydrolynx® NovaStar5 database, maintained at the Flood Control District of Maricopa County.

The first section is Surface Water Streamflow data. This section contains data from free-flowing stream sites and discharges from dams and detention basins. The second section contains Pool Level data from storage structures, both dams and basins. The third section presents Storage Volume data for both dams and basins. The data are in acre-feet of storage volume.

In the tables where there are dashes “- -” on a particular date or dates, the gage was down. Typically a gage is down when the gage itself fails, or a transmitter or repeater fails. In the case of transmitter failure or repeater failure, data for that date is available by manual download. However, when no event has occurred, the data will typically not be retrieved from the device.

**SURFACE WATER
STREAMFLOW
DATA**

(sorted by ID number)

<i>Tat Momolikot Dam</i>			
STATION ID	0773*	DRAINAGE AREA	1,780 MI ²
IN-SERVICE DATE	01/24/2000		
PERIOD OF AVAILABLE RECORD	01/24/2000 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	11.56 FEET	09/13/2012
EXTREME FOR PERIOD OF RECORD	0 CFS	11.56 FEET	09/13/2012
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												---
4												
5												
6												
7												
8												
9												
10												
11						---						
12						---						
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

*Gage ID was 0768 prior to January 24, 2000.

**FCD Operated gage since January 1998. However, this float gage did not operate properly. A pressure transducer gage was installed January 24, 2000 and all previous data were deleted. Previously, the US Army Corps of Engineers, Los Angeles District maintained a gage at this location.

See also Pool Level and Storage Volume data.

<i>Gila River at Maricopa Road</i>			
STATION ID	0778	DRAINAGE AREA	19,915 MI ²
IN-SERVICE DATE	10/01/1998		
PERIOD OF AVAILABLE RECORD	10/01/1998 - CURRENT YEAR		
WY 2012 PEAK	249 CFS	2.31 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	8,051 CFS	3.99 FEET	07/31/2006

See USGS Water-Data Report AZ-12-1 for official data for this site.

Flood Control District of Maricopa County ALERT System


Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												30
8												
9												
10												
11												
12												
13												
14												
15											1	
16												
17												
18												
19												
20												
21											1	
22											6	
23											2	
24											1	
25												
26												
27												
28												
29										1		
30										1		
31		---			---		---		---			---
TOTAL	0	0	0	0	1	0	0	0	0	2	11	30
MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	0	0	0	0	0	0	0	0	0	3	19	249
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	2	0	0	0	0	4	22	59
WTR YR 2012	TOTAL	44	MEAN	0	MAX	249	MIN	0	AC_FT	87		

NOTE: The USGS maintains a gage at this site in cooperation with ADOT. See USGS Gage #09479350

GILA RIVER AT MARICOPA ROAD - ALL RUNOFF DATA



<i>Gila River at Olberg Road</i>			
STATION ID	0783	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	04/12/1995		
PERIOD OF AVAILABLE RECORD	04/12/1995 - CURRENT YEAR		
WY 2012 PEAK	792 CFS	1.44 FEET	07/29/2012
EXTREME FOR PERIOD OF RECORD	5,867 CFS	6.16 FEET	08/02/2006


Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15										29		
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29										64		
30					---					12		
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	105	0	0
MEAN	0	0	0	0	0	0	0	0	0	3	0	0
MAX	0	0	0	0	0	0	0	0	0	792	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	208	0	0
WTR YR 2012	TOTAL	105	MEAN	0	MAX	792	MIN	0	AC_FT	208		

*USGS maintained a gage at this site prior to October 1, 1998 (09478350)

GILA RIVER AT OLBERG - ALL RUNOFF DATA





Santa Cruz River at SR 84			
STATION ID	0788	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	03/16/1994		
PERIOD OF AVAILABLE RECORD	03/16/1994 - CURRENT YEAR		
WY 2012 PEAK	50 CFS	0.90 FEET	07/04/2012
EXTREME FOR PERIOD OF RECORD	1,736 CFS	4.38 FEET	08/02/2006

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4										2		
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21											1	
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	2	1	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	50	13	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	3	2	0
WTR YR 2012	TOTAL	3	MEAN	0	MAX	50	MIN	0	AC_FT	6		



Flood Frequency computed from annual peaks


Greene Wash at SR 84			
STATION ID	0793	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	03/23/1994		
PERIOD OF AVAILABLE RECORD	03/23/1994 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	1,391 CFS	3.67 FEET	08/02/2006

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8											---	
9											---	
10											---	
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	0	1	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	1	0	0	0	0	0	1	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	1	0	0	0	0	0	1	0	0
WTR YR 2012	TOTAL	1	MEAN	0	MAX	1	MIN	0	AC_FT	2		

GREENE WASH AT SR 84 - ALL RUNOFF DATA



<i>Santa Rosa Wash at SR 84</i>			
STATION ID	0798	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	03/16/1994		
PERIOD OF AVAILABLE RECORD	03/16/1994 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	576 CFS	0.41 FEET	10/25/2000
EXTREME OUTSIDE PERIOD OF RECORD	53,100 CFS	UNAVAILABLE	09/27/1962


Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1									---	---	---	---
2									---	---	---	---
3									---	---	---	---
4									---	---	---	---
5									---	---	---	---
6									---	---	---	---
7									---	---	---	---
8									---	---	---	---
9									---	---	---	---
10									---	---	---	---
11									---	---	---	---
12									---	---	---	---
13									---	---	---	---
14									---	---	---	---
15									---	---	---	---
16									---	---	---	---
17									---	---	---	---
18									---	---	---	---
19									---	---	---	---
20									---	---	---	---
21									---	---	---	---
22									---	---	---	---
23									---	---	---	---
24									---	---	---	---
25									---	---	---	---
26									---	---	---	---
27									---	---	---	---
28									---	---	---	---
29									---	---	---	---
30					---			---	---	---	---	---
31		---			---		---	---	---	---	---	---
TOTAL	0	0	0	0	0	0	0	0	---	---	---	---
MEAN	0	0	0	0	0	0	0	0	---	---	---	---
MAX	0	0	0	0	0	0	0	0	---	---	---	---
MIN	0	0	0	0	0	0	0	0	---	---	---	---
AC_FT	0	0	0	0	0	0	0	0	---	---	---	---
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

NOTE: Station was removed temporarily for construction on May 29 through September 30, 2012.

SANTA ROSA WASH AT SR 84 - ALL RUNOFF DATA



<i>Salt River at Priest Drive</i>			
STATION ID	4523	DRAINAGE AREA	13,223 MI ²
IN-SERVICE DATE	12/07/1993		
PERIOD OF AVAILABLE RECORD	12/07/1993 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	78,850 CFS	12.57 FEET	02/16/1995



See USGS Water-Data Report AZ-12-1 for official data for this site.

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31	---				---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		



Flood Frequency computed from Roosevelt Dam Reconstruction


<i>Salt River at Val Vista Drive</i>			
STATION ID	4548	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	04/13/2011		
PERIOD OF AVAILABLE RECORD	04/13/2011 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	0 CFS	NONE	NONE

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	9	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	9	MIN	0	AC_FT	0		

SALT RIVER AT VAL VISTA DRIVE - ALL RUNOFF DATA



Spookhill FRS			
STATION ID	4563	DRAINAGE AREA	13.6 MI ²
IN-SERVICE DATE	03/13/1984		
PERIOD OF AVAILABLE RECORD	12/30/1987 - CURRENT YEAR		
WY 2012 PEAK	43 CFS	4.96 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	55 CFS	8.90 FEET	07/10/2008
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												23
8												43
9												42
10												37
11												12
12												
13			4									6
14			30							11		19
15			16							35		17
16			28							23		9
17			27							1		4
18			26									1
19			25									
20			24									
21			22									
22			17									
23											28	
24											32	
25											32	
26											31	
27											17	
28												
29												
30						---						
31		---				---		---		---		---
TOTAL	0	0	219	0	0	0	0	0	0	70	142	212
MEAN	0	0	7	0	0	0	0	0	0	2	5	7
MAX	0	0	36	0	0	0	0	0	0	36	34	43
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	435	0	0	0	0	0	0	139	281	420
WTR YR 2012	TOTAL	643	MEAN	2	MAX	43	MIN	0	AC_FT	1275		

NOTE: Outflow controlled by gated outlet below 9.5 feet gage height.

See also Pool Level and Storage Volume data.

<i>Granite Reef Diversion</i>			
STATION ID	4568	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	07/21/2005		
PERIOD OF AVAILABLE RECORD	07/21/2005 - CURRENT YEAR		
WY 2012 PEAK	482 CFS	1.38 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	751 CFS	1.75 FEET	07/10/2008

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13				1								
14										10		
15												
16												
17												
18												
19												
20												
21												
22												
23											15	
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---

TOTAL	0	0	0	1	0	0	0	0	0	10	15	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	4	0	1	0	0	0	401	482	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	2	0	1	0	0	0	21	30	0

WTR YR 2012 TOTAL 27 MEAN 0 MAX 482 MIN 0 AC_FT 53

GRANITE REEF - ALL RUNOFF DATA



Price Drain at Loop 202


STATION ID	4573	DRAINAGE AREA	UNDETERMINED	
IN-SERVICE DATE	02/18/2001			
PERIOD OF AVAILABLE RECORD	02/18/2001 - CURRENT YEAR			
WY 2012 PEAK	142 CFS	3.08 FEET	07/14/2012	
EXTREME FOR PERIOD OF RECORD	993 CFS	8.50 FEET	03/04/2004	

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
1	5			1				2	1	1	3	4	
2	1					1					5	5	
3	1					3		3		7	6	5	
4	1					4		2		6	5	14	
5	10							1	1	6	3	4	
6	2					1		1	3	6	4	1	
7	3	1						2	8	4	1	16	
8	3							4	7	4		23	
9	3							5	5	6	2	20	
10	4							9	5	5	3	18	
11	6							2	4	3	3	17	
12	6							2	5	7	1	6	
13	7		10					2	4	4	2	6	
14	4		19					2	5	17	4	7	
15	3		10				1	2	4	21	6	4	
16	1		1				5	2	2	16	6	2	
17	2						1	1	1	13	12	1	
18								3		11	5	1	
19			1					4	4	11	4		
20	1						1	4	4	5	4	1	
21	1						2	3	6	2	15		
22	1						1	2	8	8	14		
23	1						2	3	4	4	27	1	
24							4	5	2	2	24		
25	1						3	4	4		7	1	
26							7	4	2	1	4	2	
27	2						4	2			3	4	
28	2						3	1	2	2	3	5	
29	2						2	4		12	5	4	
30			3		---		2	2		3	5	4	
31	1	---	4		---		---	3	---	4	7	---	
TOTAL	75	1	49	4	0	11	37	84	92	192	193	177	
MEAN	2	0	2	0	0	0	1	3	3	6	6	6	
MAX	19	7	48	3	0	8	15	19	13	142	125	32	
MIN	0	0	0	0	0	0	0	0	0	0	0	0	
AC_FT	149	2	98	7	0	21	73	166	182	380	382	351	
WTR YR 2012	TOTAL		914	MEAN		2	MAX	142	MIN		0	AC_FT	1812



<i>Laveen Basin</i>			
STATION ID	4578	DRAINAGE AREA	NOT DETERMINED
IN-SERVICE DATE	11/07/2006		
PERIOD OF AVAILABLE RECORD	11/07/2006 - CURRENT YEAR		
WY 2012 PEAK	12 CFS	5.75 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	12 CFS	9.48 FEET	08/29/2008
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7		1										
8												
9												
10									---			
11												
12											7	
13											3	
14												
15												
16												
17												
18												
19												
20												
21												
22											12	
23											12	
24											12	
25											11	
26											9	
27											8	
28											6	
29											1	
30					---							
31		---			---		---		---			---
TOTAL	0	1	0	0	0	0	0	0	0	10	72	0
MEAN	0	0	0	0	0	0	0	0	0	0	2	0
MAX	0	2	0	0	0	0	0	0	0	8	12	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	2	0	0	0	0	0	0	0	20	142	0
WTR YR 2012	TOTAL	83	MEAN	0	MAX	12	MIN	0	AC_FT	165		

<i>Salt River below Granite Reef Dam</i>			
STATION ID	4583	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	04/02/2012		
PERIOD OF AVAILABLE RECORD	04/02/2012 – CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	0 CFS	NONE	NONE


Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---					
2	---	---	---	---	---	---						
3	---	---	---	---	---	---						
4	---	---	---	---	---	---						
5	---	---	---	---	---	---						
6	---	---	---	---	---	---						
7	---	---	---	---	---	---						
8	---	---	---	---	---	---						
9	---	---	---	---	---	---						
10	---	---	---	---	---	---						
11	---	---	---	---	---	---						
12	---	---	---	---	---	---						
13	---	---	---	---	---	---						
14	---	---	---	---	---	---						
15	---	---	---	---	---	---						
16	---	---	---	---	---	---						
17	---	---	---	---	---	---						
18	---	---	---	---	---	---						
19	---	---	---	---	---	---						
20	---	---	---	---	---	---						
21	---	---	---	---	---	---						
22	---	---	---	---	---	---						
23	---	---	---	---	---	---						
24	---	---	---	---	---	---						
25	---	---	---	---	---	---						
26	---	---	---	---	---	---						
27	---	---	---	---	---	---						
28	---	---	---	---	---	---						
29	---	---	---	---	---	---						
30	---	---	---	---	---	---						
31	---	---	---	---	---	---	---		---			---
TOTAL	---	---	---	---	---	---	0	0	0	0	0	0
MEAN	---	---	---	---	---	---	0	0	0	0	0	0
MAX	---	---	---	---	---	---	0	0	0	0	0	0
MIN	---	---	---	---	---	---	0	0	0	0	0	0
AC_FT	---	---	---	---	---	---	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

NOTE: Gaging established during Water Year 2012 on April 2, 2012.

SALT RIVER BELOW GRANITE REEF DAM - ALL RUNOFF DATA




<i>Reata Pass Wash</i>			
STATION ID	4588	DRAINAGE AREA	7.9 MI ²
IN-SERVICE DATE	05/15/2001		
PERIOD OF AVAILABLE RECORD	05/15/2001 - CURRENT YEAR		
WY 2012 PEAK	109 CFS	0.68 FEET	09/09/2012
EXTREME FOR PERIOD OF RECORD	649 CFS	1.52 FEET	09/03/2006

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												6
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	7
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	109
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	13
WTR YR 2012	TOTAL	7	MEAN	0	MAX	109	MIN	0	AC_FT	13		

REATA PASS WASH - ALL RUNOFF DATA





<i>Indian Bend Wash near McKellips Road</i>			
STATION ID	4603	DRAINAGE AREA	101 MI ²
IN-SERVICE DATE	05/21/1985		
PERIOD OF AVAILABLE RECORD	11/10/1987 - CURRENT YEAR		
WY 2012 PEAK	1,156 CFS	2.90 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	4,784 CFS	6.20 FEET	10/06/1993

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												74
8												31
9								2				
10												
11												
12										1		
13			7									
14			31							3		
15			10							12		
16										9		
17			9									
18			4									
19												
20												
21												
22											1	
23											376	
24											51	
25											6	
26												
27												
28												
29												---
30					---							---
31		---			---		---		---			---
TOTAL	0	0	60	0	0	0	0	2	0	25	434	105
MEAN	0	0	2	0	0	0	0	0	0	1	14	4
MAX	0	0	49	0	0	0	0	20	0	72	1156	182
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	119	0	0	0	0	3	0	50	860	209
WTR YR 2012	TOTAL	626	MEAN	2	MAX	1156	MIN	0	AC_FT	1241		



Flood Frequency computed from annual peaks


<i>Indian Bend Wash near Indian Bend Road</i>			
STATION ID	4613	DRAINAGE AREA	88 MI ²
IN-SERVICE DATE	09/28/1983		
PERIOD OF AVAILABLE RECORD	03/27/1992 - CURRENT YEAR		
WY 2012 PEAK	464 CFS	2.75 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	9,324 CFS	5.85 FEET	07/24/1992

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13			1									
14			1									
15			1									
16												
17												
18												
19												
20												
21												
22												
23											99	
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	3	0	0	0	0	0	0	0	100	0
MEAN	0	0	0	0	0	0	0	0	0	0	3	0
MAX	0	0	17	0	0	0	0	0	0	0	464	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	5	0	0	0	0	0	0	0	198	0
WTR YR 2012	TOTAL	102	MEAN	0	MAX	464	MIN	0	AC_FT	203		

INDIAN BEND WASH NEAR INDIAN BEND ROAD - ALL RUNOFF DATA



Indian Bend Wash near Indian Bend Road
Peak Annual Discharge



Flood Frequency computed from annual peaks



<i>Indian Bend Wash at Indian School Road</i>			
STATION ID	4618	DRAINAGE AREA	90 MI ²
IN-SERVICE DATE	11/25/1997		
PERIOD OF AVAILABLE RECORD	11/25/1997 - CURRENT YEAR		
WY 2012 PEAK	1,093 CFS	3.04 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	2,182 CFS	5.18 FEET	08/03/2005

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4			2									
5												
6												
7												16
8												
9												
10												
11												
12												
13			3									
14												
15												
16												
17												
18												
19												
20						1						
21												
22												
23											355	
24											4	
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
TOTAL	0	0	6	0	0	1	0	0	0	0	359	16
MEAN	0	0	0	0	0	0	0	0	0	0	12	1
MAX	0	0	78	0	0	5	0	0	0	0	1093	211
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	12	0	0	3	0	0	0	0	713	32
WTR YR 2012	TOTAL	383	MEAN	1	MAX	1093	MIN	0	AC_FT	759		



Flood Frequency computed from annual peaks


<i>Indian Bend Wash Interceptor Channel</i>			
STATION ID	4623	DRAINAGE AREA	35 MI ²
IN-SERVICE DATE	04/21/1994		
PERIOD OF AVAILABLE RECORD	04/21/1994 - CURRENT YEAR		
WY 2012 PEAK	379 CFS	2.98 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	480 CFS	3.35 FEET	08/24/2006

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											43	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	43	0
MEAN	0	0	0	0	0	0	0	0	0	0	1	0
MAX	0	0	0	0	0	0	0	0	0	0	379	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	86	0
WTR YR 2012	TOTAL	43	MEAN	0	MAX	379	MIN	0	AC_FT	86		

INDIAN BEND WASH INTERCEPTOR CHANNEL - ALL RUNOFF DATA





<i>Indian Bend Wash at McDonald Drive</i>			
STATION ID	4628	DRAINAGE AREA	88 MI ²
IN-SERVICE DATE	11/24/1997		
PERIOD OF AVAILABLE RECORD	11/24/1997 - CURRENT YEAR		
WY 2012 PEAK	683 CFS	0.98 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	3,718 CFS	3.83 FEET	08/24/2006

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9								3				
10								2				
11												
12												
13			3									
14			13									
15			9									
16												
17												
18						1						
19												
20												
21												
22												
23										197		
24										14		
25										9		
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	25	0	0	1	0	5	0	1	221	0
MEAN	0	0	1	0	0	0	0	0	0	0	7	0
MAX	0	0	16	0	0	1	0	7	0	9	683	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	50	0	0	1	0	9	0	1	438	0
WTR YR 2012	TOTAL	252	MEAN	1	MAX	683	MIN	0	AC_FT	499		





Flood Frequency computed from annual peaks

<i>Tatum Wash Inflow</i>			
STATION ID	4638	DRAINAGE AREA	2.17 MI ²
IN-SERVICE DATE	06/03/1994		
PERIOD OF AVAILABLE RECORD	06/03/1994 - CURRENT YEAR		
WY 2012 PEAK	35 CFS	0.35 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	805 CFS	2.28 FEET	08/24/2006

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												1
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31	---				---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	1
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	35
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	1
WTR YR 2012	TOTAL		1	MEAN	0	MAX	35	MIN	0	AC_FT		1



Flood Frequency computed from annual peaks

<i>Indian Bend Wash at Sweetwater</i>			
STATION ID	4643	DRAINAGE AREA	9.2 MI ²
IN-SERVICE DATE	12/27/1990		
PERIOD OF AVAILABLE RECORD	12/27/1990 - CURRENT YEAR		
WY 2012 PEAK	219 CFS	1.88 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	2,093 CFS	4.90 FEET	08/02/2005



Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5		6										
6												
7											12	
8												
9												
10												2
11												11
12			2									
13												
14												
15												
16												
17												
18												
19												
20												
21												
22											1	
23											11	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	6	2	0	0	0	0	0	0	0	11	26
MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	0	94	50	0	0	0	0	0	0	0	219	152
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	12	3	0	0	0	0	0	0	0	23	51
WTR YR 2012	TOTAL	45	MEAN	0	MAX	219	MIN	0	AC_FT	88		

NOTE: The gage was moved to the 36th Street bridge from the Sweetwater Road bridge on November 18, 1998.



Flood Frequency computed from annual peaks

<i>East Fork Cave Creek Basin #1</i>			
STATION ID	4648	DRAINAGE AREA	1.18 MI ²
IN-SERVICE DATE	03/02/1994		
PERIOD OF AVAILABLE RECORD	03/02/1994 - CURRENT YEAR		
WY 2012 PEAK	14 CFS	1.20 FEET	11/05/2011
EXTREME FOR PERIOD OF RECORD	106 CFS	3.92 FEET	07/14/2002
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4		1										
5		1										
6												
7		1										
8												
9												
10												1
11												
12												
13		1										
14												
15												
16												
17												
18						1						
19												
20												
21											1	
22											1	
23											2	
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
TOTAL	15	16	9	13	14	15	14	15	14	15	16	11
MEAN	0	1	0	0	0	0	0	0	0	0	1	0
MAX	0	14	0	0	0	3	0	0	0	0	14	4
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	30	31	18	26	28	30	28	29	29	30	32	21
WTR YR 2012	TOTAL	167	MEAN	0	MAX	14	MIN	0	AC_FT	332		

See also Pool Level and Storage Volume Data

<i>Tatum Wash Basin</i>			
STATION ID	4653	DRAINAGE AREA	2.17 MI ²
IN-SERVICE DATE	05/08/1998		
PERIOD OF AVAILABLE RECORD	05/08/1998 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	0.78 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	75 CFS	9.93 FEET	08/02/2005
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

See also Pool Level and Storage Volume data.

<i>East Fork Cave Creek Basin #4</i>			
STATION ID	4658	DRAINAGE AREA	0.68 MI ²
IN-SERVICE DATE	01/18/1994		
PERIOD OF AVAILABLE RECORD	01/18/1994 - CURRENT YEAR		
WY 2012 PEAK	25 CFS	1.85 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	71 CFS	3.65 FEET	07/14/1999
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5		1										
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											1	
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---

TOTAL	0	1	1	0	0	0	0	0	0	0	1	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	15	9	0	0	5	0	0	0	0	25	2
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	2	2	0	0	1	0	0	0	0	2	0

WTR YR 2012 TOTAL 4 MEAN 0 MAX 25 MIN 0 AC_FT 7



See also Pool Level and Storage Volume Data

<i>East Fork Cave Creek near 7th Avenue</i>			
STATION ID	4668	DRAINAGE AREA	14.1 MI ²
IN-SERVICE DATE	05/08/1997		
PERIOD OF AVAILABLE RECORD	05/08/1997 - CURRENT YEAR		
WY 2012 PEAK	478 CFS	2.70 FEET	09/11/2012
EXTREME FOR PERIOD OF RECORD	3,950 CFS	7.55 FEET	08/02/2005

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
1													
2													
3													
4													
5		21											
6													
7												1	
8													
9												3	
10													
11												25	
12			1										
13			1										
14													
15													
16													
17													
18						4							
19													
20													
21													
22											2		
23											15		
24													
25													
26													
27													
28													
29													
30						---							
31		---			---		---		---			---	
TOTAL	0	22	1	0	0	4	0	0	0	0	18	30	
MEAN	0	1	0	0	0	0	0	0	0	0	1	1	
MAX	0	231	11	0	0	23	0	0	0	0	242	478	
MIN	0	0	0	0	0	0	0	0	0	0	0	0	
AC_FT	0	43	3	0	0	7	0	0	0	0	35	59	
WTR YR 2012	TOTAL		74	MEAN		0	MAX	478	MIN		0	AC_FT	147



Flood Frequency computed from annual peaks

Lake Margarite			
STATION ID	4678	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	11/24/1997		
PERIOD OF AVAILABLE RECORD	11/24/1997 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	286 CFS	2.03 FEET	08/02/2005

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values



DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31	---				---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012 TOTAL 0 MEAN 0 MAX 0 MIN 0 AC_FT 0

NOTE: Approximately 60 cfs pass the gage before detection due to the elevation of the instrument.



Flood Frequency computed from annual peaks

<i>East Fork Cave Creek Basin #3</i>			
STATION ID	4683	DRAINAGE AREA	3.52 MI ²
IN-SERVICE DATE	09/13/1994		
PERIOD OF AVAILABLE RECORD	09/13/1994 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	0.28 FEET	11/04/2011
EXTREME FOR PERIOD OF RECORD	335 CFS	4.22 FEET	09/07/2006
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5		4										
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
TOTAL	0	4	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	14	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	8	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	4	MEAN	0	MAX	14	MIN	0	AC_FT	8		



See also Pool Level and Storage Volume Data

<i>Berneil Wash</i>			
STATION ID	4688	DRAINAGE AREA	8.3 MI ²
IN-SERVICE DATE	07/30/1998		
PERIOD OF AVAILABLE RECORD	07/30/1998 - CURRENT YEAR		
WY 2012 PEAK	154 CFS	0.90 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	1,120 CFS	2.88 FEET	08/24/2006

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5		9										
6			1									
7												2
8												
9												
10												
11												
12			1							5		
13			5									
14												
15												
16												
17												
18												
19												
20												
21												
22											1	
23											15	
24												
25												
26												
27												
28										1		
29												
30						---						
31		---			---		---		---			---
TOTAL	0	9	8	0	0	0	0	0	0	6	15	2
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	84	23	0	0	0	1	0	0	119	154	34
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	17	16	0	0	0	1	0	0	12	31	4
WTR YR 2012	TOTAL	40	MEAN	0	MAX	154	MIN	0	AC_FT	80		



Flood Frequency computed from annual peaks

Indian Bend Wash at Shea Boulevard

STATION ID	4693	DRAINAGE AREA	24.6 MI ²
IN-SERVICE DATE	06/09/1998		
PERIOD OF AVAILABLE RECORD	06/09/1998 - CURRENT YEAR		
WY 2012 PEAK	310 CFS	1.48 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	5,616 CFS	4.68 FEET	08/02/2005

Flood Control District of Maricopa County ALERT System



Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4		1										5
5		118										
6	39	39										
7	13	54										70
8		37										3
9		3										
10												2
11												58
12			21							6		
13		13	74							2		
14			52									
15			5									
16												
17												
18						76						
19						45						
20						2						
21		30									5	
22											59	
23											97	
24											5	
25	2											
26												
27												
28												
29												
30						---				9		
31		---			---		---		---			---

TOTAL	54	294	152	0	0	123	0	0	0	18	165	138
MEAN	2	10	5	0	0	4	0	0	0	1	5	5
MAX	68	245	87	0	0	151	0	0	0	31	310	210
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	106	584	301	0	0	244	0	0	0	36	328	274

WTR YR 2012	TOTAL	945	MEAN	3	MAX	310	MIN	0	AC_FT	1874		



Flood Frequency computed from annual peaks


Granite Reef Wash			
STATION ID	4728	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	06/26/2007		
PERIOD OF AVAILABLE RECORD	06/26/2007 - CURRENT YEAR		
WY 2012 PEAK	666 CFS	7.08 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	666 CFS	7.08 FEET	08/23/2012

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4	1											
5		3										
6												
7		2										43
8												
9								6				
10												
11												
12			1							15		
13		2	13							1		
14			1							20		
15												
16												
17											3	
18	1		1			2						
19												
20												
21											2	
22											5	
23											82	
24												
25	1											
26												
27												
28										3		
29										1		
30												
31	1	---			---		---		---			---
TOTAL	3	8	16	0	0	2	1	6	0	40	93	44
MEAN	0	0	1	0	0	0	0	0	0	1	3	1
MAX	12	31	39	0	0	11	3	57	0	237	666	565
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	7	15	32	0	0	3	1	11	0	79	184	87
WTR YR 2012	TOTAL	211	MEAN	1	MAX	666	MIN	0	AC_FT	418		

GRANITE REEF WASH - ALL RUNOFF DATA



<i>Old Crosscut Canal near McDowell Road</i>			
STATION ID	4748	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	07/27/1994		
PERIOD OF AVAILABLE RECORD	07/27/1994 - CURRENT YEAR		
WY 2012 PEAK	290 CFS	1.60 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	349 CFS	2.30 FEET	07/20/1996

Flood Control District of Maricopa County ALERT System


Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												6
8												
9												
10												
11												
12										6		
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											9	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---	6		---
TOTAL	0	0	0	0	0	0	0	0	0	13	9	6
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	74	290	141
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	25	19	13
WTR YR 2012	TOTAL	29	MEAN	0	MAX	290	MIN	0	AC_FT	57		

NOTE: Some flows occur as a result of releases by the Salt River Project from the Arizona Canal and by irrigation return water.

OLD CROSS CUT AT McDOWELL - ALL RUNOFF DATA >100 CFS




<i>Salt River at 51st Avenue</i>			
STATION ID	4753	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	04/27/2011		
PERIOD OF AVAILABLE RECORD	04/27/2011 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	0 CFS	NONE	NONE

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

SALT RIVER AT 51ST AVENUE - ALL RUNOFF DATA




<i>Salt River at 67th Avenue</i>			
STATION ID	4758	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	07/14/2008		
PERIOD OF AVAILABLE RECORD	07/14/2008 - CURRENT YEAR		
WY 2012 PEAK	< 100 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	17,847 CFS	9.43 FEET	01/22/2010

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1					8			2				6
2					11			4				
3					9			3				
4								5				
5								5				
6								4				
7	3							4				
8						6		9				
9												
10												
11												
12												
13							3	1				
14						1	3	3				
15						1		6				
16						3	1	1				
17						7					6	
18						3					3	
19												
20												
21	3									2	4	
22											25	
23							1				30	
24							1	2			8	
25						9	2			1	5	
26						44	1				4	
27						27					12	
28						11	1				7	
29				4		35	1				7	
30				20	---	34	2				8	
31		---		10	---	17	---		---		10	---
TOTAL	6	0	0	34	29	196	17	49	0	4	128	6
MEAN	0	0	0	1	1	6	1	2	0	0	4	0
MAX	19	0	0	37	19	59	31	24	0	10	105	16
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	13	0	0	68	57	390	33	97	0	7	254	12
WTR YR 2012	TOTAL	469	MEAN	1	MAX	105	MIN	0	AC_FT	930		

SALT RIVER / 67TH AVE FLOW - ALL RUNOFF DATA




<i>Salt River at 7th Avenue</i>			
STATION ID	4763	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	01/25/2012		
PERIOD OF AVAILABLE RECORD	01/25/2012 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	0.00 FEET	NONE
EXTREME FOR PERIOD OF RECORD	0 CFS	0.00 FEET	NONE

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---			---					
2	---	---	---	---			---					
3	---	---	---	---			---					
4	---	---	---	---			---					
5	---	---	---	---								
6	---	---	---	---								
7	---	---	---	---								
8	---	---	---	---								
9	---	---	---	---								
10	---	---	---	---								
11	---	---	---	---								
12	---	---	---	---								
13	---	---	---	---								
14	---	---	---	---								
15	---	---	---	---								
16	---	---	---	---		---						
17	---	---	---	---		---						
18	---	---	---	---		---						
19	---	---	---	---		---						
20	---	---	---	---		---						
21	---	---	---	---		---						
22	---	---	---	---		---						
23	---	---	---	---		---						
24	---	---	---	---		---						
25	---	---	---	---		---						
26	---	---	---	---		---						
27	---	---	---	---		---						
28	---	---	---	---		---						
29	---	---	---	---		---						
30	---	---	---	---	---	---						
31	---	---	---	---	---	---	---		---			---
TOTAL	---	---	---	0	0	0	0	0	0	0	0	0
MEAN	---	---	---	0	0	0	0	0	0	0	0	0
MAX	---	---	---	0	0	0	0	0	0	0	0	0
MIN	---	---	---	0	0	0	0	0	0	0	0	0
AC_FT	---	---	---	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

SALT RIVER AT 7TH AVENUE - ALL RUNOFF DATA



Phoenix Basin 2B			
STATION ID	4778	DRAINAGE AREA	0.60 MI ²
IN-SERVICE DATE	06/30/2009		
PERIOD OF AVAILABLE RECORD	06/30/2009 - CURRENT YEAR		
WY 2012 PEAK	11 CFS	1.65 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	11 CFS	1.70 FEET	01/21/2010
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10		---										
11		---										
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	9	11
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	1
WTR YR 2012	TOTAL	1	MEAN	0	MAX	11	MIN	0	AC_FT	2		

Phoenix Basin 2A			
STATION ID	4789	DRAINAGE AREA	0.75 MI ²
IN-SERVICE DATE	06/29/2009		
PERIOD OF AVAILABLE RECORD	06/29/2009 - CURRENT YEAR		
WY 2012 PEAK	20 CFS	5.00 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	21 CFS	5.15 FEET	09/05/2009
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												1
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											1	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	1	1
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	1	0	0	0	0	0	0	0	0	18	20
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	1	2
WTR YR 2012	TOTAL	2	MEAN	0	MAX	20	MIN	0	AC_FT	4		

<i>Dreamy Draw Dam</i>			
STATION ID	4803	DRAINAGE AREA	1.5 MI ²
IN-SERVICE DATE	01/24/1984		
PERIOD OF AVAILABLE RECORD	08/29/1988 - CURRENT YEAR		
WY 2012 PEAK	76 CFS	4.77 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	164 CFS	19.17 FEET	10/06/1993
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												7
8												1
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	9
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	76
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	17
WTR YR 2012	TOTAL	9	MEAN	0	MAX	76	MIN	0	AC_FT	17		

See also Pool Level and Surface Volume Data.

Arizona Canal Diversion Channel at 36th Street

STATION ID	4808	DRAINAGE AREA	4.8 MI ²
IN-SERVICE DATE	02/24/1994		
PERIOD OF AVAILABLE RECORD	02/24/1994 - CURRENT YEAR		
WY 2012 PEAK	12 CFS	1.54 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	324 CFS	7.67 FEET	07/14/1999

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												2
8												
9												
10												
11												
12										1		
13			1									
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											2	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---	1		---

TOTAL	0	0	1	0	0	0	0	0	0	2	2	2
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	2	2	0	0	0	0	0	0	12	12	10
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	2	0	0	0	0	0	0	4	4	4

WTR YR 2012	TOTAL		7	MEAN	0	MAX	12	MIN	0	AC_FT		14

ARIZONA CANAL DIVERSION CHANNEL AT 36TH STREET - ALL RUNOFF DATA



Arizona Canal Diversion Channel at 14th Street

STATION ID	4813	DRAINAGE AREA	10.2 MI ²
IN-SERVICE DATE	02/09/1994		
PERIOD OF AVAILABLE RECORD	02/09/1994 - CURRENT YEAR		
WY 2012 PEAK	16 CFS	0.50 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	464 CFS	3.35 FEET	08/02/2005

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16									3			
17												
18												
19												
20												
21												
22												
23											6	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---


TOTAL	0	0	0	0	0	0	0	0	3	0	6	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	13	0	16	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	6	0	13	0

WTR YR 2012 TOTAL 10 MEAN 0 MAX 16 MIN 0 AC_FT 19

ARIZONA CANAL DIVERSION CHANNEL AT 14TH STREET - ALL RUNOFF DATA



Arizona Canal Diversion Channel at 14th Street
Peak Annual Discharge



Flood Frequency computed from annual peaks

10th Street Wash Basin #1			
STATION ID	4818	DRAINAGE AREA	1.2 MI ²
IN-SERVICE DATE	11/26/1996		
PERIOD OF AVAILABLE RECORD	11/26/1996 - CURRENT YEAR		
WY 2012 PEAK	11 CFS	1.60 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	32 CFS	3.33 FEET	07/14/2002
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												2
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	2
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	5	0	0	0	0	0	0	0	0	0	11
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	4
WTR YR 2012	TOTAL	2	MEAN	0	MAX	11	MIN	0	AC_FT	4		

See also Pool Level and Storage Volume Data.

NOTE: Up to 300 cfs may bypass the basin.

Arizona Canal Diversion Channel at 43rd Avenue

STATION ID	4823	DRAINAGE AREA	56 MI ²
IN-SERVICE DATE	11/14/1990		
PERIOD OF AVAILABLE RECORD	11/14/1990 - CURRENT YEAR		
WY 2012 PEAK	340 CFS	1.40 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	3,849 CFS	5.20 FEET	08/02/2005

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5		25										
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21											3	
22											22	
23											18	
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---


TOTAL	0	25	0	0	0	0	0	0	0	0	43	0
MEAN	0	1	0	0	0	0	0	0	0	0	1	0
MAX	0	261	0	0	0	0	0	0	0	0	340	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	49	0	0	0	0	0	0	0	0	85	0

WTR YR 2012 TOTAL 68 MEAN 0 MAX 340 MIN 0 AC_FT 135

ARIZONA CANAL DIVERSION CHANNEL AT 43RD AVENUE - ALL RUNOFF DATA



Arizona Canal Diversion Channel at 43rd Avenue
Peak Annual Discharge



Flood Frequency computed from annual peaks

Phoenix Basin #3			
STATION ID	4828	DRAINAGE AREA	1.2 MI ²
IN-SERVICE DATE	12/18/2001		
PERIOD OF AVAILABLE RECORD	12/18/2001 - CURRENT YEAR		
WY 2012 PEAK	34 CFS	4.42 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	51 CFS	10.36 FEET	07/14/2002
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												1
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	1
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	7	0	0	0	0	0	0	0	0	0	34
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	2
WTR YR 2012	TOTAL		1	MEAN	0	MAX	34	MIN	0	AC_FT		3

See also Pool Level and Storage Volume Data.

<i>Cave Creek at Cactus Road</i>			
STATION ID	4833	DRAINAGE AREA	33.6 MI ²
		NOT INCLUDING 191 MI ² CONTROLLED BY CAVE BUTTES DAM	
IN-SERVICE DATE	06/27/1991		
PERIOD OF AVAILABLE RECORD	06/27/1991 - CURRENT YEAR		
WY 2012 PEAK	197 CFS	7.32 FEET	08/24/2012
EXTREME FOR PERIOD OF RECORD	3,247 CFS	12.85 FEET	08/03/2005

Flood Control District of Maricopa County ALERT System


Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5		53										
6		8										
7												38
8												
9												5
10												27
11												66
12												8
13			1									12
14			10									
15												
16												
17												
18												
19												
20												
21												
22											15	
23											119	
24											146	
25											15	
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	61	11	0	0	0	0	0	0	0	295	157
MEAN	0	2	0	0	0	0	0	0	0	0	10	5
MAX	0	90	20	0	0	0	0	0	0	0	197	112
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	121	22	0	0	0	0	0	0	0	585	312
WTR YR 2012	TOTAL	524	MEAN	1	MAX	197	MIN	0	AC_FT	1040		

NOTE: Receding limbs of hydrographs may be significantly affected by clogging of outlet orifice. Therefore, low flows for falling hydrographs may be unrealistically high. See downstream station 4823 for a better representation of the falling limbs. Weir flow begins into main channel above 10 feet gage height.

CAVE CREEK NEAR CACTUS ROAD - ALL RUNOFF DATA



Cave Creek at Cactus
Peak Annual Discharge



Phoenix Basin #4			
STATION ID	4838	DRAINAGE AREA	0.60 MI ²
IN-SERVICE DATE	07/06/2009		
PERIOD OF AVAILABLE RECORD	07/06/2009 - CURRENT YEAR		
WY 2012 PEAK	20 CFS	4.80 FEET	08/14/2012
EXTREME FOR PERIOD OF RECORD	21 CFS	5.95 FEET	08/28/2010
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												1
8												
9												
10												
11												
12												
13												
14											1	
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	1	1
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	20	16
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	1	1
WTR YR 2012	TOTAL	1	MEAN	0	MAX	20	MIN	0	AC_FT	3		

Phoenix Basin #99			
STATION ID	4843	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	07/07/2009		
PERIOD OF AVAILABLE RECORD	07/07/2009 - CURRENT YEAR		
WY 2012 PEAK	6 CFS	1.45 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	12 CFS	2.68 FEET	01/21/2010
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5		1										
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---

TOTAL	0	1	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	1	3	0	0	0	0	0	0	0	3	6
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	1	1	0	0	0	0	0	0	0	0	1

WTR YR 2012 TOTAL 1 MEAN 0 MAX 6 MIN 0 AC_FT 2

Phoenix East Park Dam			
STATION ID	4848	DRAINAGE AREA	0.11 MI ²
IN-SERVICE DATE	11/28/2001		
PERIOD OF AVAILABLE RECORD	11/28/2001 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	37 CFS	4.84 FEET	07/14/2002
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23	---											
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012 TOTAL 0 MEAN 0 MAX 0 MIN 0 AC_FT 0

See also Pool Level and Storage Volume Data.

Phoenix Basin #7			
STATION ID	4853	DRAINAGE AREA	1.2 MI ²
IN-SERVICE DATE	12/19/2001		
PERIOD OF AVAILABLE RECORD	12/19/2001 - CURRENT YEAR		
WY 2012 PEAK	37 CFS	4.92 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	49 CFS	12.11 FEET	07/14/2002
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											1	
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	1	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	37	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	2	0

WTR YR 2012 TOTAL 1 MEAN 0 MAX 37 MIN 0 AC_FT 2

See also Pool Level and Storage Volume Data.

Phoenix West Park Dam			
STATION ID	4858	DRAINAGE AREA	0.68 MI ²
IN-SERVICE DATE	11/29/2001		
PERIOD OF AVAILABLE RECORD	11/29/2001 - CURRENT YEAR		
WY 2012 PEAK	15 CFS	2.08 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	51 CFS	10.73 FEET	07/14/2002
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											1	
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	1	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	15	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	1	0

WTR YR 2012 TOTAL 1 MEAN 0 MAX 15 MIN 0 AC_FT 1

See also Pool Level and Storage Volume Data.


<i>Rawhide Wash</i>			
STATION ID	4863	DRAINAGE AREA	9.2 MI ²
IN-SERVICE DATE	07/27/1999		
PERIOD OF AVAILABLE RECORD	07/27/1999 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	446 CFS	2.07 FEET	09/09/2006

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6						---						
7						---		---				
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---				---		---		---		---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

RAWHIDE WASH - ALL RUNOFF DATA




Skunk Tank Wash			
STATION ID	4888	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	03/02/2006		
PERIOD OF AVAILABLE RECORD	03/02/2006 - CURRENT YEAR		
WY 2012 PEAK	262 CFS	6.95 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	262 CFS	6.95 FEET	08/23/2012

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6	---											
7		1										
8												
9												
10												
11												
12												
13												
14												
15												
16											1	
17												
18												
19												
20												
21										1		
22												
23											8	
24												
25												
26												
27												
28												
29										5		
30					---							
31		---			---		---		---			---
TOTAL	0	1	0	0	0	0	0	0	0	4	9	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	43	0	0	0	0	0	0	0	134	262	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	2	0	0	0	0	0	0	0	8	18	0
WTR YR 2012	TOTAL	14	MEAN	0	MAX	262	MIN	0	AC_FT	29		

SKUNK TANK WASH - ALL RUNOFF DATA



Cave Creek			
STATION ID*	4893	DRAINAGE AREA	100 MI ²
IN-SERVICE DATE	05/28/2003		
PERIOD OF AVAILABLE RECORD	05/28/2003 - CURRENT YEAR		
WY 2012 PEAK	3,133 CFS	5.55 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	15,900 CFS	12.10 FEET	01/21/2010

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												1
2												1
3												
4												
5												
6												
7		1										1
8												1
9												1
10												1
11												39
12												1
13												1
14			2									1
15			1									1
16			1									1
17												
18												
19												
20												
21										6		
22												
23											114	
24											1	
25											1	
26											1	
27											1	
28											1	
29											1	
30						---					1	
31		---			---		---		---		1	---
TOTAL	0	1	5	0	0	5	6	3	3	6	121	54
MEAN	0	0	0	0	0	0	0	0	0	0	4	2
MAX	0	22	2	0	0	1	0	0	0	256	3133	915
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	3	10	0	0	11	11	7	6	12	241	108
WTR YR 2012	TOTAL	206	MEAN	1	MAX	3133	MIN	0	AC_FT	409		

*NOTE: ID number has changed several times from 4893 to 4889 to 4893 during its history. See the station records history page on the internet by clicking on the gage name title at the top of the page.

NOTE(2): Station did not operate properly during peak event of 01/21/2010. Peak discharge estimated from indirect methods.

CAVE CREEK - ALL RUNOFF DATA




<i>Desert Hills Wash</i>			
STATION ID	4898	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	03/01/2006		
PERIOD OF AVAILABLE RECORD	03/01/2006 - CURRENT YEAR		
WY 2012 PEAK	181 CFS	3.95 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	206 CFS	4.30 FEET	01/21/2010

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21										2		
22												
23											4	
24												
25												
26												
27												
28												
29										1		
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	3	4	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	77	181	5
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	6	7	0
WTR YR 2012	TOTAL	7	MEAN	0	MAX	181	MIN	0	AC_FT	14		

DESERT HILLS WASH - ALL RUNOFF DATA




Cave Buttes Dam Outlet			
STATION ID	4903	DRAINAGE AREA	191 MI ²
IN-SERVICE DATE	01/25/1984		
PERIOD OF AVAILABLE RECORD	07/30/1992 - CURRENT YEAR		
WY 2012 PEAK	218 CFS	4.21 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	522 CFS	6.43 FEET	08/24/1992
Pool Level Data	Storage Volume		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											163	
24											9	
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---	1		---
TOTAL	0	0	0	0	0	0	0	0	0	1	172	0
MEAN	0	0	0	0	0	0	0	0	0	0	6	0
MAX	0	0	0	0	0	0	0	0	0	48	218	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	3	341	0
WTR YR 2012	TOTAL	173	MEAN	0	MAX	218	MIN	0	AC_FT	344		

CAVE BUTTES DAM OUTLET - ALL RUNOFF DATA





Stagecoach Wash			
STATION ID	4913	DRAINAGE AREA	1.12 MI ²
IN-SERVICE DATE	06/13/2001		
PERIOD OF AVAILABLE RECORD	06/13/2001 - CURRENT YEAR		
WY 2012 PEAK	5 CFS	0.79 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	802 CFS	5.10 FEET	07/31/2007

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13											---	
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31	---				---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	4	5
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	1	0
WTR YR 2012	TOTAL	1	MEAN	0	MAX	5	MIN	0	AC_FT	1		

NOTE: There are small flows coming periodically from a water storage facility about 500 feet north of the gage. All recorded flows were from this periodic discharge.





Flood Frequency computed from annual peaks

Cave Creek near Cave Creek			
STATION ID	4918	DRAINAGE AREA	121 MI ²
IN-SERVICE DATE	05/27/1994		
PERIOD OF AVAILABLE RECORD	05/27/1994 - CURRENT YEAR		
WY 2012 PEAK	1,017 CFS	2.85 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	15,000 CFS	11.20 FEET	01/21/2010

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8									2			---
9												
10									2			---
11												7
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											45	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	4	0	45	6
MEAN	0	0	0	0	0	0	0	0	0	0	1	0
MAX	0	0	0	0	0	0	0	0	8	0	1017	203
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	8	0	89	13
WTR YR 2012	TOTAL	55	MEAN	0	MAX	1017	MIN	0	AC_FT	109		



Flood Frequency computed from annual peaks

Cave Creek near Spur Cross			
STATION ID	4923	DRAINAGE AREA	121 MI ²
IN-SERVICE DATE	05/27/1994		
PERIOD OF AVAILABLE RECORD	05/27/1994 - CURRENT YEAR		
WY 2012 PEAK	207 CFS	4.50 FEET	12/15/2011
EXTREME FOR PERIOD OF RECORD	13,557 CFS	16.19 FEET	01/21/2010

See USGS Water-Data Report AZ-12-1 for official data for this site.


Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1				1	1	1	1					
2				1	1	1	1					
3				1	1	2	1					
4				1	1	2	1					
5				1	1	2	1					
6				1	1	2	1					
7				1	1	2	1					
8				1	1	2	1					
9				1	1	2	1					
10				1	1	2	1					
11				1	1	2	1					
12				1	1	2	1					
13			2	1	1	2	1					
14			10	1	1	2	1					
15			70	1	1	2	35					
16			76	1	1	2						
17			104	1	1	2						
18			49	1	1	2						
19			44	1	1	2						
20			102	1	1	2						
21			100	1	1	3						
22			96	1	1	3						
23			95	1	1	2					6	
24			92	1	1	2						
25			92	1	1	2						
26			92	1	1	2						
27			88	1	1	2						
28			92	1	1	2			---			
29			90	1	1	2						
30			14	1	---	2						
31		---	1	1	---	1	---		---			---
TOTAL	0	0	1310	31	29	63	26	0	0	0	6	1
MEAN	0	0	42	1	1	2	1	0	0	0	0	0
MAX	0	0	207	1	1	4	71	0	0	13	96	2
MIN	0	0	0	1	1	0	0	0	0	0	0	0
AC_FT	0	0	2598	61	58	125	51	0	0	1	11	1
WTR YR 2012	TOTAL	1465	MEAN	4	MAX	207	MIN	0	AC_FT	2905		

CAVE CREEK AT SPUR CROSS - ALL FCDMC RUNOFF DATA



Cave Creek near Spur Cross
Peak Annual Discharge



Flood Frequency computed from annual peaks

<i>Reata Pass Dam</i>			
STATION ID	4938	DRAINAGE AREA	1.0 MI ²
IN-SERVICE DATE	10/02/2001		
PERIOD OF AVAILABLE RECORD	10/02/2001 - CURRENT YEAR		
WY 2012 PEAK	31 CFS	4.28 FEET	09/09/2012
EXTREME FOR PERIOD OF RECORD	150 CFS	5.40 FEET	09/09/2006
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5		1										
6												
7												2
8												
9												2
10												3
11												2
12												1
13			1									
14			1									
15												
16												
17												
18												
19												
20												
21												
22												
23											1	
24											1	
25											2	
26												
27												
28												
29												
30												
31												
TOTAL	0	1	2	0	0	0	0	0	0	0	5	11
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	3	3	0	0	2	0	0	0	4	4	31
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	3	4	0	0	1	0	0	0	1	10	22
WTR YR 2012	TOTAL	20	MEAN	0	MAX	31	MIN	0	AC_FT	40		

See also Pool Level Data.


<i>Cave Creek Ashdale</i>			
STATION ID	4947	DRAINAGE AREA	41 MI ²
IN-SERVICE DATE	02/25/2009		
PERIOD OF AVAILABLE RECORD	02/25/2009 - CURRENT YEAR		
WY 2012 PEAK	2,050 CFS	7.36 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	7,000 CFS	10.74 FEET	01/21/2010

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5		6										
6												
7												60
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	6	0	0	0	0	0	0	0	0	0	60
MEAN	0	0	0	0	0	0	0	0	0	0	0	2
MAX	0	90	0	0	0	0	0	0	0	0	0	2050
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	12	0	0	0	0	0	0	0	0	0	118
WTR YR 2012	TOTAL	66	MEAN	0	MAX	2050	MIN	0	AC_FT	131		

CAVE CREEK ASHDALE - ALL RUNOFF DATA





Seven Springs Wash			
STATION ID	4963	DRAINAGE AREA	8.0 MI ²
IN-SERVICE DATE	03/12/2002		
PERIOD OF AVAILABLE RECORD	03/12/2002 - CURRENT YEAR		
WY 2012 PEAK	1,843 CFS	6.60 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	11,700 CFS	10.68 FEET	09/03/2005

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
1													
2													
3													
4													
5													
6													
7												43	
8													
9													
10													
11													
12													
13													
14													
15			3										
16													
17													
18													
19													
20													
21													
22													
23											1		
24													
25													
26													
27													
28													
29													
30													
31		---			---		---		---			---	
TOTAL	0	0	3	0	0	0	0	0	0	0	1	43	
MEAN	0	0	0	0	0	0	0	0	0	0	0	1	
MAX	0	0	15	0	0	0	0	0	0	0	13	1843	
MIN	0	0	0	0	0	0	0	0	0	0	0	0	
AC_FT	0	0	6	0	0	0	0	0	0	0	2	85	
WTR YR 2012	TOTAL		47	MEAN		0	MAX	1843	MIN		0	AC_FT	93



Flood Frequency computed from annual peaks


Columbus Wash			
STATION ID	5013	DRAINAGE AREA	NOT DETERMINED
IN-SERVICE DATE	09/22/1999		
PERIOD OF AVAILABLE RECORD	09/22/1999 - CURRENT YEAR		
WY 2012 PEAK	615 CFS	2.45 FEET	09/04/2012
EXTREME FOR PERIOD OF RECORD	615 CFS	2.45 FEET	09/04/2012

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												35
5												
6												2
7												
8												
9												
10												1
11												27
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22											1	
23											35	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	35	66
MEAN	0	0	0	0	0	0	0	0	0	0	1	2
MAX	0	0	0	0	0	0	0	0	0	0	591	615
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	70	130
WTR YR 2012	TOTAL	101	MEAN	0	MAX	615	MIN	0	AC_FT	200		

COLUMBUS WASH - ALL RUNOFF DATA





<i>Copper Wash</i>			
STATION ID	5033	DRAINAGE AREA	6.6 MI ²
IN-SERVICE DATE	02/20/2001		
PERIOD OF AVAILABLE RECORD	02/20/2001 - CURRENT YEAR		
WY 2012 PEAK	91 CFS	1.30 FEET	09/04/2012
EXTREME FOR PERIOD OF RECORD	3,780 CFS	5.69 FEET	08/27/2003

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
1		---											
2													
3													
4												5	
5									---				
6									---				
7									---				
8									---				
9									---				
10									---			2	
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22											1		
23											3		
24													
25													
26													
27													
28													
29													
30					---								
31		---			---		---		---			---	
TOTAL	0	0	0	0	0	0	0	0	0	0	4	7	
MEAN	0	0	0	0	0	0	0	0	0	0	0	0	
MAX	0	0	0	0	0	0	0	0	0	0	47	91	
MIN	0	0	0	0	0	0	0	0	0	0	0	0	
AC_FT	0	0	0	0	0	0	0	0	0	0	8	14	
WTR YR 2012	TOTAL		11	MEAN		0	MAX	91	MIN		0	AC_FT	22





Flood Frequency computed from annual peaks

Fourth of July Wash			
STATION ID	5043	DRAINAGE AREA	3.7 MI ²
IN-SERVICE DATE	03/14/2002		
PERIOD OF AVAILABLE RECORD	03/14/2002 - CURRENT YEAR		
WY 2012 PEAK	1,300 CFS	3.12 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD	2,149 CFS	4.35 FEET	08/30/2006

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18		---										
19		---										
20		---										
21											65	
22											13	
23											58	
24												
25												
26												
27												
28												
29										52		
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	52	136	0
MEAN	0	0	0	0	0	0	0	0	0	2	4	0
MAX	0	0	0	0	0	0	0	0	0	1023	1300	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	103	270	0
WTR YR 2012	TOTAL	188	MEAN	1	MAX	1300	MIN	0	AC_FT	372		



Flood Frequency computed from annual peaks

<i>Centennial Tributary at Dobbins Road</i>			
STATION ID	5049	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	09/27/2012		
PERIOD OF AVAILABLE RECORD	09/27/2012 – CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	0 CFS	NONE	NONE

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	---	---	---	---	---	---	---	---	---	---	---	0
MEAN	---	---	---	---	---	---	---	---	---	---	---	0
MAX	---	---	---	---	---	---	---	---	---	---	---	0
MIN	---	---	---	---	---	---	---	---	---	---	---	0
AC_FT	---	---	---	---	---	---	---	---	---	---	---	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

NOTE: Gaging established during Water Year 2012 on September 27, 2012.

<i>Cruff Wash</i>			
STATION ID	5078	DRAINAGE AREA	10.4 MI ²
IN-SERVICE DATE	05/14/2002		
PERIOD OF AVAILABLE RECORD	05/14/2002 - CURRENT YEAR		
WY 2012 PEAK	1,043 CFS	4.13 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD	1,043 CFS	4.13 FEET	08/21/2012



Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21											43	
22												
23											8	
24												
25												
26									---			
27									---			
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	51	0
MEAN	0	0	0	0	0	0	0	0	0	0	2	0
MAX	0	0	0	0	0	0	0	0	0	0	1043	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	101	0
WTR YR 2012	TOTAL	51	MEAN	0	MAX	1043	MIN	0	AC_FT	101		

Note: Station was moved in Water Year 2006, approximately 2,500 feet downstream.





Flood Frequency computed from annual peaks

Centennial Wash at Wenden			
STATION ID	5093	DRAINAGE AREA	586 MI ²
IN-SERVICE DATE	09/16/1998		
PERIOD OF AVAILABLE RECORD	09/16/1998 - CURRENT YEAR		
WY 2012 PEAK	2,372 CFS	3.50 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	24,300 CFS	7.82 FEET	10/22/2000

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5	15											
6												1
7										12		
8												
9												
10												
11										67	21	261
12										3	4	44
13			50									
14			2							290		
15										642		
16										927		
17										20		
18		---										
19		---										
20		---										
21		---										
22		---										
23										24		
24										4		
25												
26												
27												
28												
29												
30					---					99		
31		---			---		---		---	9		---
TOTAL	16	0	52	0	0	0	0	0	0	2096	25	306
MEAN	1	0	2	0	0	0	0	0	0	68	1	10
MAX	84	0	677	0	0	0	0	0	0	2372	430	1459
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	31	0	103	0	0	0	0	0	0	4157	50	606
WTR YR 2012	TOTAL	2495	MEAN	7	MAX	2372	MIN	0	AC_FT	4948		



Flood Frequency computed from annual peaks

<i>Winters Wash at Indian School Road</i>			
STATION ID	5098	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	07/14/2005		
PERIOD OF AVAILABLE RECORD	07/14/2005 - CURRENT YEAR		
WY 2012 PEAK	167 CFS	2.57 FEET	09/10/2012
EXTREME FOR PERIOD OF RECORD	966 CFS	3.42 FEET	01/21/2010

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												5
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29										1		
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	1	0	6
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	1	0	0	0	19	0	167
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	2	0	11

WTR YR 2012 TOTAL 6 MEAN 0 MAX 167 MIN 0 AC_FT 13

WINTERS WASH AT INDIAN SCHOOL ROAD - ALL RUNOFF DATA



Centennial Wash at SPRR			
STATION ID	5103	DRAINAGE AREA	1,817 MI ²
IN-SERVICE DATE	02/09/1990		
PERIOD OF AVAILABLE RECORD	02/09/1990 - CURRENT YEAR		
WY 2012 PEAK	7,609 CFS	13.26 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	9,616 CFS	9.10 FEET	02/08/1993

See USGS Water-Data Report AZ-12-1 for official data for this site.



Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												74
8												55
9												4
10												41
11												313
12												53
13										34		18
14										115		2
15										490		
16										37		
17										8		
18											21	
19											13	
20												
21											107	
22											430	
23											4319	
24											---	
25											523	
26												
27												
28												
29										61		---
30						---				356		
31		---			---		---		---	22		---
TOTAL	0	0	0	0	0	0	0	0	0	1124	10361	562
MEAN	0	0	0	0	0	0	0	0	0	36	334	19
MAX	0	0	0	0	0	0	0	0	0	2516	7609	686
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	2229	20550	1114
WTR YR 2012	TOTAL	12046	MEAN	33	MAX	7609	MIN	0	AC_FT	23893		

NOTE: There is no real connection between the upper and lower portions of this watershed; thus, flows through Wenden (#5093) rarely reach this location.





Flood Frequency computed from annual peaks

<i>Delaney Wash</i>			
STATION ID	5108	DRAINAGE AREA	48.3 MI ²
IN-SERVICE DATE	12/22/1999		
PERIOD OF AVAILABLE RECORD	12/22/1999 - CURRENT YEAR		
WY 2012 PEAK	319 CFS	2.70 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD	1,400 CFS	6.02 FEET	02/25/2003

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21											7	
22											23	
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	30	0
MEAN	0	0	0	0	0	0	0	0	0	0	1	0
MAX	0	0	0	0	0	0	0	0	0	0	319	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	60	0
WTR YR 2012	TOTAL	30	MEAN	0	MAX	319	MIN	0	AC_FT	60		



Flood Frequency computed from annual peaks

<i>Saddleback FRS</i>			
STATION ID	5113	DRAINAGE AREA	29.6 MI ²
IN-SERVICE DATE	12/16/1988		
PERIOD OF AVAILABLE RECORD	12/16/1988 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	93 CFS	2.50 FEET	07/15/1996
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18		---										
19		---										
20		---										
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		



See also Pool Level and Storage Volume Data.

<i>Winters Wash</i>			
STATION ID	5118	DRAINAGE AREA	27.8 MI ²
IN-SERVICE DATE	07/11/2000		
PERIOD OF AVAILABLE RECORD	07/11/2000 - CURRENT YEAR		
WY 2012 PEAK	176 CFS	1.81 FEET	09/10/2012
EXTREME FOR PERIOD OF RECORD	510 CFS	3.30 FEET	07/29/2003

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												11
11												13
12												
13												
14												
15												
16												
17												
18						7						---
19												---
20												
21												
22												
23										6		
24												
25												
26												
27												
28												
29										10		
30					---					4		
31		---			---		---		---			---
TOTAL	0	0	0	0	0	7	0	0	0	20	0	24
MEAN	0	0	0	0	0	0	0	0	0	1	0	1
MAX	0	0	0	0	0	48	0	0	0	115	0	176
MIN	0	0	0	0	0	0	0	---	0	0	0	0
AC_FT	0	0	0	0	0	13	0	0	0	40	0	47
WTR YR 2012	TOTAL	51	MEAN	0	MAX	176	MIN	0	AC_FT	100		



Flood Frequency computed from annual peaks

Centennial Levee			
STATION ID	5123	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	07/09/2003		
PERIOD OF AVAILABLE RECORD	07/09/2003 - CURRENT YEAR		
WY 2012 PEAK	158 CFS	2.35 FEET	09/04/2012
EXTREME FOR PERIOD OF RECORD	233 CFS	2.70 FEET	01/21/2010


Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												18
5												42
6												
7												
8												
9												
10												
11												10
12												
13												
14										18		
15										17		
16												
17												
18		---										
19		---										
20		---										
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	34	0	70
MEAN	0	0	0	0	0	0	0	0	0	1	0	2
MAX	0	0	0	0	0	0	0	0	0	99	0	158
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	68	0	140
WTR YR 2012	TOTAL	105	MEAN	0	MAX	158	MIN	0	AC_FT	208		

CENTENNIAL LEVEE - ALL RUNOFF DATA



<i>Harquahala FRS</i>			
STATION ID	5128	DRAINAGE AREA	102.3 MI ²
IN-SERVICE DATE	03/01/1994		
PERIOD OF AVAILABLE RECORD	03/01/1994 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	12.54 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	310 CFS	21.47 FEET	10/27/2000
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4						---						
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18		---										
19		---										
20		---										
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0
-------------	-------	---	------	---	-----	---	-----	---	-------	---

See also Pool Level and Storage Volume Data.

Tiger Wash			
STATION ID	5163	DRAINAGE AREA	85.2 MI ²
IN-SERVICE DATE	09/15/1999		
PERIOD OF AVAILABLE RECORD	09/15/1999 - CURRENT YEAR		
WY 2012 PEAK	4,541 CFS	9.28 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	4,541 CFS	9.28 FEET	07/14/2012
EXTREME OUTSIDE PERIOD OF RECORD	8,070 CFS	10.17 FEET	09/26/1997

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012



Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13										170		
14										661		
15										31		
16											136	
17											40	
18		---										
19		---										
20		---										
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	862	176	0
MEAN	0	0	0	0	0	0	0	0	0	28	6	0
MAX	0	0	0	0	0	0	0	0	0	4541	2664	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	1710	349	0

WTR YR 2012 TOTAL 1038 MEAN 3 MAX 4541 MIN 0 AC_FT 2058



Flood Frequency computed from annual peaks


<i>Centennial Wash near Aguila</i>			
STATION ID	5178	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	06/05/2001		
PERIOD OF AVAILABLE RECORD	06/05/2001 - CURRENT YEAR		
WY 2012 PEAK	135 CFS	1.86 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	556 CFS	3.28 FEET	08/22/2009

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										10		
15										31		
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	41	0	0
MEAN	0	0	0	0	0	0	0	0	0	1	0	0
MAX	1	0	0	0	0	0	0	0	0	135	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	81	0	0
WTR YR 2012	TOTAL	41	MEAN	0	MAX	135	MIN	0	AC_FT	82		

CENTENNIAL NEAR AGUILA - ALL RUNOFF DATA



<i>Buckeye FRS #1</i>			
STATION ID	5203	DRAINAGE AREA	74 MI ²
IN-SERVICE DATE	07/26/1983		
PERIOD OF AVAILABLE RECORD	11/23/1987 - CURRENT YEAR		
WY 2012 PEAK	7 CFS	-1.42 FEET	11/05/2011
EXTREME FOR PERIOD OF RECORD	243 CFS	4.96 FEET	02/14/2003
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5		2										
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	4	6	4	4	4	4	4	4	4	4	4	4
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	7	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	8	12	8	8	7	8	7	8	7	8	8	7
WTR YR 2012	TOTAL	48	MEAN	0	MAX	7	MIN	0	AC_FT	94		

See also Pool Level and Storage Volume Data.

NOTE(1): Because of local drawdown effects at the gage on the principal outlet, discharges for stages below about one foot gage height are approximate.

<i>Buckeye FRS #2</i>			
STATION ID	5208	DRAINAGE AREA	5.7 MI ²
IN-SERVICE DATE	11/11/1992		
PERIOD OF AVAILABLE RECORD	11/11/1992 - CURRENT YEAR		
WY 2012 PEAK	8 CFS	-0.64 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD	121 CFS	4.66 FEET	02/14/2003
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22											2	
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	2	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	8	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	4	0

WTR YR 2012 TOTAL 2 MEAN 0 MAX 8 MIN 0 AC_FT 4

See also Pool Level and Storage Volume Data.

NOTE: Because of local drawdown effects at the gage on the principal outlet, discharges for stages below about one foot gage height are approximate.

<i>Jackrabbit Wash</i>			
STATION ID	5218	DRAINAGE AREA	120 MI ²
IN-SERVICE DATE	10/31/2000		
PERIOD OF AVAILABLE RECORD	10/31/2000 - CURRENT YEAR		
WY 2012 PEAK (SEE NOTE)	5,200 CFS	5.52 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	6,000 CFS	5.70 FEET	09/08/2002
EXTREME OUTSIDE PERIOD OF RECORD	32,400 CFS	9.90 FEET	10/27/2000

Flood Control District of Maricopa County ALERT System


Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										---		
2												
3												
4												
5												
6												36
7												
8												
9												
10												
11												375
12												49
13		---										---
14		---										---
15		---										
16		---										
17		---										
18		---										
19		---										
20		---										
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---				---			
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	460
MEAN	0	0	0	0	0	0	0	0	0	0	0	15
MAX	0	0	0	0	0	0	0	0	0	0	0	526
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	913
WTR YR 2012	TOTAL	460	MEAN	1	MAX	526	MIN	0	AC_FT	913		

NOTE: Gage failed to record peak of 5,200 cfs on July 14, 2012. Peak data were recovered from the crest-stage gage at the site on July 16, 2012.

JACKRABBIT WASH - ALL RUNOFF DATA



Jackrabbit Wash
Peak Annual Discharge



Flood Frequency computed from annual peaks

<i>Hassayampa River near Morrystown</i>			
STATION ID	5223	DRAINAGE AREA	796 MI ²
IN-SERVICE DATE	05/07/1996		
PERIOD OF AVAILABLE RECORD	05/07/1996 - CURRENT YEAR		
WY 2012 PEAK	3,653 CFS	10.70 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	14,962 CFS	14.05 FEET	02/12/2005
EXTREME OUTSIDE PERIOD RECORD	47,500 CFS	19.00 FEET	09/05/1970



See USGS Water-Data Report AZ-12-1 for official data for this site.

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13		---										
14										257		
15										126		
16										20		
17												
18												
19												
20											---	
21												
22												
23					---						90	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	403	90	0
MEAN	0	0	0	0	0	0	0	0	0	13	3	0
MAX	0	0	0	0	0	0	0	0	0	3653	2683	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	799	178	0
WTR YR 2012	TOTAL	493	MEAN	1	MAX	3653	MIN	0	AC_FT	978		



Flood Frequency computed from annual peaks

<i>Hassayampa River at US60</i>			
STATION ID	5228	DRAINAGE AREA	711 MI ²
IN-SERVICE DATE	03/14/1994		
PERIOD OF AVAILABLE RECORD	03/14/1994 - CURRENT YEAR		
WY 2012 PEAK	3,599 CFS	2.45 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	16,089 CFS	4.32 FEET	02/12/2005


Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2		---										
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										223		
15										16		
16												
17												
18						---					9	
19						---						
20												
21												
22											34	
23											101	
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	239	145	0
MEAN	0	0	0	0	0	0	0	0	0	8	5	0
MAX	0	0	0	2	0	0	0	0	0	3393	3599	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	1	0	0	0	0	0	473	287	0
WTR YR 2012	TOTAL	384	MEAN	1	MAX	3599	MIN	0	AC_FT	761		

NOTE(1): This gage location is a wide mobile sand bed channel. Therefore, data reliability is considered poor. See also gage #5308 upstream and USGS gage 'Hassayampa River near Morristown' #09516500, downstream for additional data and comparative flood flow frequency for this site.

HASSAYAMPA RIVER AT US 60 - ALL RUNOFF DATA



Hassayampa River at US60
Peak Annual Discharge



Flood Frequency computed from annual peaks

Sunset FRS			
STATION ID	5233	DRAINAGE AREA	0.95 MI ²
IN-SERVICE DATE	02/12/1989		
PERIOD OF AVAILABLE RECORD	02/12/1989 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	7.23 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	43 CFS	12.27 FEET	09/26/1997
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27										---		
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012 TOTAL 0 MEAN 0 MAX 0 MIN 0 AC_FT 0

NOTE: Outflow data based on assumption that the outlet gate is closed.
 See also Pool Level and Storage Volume Data.

<i>Sunnycove FRS</i>			
STATION ID	5248	DRAINAGE AREA	1.35 MI ²
IN-SERVICE DATE	07/01/1986		
PERIOD OF AVAILABLE RECORD	12/16/1988 - CURRENT YEAR		
REVISED RECORDS	WY2000:WY1999		
WY 2012 PEAK	0 CFS	12.65 FEET	07/15/2012
EXTREME FOR PERIOD OF RECORD	57 CFS	21.68 FEET	08/22/1992
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31	---				---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

NOTE: Outflow data based on assumption that the outlet gate is closed.

See also Pool Level and Storage Volume Data.


<i>Vulture Mine Road</i>			
STATION ID	5263	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	10/26/2005		
PERIOD OF AVAILABLE RECORD	10/26/2005 – CURRENT YEAR		
WY 2012 PEAK	55 CFS	2.10 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	58 CFS	2.67 FEET	07/25/2007

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										1		
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27										---		
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	1	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	55	0	0
MIN	0	0	0	0	0	0	0	0	---	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	2	0	0
WTR YR 2012	TOTAL	2	MEAN	0	MAX	55	MIN	0	AC_FT	4		

VULTURE MINE ROAD - ALL RUNOFF DATA





<i>Box Wash</i>			
STATION ID	5273	DRAINAGE AREA	6.0 MI ²
IN-SERVICE DATE	03/11/2003		
PERIOD OF AVAILABLE RECORD	03/11/2003 - CURRENT YEAR		
WY 2012 PEAK	307 CFS	2.02 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	307 CFS	2.02 FEET	08/23/2012

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												31
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											9	
24											---	
25												
26											---	
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	9	31
MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	0	0	0	0	0	0	0	0	0	7	307	120
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	1	18	61
WTR YR 2012	TOTAL	40	MEAN	0	MAX	307	MIN	0	AC_FT	80		





Flood Frequency computed from HEC-1 analysis

<i>Sols Wash at SR 71</i>			
STATION ID	5276	DRAINAGE AREA	10 MI ²
IN-SERVICE DATE	09/12/2001		
PERIOD OF AVAILABLE RECORD	09/12/2001 - CURRENT YEAR		
WY 2012 PEAK	187 CFS	1.20 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD	346 CFS	1.83 FEET	08/09/2008

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										2		
15												
16												
17												
18												
19												
20												
21											10	
22											5	
23												
24												
25												
26												
27										---		
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	2	14	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	2	56	187	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	1	4	28	0
WTR YR 2012	TOTAL	17	MEAN	0	MAX	187	MIN	0	AC_FT	33		



Flood Frequency computed from annual peaks



<i>Hassayampa River at I-10</i>			
STATION ID	5283	DRAINAGE AREA	1,415 MI ²
IN-SERVICE DATE	11/09/1994		
PERIOD OF AVAILABLE RECORD	11/09/1994 - CURRENT YEAR		
WY 2012 PEAK	787 CFS	2.60 FEET	08/23/2012 & 09/07/2012
EXTREME FOR PERIOD OF RECORD	27,000 CFS	7.05 FEET	10/27/2000

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---								
2	---	---	---	---								
3	---	---	---	---								
4	---	---	---	---								
5	---	---	---	---								
6	---	---	---	---								4
7	---	---	---	---								41
8	---	---	---	---								
9	---	---	---	---								
10	---	---	---	---								
11	---	---	---	---								
12	---	---	---	---								
13	---	---	---	---								
14	---	---	---	---								
15	---	---	---	---						20		
16	---	---	---	---								
17	---	---	---	---								
18	---	---	---	---								
19	---	---	---	---								
20	---	---	---	---								
21	---	---	---	---								
22	---	---	---	---								
23	---	---	---	---							61	
24	---	---	---	---								
25	---	---	---	---								
26	---	---	---	---								
27	---	---	---	---								
28	---	---	---	---								
29	---	---	---	---								
30	---	---	---	---	---							
31	---	---	---	---	---		---		---			---
TOTAL	---	---	---	0	0	0	0	0	0	20	61	45
MEAN	---	---	---	0	0	0	0	0	0	1	2	1
MAX	---	---	---	0	0	0	0	0	0	677	787	787
MIN	---	---	---	0	0	0	0	0	0	0	0	0
AC_FT	---	---	---	0	0	0	0	0	0	39	121	89
WTR YR 2012	TOTAL	126	MEAN	0	MAX	787	MIN	0	AC_FT	249		

NOTE: Station removed due to bridge construction from October 1, 2011 through January 30, 2012. No events were missed.



Flood Frequency computed from HEC-1 analysis


<i>Sun Valley Parkway at Northern</i>			
STATION ID	5303	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	08/02/2005		
PERIOD OF AVAILABLE RECORD	08/02/2005 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	70 CFS	0.47 FEET	08/02/2005

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

SUN VALLEY AT NORTHERN - ALL RUNOFF DATA





<i>Hassayampa River at Box Canyon</i>			
STATION ID	5308	DRAINAGE AREA	417 MI ²
IN-SERVICE DATE	11/17/1983		
PERIOD OF AVAILABLE RECORD	10/16/1991 - CURRENT YEAR		
REVISED RECORDS	WY1996:WY1994-1995, WY1997:WY1996		
WY 2012 PEAK	4,683 CFS	9.45 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	26,000 CFS	18.90 FEET	01/21/2010
EXTREME OUTSIDE PERIOD OF RECORD	58,000 CFS	UNKNOWN	09/05/1970

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												1
2												7
3											1	5
4											1	1
5												2
6											1	2
7							---				1	
8											2	2
9											1	
10											1	
11												
12											1	
13											1	
14										2	1	
15										7		
16												
17												
18												
19												
20												
21												
22												
23											365	
24												
25											1	
26											4	
27											10	
28											9	
29											3	
30											5	
31		---					---		---		3	---
TOTAL	0	0	0	0	0	0	0	0	0	10	411	20
MEAN	0	0	0	0	0	0	0	0	0	0	13	1
MAX	0	0	0	0	0	0	0	1	0	120	4683	37
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	19	815	40
WTR YR 2012	TOTAL	441	MEAN	1	MAX	4683	MIN	0	AC_FT	874		



Flood Frequency computed from annual peaks

<i>Hassayampa River at Wagoner</i>			
STATION ID	5352	DRAINAGE AREA	78 MI ²
IN-SERVICE DATE	12/19/1983		
PERIOD OF AVAILABLE RECORD	11/27/1991 - CURRENT YEAR		
REVISED RECORDS	WY1996:WY1994-1995, WY1997:WY1996		
WY 2012 PEAK	790 CFS	3.68 FEET	08/30/2012
EXTREME FOR PERIOD OF RECORD	5,068 CFS	7.10 FEET	01/08/1993


Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---						13	
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	13	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	790	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	26	0
WTR YR 2012	TOTAL	13	MEAN	0	MAX	790	MIN	0	AC_FT	26		

NOTE: Transducer was moved to a lower position within the channel on February 5, 2009. Approximately 100 cfs flows below the level sensor.

HASSAYAMPA RIVER AT WAGONER - ALL RUNOFF DATA



Hassayampa River at Wagoner Road Bridge
Peak Annual Discharge



Flood Frequency computed from annual peaks

<i>Agua Fria River at Buckeye Rd</i>			
STATION ID	5403	DRAINAGE AREA	2,241 MI ²
		INCLUDING 2,151 MI ² CONTROLLED	
IN-SERVICE DATE	10/12/1988		
PERIOD OF AVAILABLE RECORD	10/12/1988 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	6,341 CFS	2.10 FEET	09/03/1990
EXTREME OUTSIDE PERIOD OF RECORD	44,200 CFS	UNAVAILABLE	02/20/1980

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP



1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31	---				---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012 TOTAL 0 MEAN 0 MAX 0 MIN 0 AC_FT 0

NOTE: No channel control at low flows limits the accuracy of flow below about 1,000 cfs.

NOTE(2): Peak discharges have been significantly reduced since completion of New Waddell Dam in 1993.



Flood Frequency computed from annual peaks


<i>Colter Channel @ El Mirage Rd.</i>			
STATION ID	5408	DRAINAGE AREA	3.5 MI ²
IN-SERVICE DATE	06/29/1994		
PERIOD OF AVAILABLE RECORD	06/29/1994 - CURRENT YEAR		
WY 2012 PEAK	31 CFS	0.60 FEET	08/22/2012
EXTREME FOR PERIOD OF RECORD	135 CFS	1.45 FEET	10/27/2000

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5		2										
6	---											
7	---											
8												
9												
10												
11												
12										3		
13	2	2	4									
14												
15												
16												
17							1					
18						8				1		
19												
20												
21											3	
22						---					4	
23											1	
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	3	4	4	0	0	8	1	0	0	4	8	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	18	22	12	0	0	18	18	0	0	20	31	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	5	8	9	0	0	15	2	0	0	8	15	0
WTR YR 2012	TOTAL	31	MEAN	0	MAX	31	MIN	0	AC_FT	61		

COLTER CHANNEL - ALL RUNOFF DATA




<i>Dysart Drain at LAFB</i>			
STATION ID	5413	DRAINAGE AREA	43 MI ²
IN-SERVICE DATE	08/22/1996		
PERIOD OF AVAILABLE RECORD	08/22/1996 - CURRENT YEAR		
WY 2012 PEAK	11 CFS	0.40 FEET	07/04/2012
EXTREME FOR PERIOD OF RECORD	264 CFS	2.28 FEET	02/14/2003

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4										1		
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28				---								
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	1	1	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	2	11	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	1	2	0	0
WTR YR 2012	TOTAL	2	MEAN	0	MAX	11	MIN	0	AC_FT	3		

DYSART DRAIN AT LUKE AIR FORCE BASE - ALL RUNOFF DATA



White Tank FRS #3			
STATION ID	5418	DRAINAGE AREA	20.5 MI ²
IN-SERVICE DATE	03/12/1986		
PERIOD OF AVAILABLE RECORD	01/01/1988 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	189 CFS	2.60 FEET	01/11/1993
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27				---								
28				---								
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

NOTE: Flow assumes gated outlet open, however, it is usually closed.

<i>Dysart Drain at El Mirage Road</i>			
STATION ID	5423	DRAINAGE AREA	52 MI ²
IN-SERVICE DATE	08/22/1996		
PERIOD OF AVAILABLE RECORD	08/22/1996 - CURRENT YEAR		
WY 2012 PEAK	2 CFS	2.28 FEET	12/02/2011
EXTREME FOR PERIOD OF RECORD	775 CFS	5.15 FEET	01/21/2010


Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1			2	---								
2			2	---								
3			2									
4			2									
5			2									
6			2									
7			2									
8			2									
9			2									
10			2									
11			2									
12			2									
13			2									
14			2									
15			2									
16			2									
17			2									
18			2									
19			2									
20			2									
21			2									
22			2									
23			2									
24			2									
25			2									
26			2									
27			2									
28			2									
29		1	2									
30		2			---							
31		---			---		---		---			---
TOTAL	0	3	58	0	0	0	0	0	0	1	0	0
MEAN	0	0	2	0	0	0	0	0	0	0	0	0
MAX	0	2	2	0	0	0	0	0	0	2	2	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	6	116	0	0	0	0	0	0	1	1	0
WTR YR 2012	TOTAL	63	MEAN	0	MAX	2	MIN	0	AC_FT	124		

Note: Due to equipment change, gage ID number changed from 5422 to 5423 on January 18, 2006.

DYSART DRAIN AT EL MIRAGE ROAD - ALL RUNOFF DATA



Ford Canyon Wash			
STATION ID	5428	DRAINAGE AREA	4.3 MI ²
IN-SERVICE DATE	02/05/2002		
PERIOD OF AVAILABLE RECORD	02/05/2002 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	787 CFS	3.32 FEET	09/04/2003

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012



Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13				---								
14				---								
15				---								
16				---								
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27											1	
28	---	---										
29												
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	1	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	3	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	1	0

WTR YR 2012 TOTAL 1 MEAN 0 MAX 3 MIN 0 AC_FT 2





Flood Frequency computed from an HEC-1 analysis

<i>McMicken Floodway</i>			
STATION ID	5438	DRAINAGE AREA *	305 MI ²
		INCLUDING 247 MI ² CONTROLLED BY McMICKEN DAM UPSTREAM.	
IN-SERVICE DATE	05/19/1992		
PERIOD OF AVAILABLE RECORD	05/19/1992 - CURRENT YEAR		
WY 2012 PEAK	53 CFS	1.08 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	214 CFS	2.38 FEET	01/22/2010

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP			
1															
2															
3															
4															
5															
6			1												
7															
8															
9															
10															
11															
12			6												
13															
14															
15															
16															
17										5					
18															
19															
20															
21															
22															
23										12					
24															
25															
26															
27															
28															
29															
30					---										
31		---			---		---		---			---			
TOTAL	0	0	7	0	0	0	0	0	0	0	18	0			
MEAN	0	0	0	0	0	0	0	0	0	0	1	0			
MAX	0	0	17	0	0	0	0	0	0	0	53	0			
MIN	0	0	0	0	0	0	0	0	0	0	0	0			
AC_FT	0	0	13	0	0	0	0	0	0	0	35	0			
WTR YR 2012	TOTAL		25	MEAN		0	MAX		53	MIN		0	AC_FT		49



Flood Frequency computed by FEMA, 1995

<i>McMicken Dam at Bell Road</i>			
STATION ID	5443	DRAINAGE AREA	247 MI ²
IN-SERVICE DATE	03/04/2009		
PERIOD OF AVAILABLE RECORD	03/04/2009 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	332 CFS	3.08 FEET	01/22/2010


Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

NOTE(1): This station is not the same as 5443 - McMicken Dam South. 5443 - McMicken Dam South was permanently removed from service on January 27, 2009. 5443 - McMicken Dam South was a Stage/Volume only station. 5443-McMicken Dam at Bell Road is a streamflow site, established in WY2009.

McMICKEN DAM AT BELL ROAD - ALL RUNOFF DATA



McMicken Dam			
STATION ID	5448	DRAINAGE AREA	247 MI ²
IN-SERVICE DATE	03/20/1983		
PERIOD OF AVAILABLE RECORD	02/18/1988 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	351 CFS	3.10 FEET	01/21/2010
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	---	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

See also Pool Level and Storage Volume Data.


<i>El Mirage Drain</i>			
STATION ID	5483	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	02/16/2006		
PERIOD OF AVAILABLE RECORD	02/16/2006 – CURRENT YEAR		
WY 2012 PEAK	240 CFS	2.31 FEET	08/17/2012
EXTREME FOR PERIOD OF RECORD	475 CFS	3.36 FEET	01/21/2010

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17											38	
18												
19												
20												
21												
22												
23											54	
24											---	
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	182	0
MEAN	0	0	0	0	0	0	0	0	0	0	6	0
MAX	0	0	0	0	0	0	0	0	0	0	240	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	360	0
WTR YR 2012	TOTAL	182	MEAN	0	MAX	240	MIN	0	AC_FT	361		

EL MIRAGE DRAIN - ALL RUNOFF DATA




<i>Upper Trilby Wash</i>			
STATION ID	5488	DRAINAGE AREA	3.0 MI ²
IN-SERVICE DATE	09/26/2001		
PERIOD OF AVAILABLE RECORD	09/26/2001 - CURRENT YEAR		
WY 2012 PEAK	39 CFS	1.32 FEET	12/18/2011
EXTREME FOR PERIOD OF RECORD	129 CFS	1.77 FEET	02/14/2003

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5		---							2			
6		---										
7		---										
8		---										
9												
10												
11												
12												
13												
14												
15												
16												
17												
18			1									
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---		---	---
TOTAL	0	0	1	0	0	0	0	0	2	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	39	0	0	0	0	0	4	0	26	0
MIN	0	0	0	0	0	0	0	---	0	0	0	0
AC_FT	0	0	1	0	0	0	0	0	4	0	1	0
WTR YR 2012	TOTAL		3	MEAN	0	MAX	39	MIN	0	AC_FT		6

UPPER TRILBY WASH - ALL RUNOFF DATA




<i>Daggs Wash</i>			
STATION ID	5498	DRAINAGE AREA	NOT DETERMINED
IN-SERVICE DATE	11/08/2007		
PERIOD OF AVAILABLE RECORD	11/08/2007 - CURRENT YEAR		
WY 2012 PEAK	591 CFS	2.02 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	591 CFS	2.02 FEET	08/23/2012

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4								---				
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											21	
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	21	0
MEAN	0	0	0	0	0	0	0	0	0	0	1	0
MAX	0	0	0	0	0	0	0	0	0	0	591	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	42	0
WTR YR 2012	TOTAL	21	MEAN	0	MAX	591	MIN	0	AC_FT	42		

DAGGS WASH - ALL RUNOFF DATA



<i>Agua Fria River at Grand Avenue</i>			
STATION ID	5503	DRAINAGE AREA	1,628 MI ²
		INCLUDING 1,459 MI ² CONTROLLED	
IN-SERVICE DATE	04/27/1994		
PERIOD OF AVAILABLE RECORD	04/27/1994 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	6,334 CFS	6.64 FEET	09/02/2006

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0
-------------	-------	---	------	---	-----	---	-----	---	-------	---

AGUA FRIA RIVER AT GRAND AVENUE - ALL RUNOFF DATA





<i>New River at Glendale Avenue</i>			
STATION ID	5508	DRAINAGE AREA	600 MI ²
		INCLUDING 445 MI ² CONTROLLED	
IN-SERVICE DATE	03/21/1990		
PERIOD OF AVAILABLE RECORD	03/21/1990 - CURRENT YEAR		
REVISED RECORDS	WY2000:WY1999		
WY 2012 PEAK	354 CFS	0.48 FEET	08/22/2012
EXTREME FOR PERIOD OF RECORD	10,266 CFS	2.90 FEET	02/10/1993
EXTREME OUTSIDE PERIOD OF RECORD	38,000 CFS	UNAVAILABLE	08/03/1943

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8			22									
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19						69						
20						82						
21						10						
22											72	
23											30	
24												
25												
26												
27												
28												
29												
30						---						
31		---				---	---		---			---
TOTAL	0	0	22	0	0	160	0	0	0	0	101	0
MEAN	0	0	1	0	0	5	0	0	0	0	3	0
MAX	0	0	224	0	0	224	0	0	0	0	354	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	44	0	0	318	0	0	0	0	201	0
WTR YR 2012	TOTAL	284	MEAN	1	MAX	354	MIN	0	AC_FT	564		



Flood Frequency computed from annual peaks

Arizona Canal Diversion Channel at 67th Avenue

STATION ID	5523	DRAINAGE AREA	86 MI ²
IN-SERVICE DATE	06/07/1990		
PERIOD OF AVAILABLE RECORD	06/07/1990 - CURRENT YEAR		
REVISED RECORDS	WY1996:WY1994-1995		
WY 2012 PEAK	96 CFS	2.05 FEET	11/05/2011
EXTREME FOR PERIOD OF RECORD	2,966 CFS	6.75 FEET	08/03/2005

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5		42										
6		6										
7		9										7
8												3
9												
10												6
11												3
12			3									
13		1	19									
14			8									
15												
16												
17												
18						7						
19						1						
20												
21												
22											12	
23											10	
24												
25												
26	2											
27												
28												
29												
30						---						
31		---			---		---		---			---


TOTAL	2	57	31	0	0	7	0	0	0	0	23	20
MEAN	0	2	1	0	0	0	0	0	0	0	1	1
MAX	10	96	27	0	0	13	0	0	0	3	31	20
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	4	113	61	0	0	14	0	0	0	0	45	39

WTR YR 2012	TOTAL	139	MEAN	0	MAX	96	MIN	0	AC_FT	277		

ARIZONA CANAL DIVERSION CHANNEL AT 67TH AVENUE - ALL RUNOFF DATA



Arizona Canal Diversion Channel at 67th Avenue
Peak Annual Discharge - USACE Design



Flood Frequency computed from the Corps of Engineer's design

<i>Adobe Dam Outlet</i>			
STATION ID	5538	DRAINAGE AREA	89.6 MI ²
IN-SERVICE DATE	10/28/1982		
PERIOD OF AVAILABLE RECORD	08/03/1990 - CURRENT YEAR		
WY 2012 PEAK	340 CFS	3.68 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	3,193 CFS	11.39 FEET	08/16/1990
<i>Pool Level Data</i>	<i>Volume Data</i>		


Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												6
12												1
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											136	
24											6	
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	142	7
MEAN	0	0	0	0	0	0	0	0	0	0	5	0
MAX	0	0	0	0	0	0	0	0	0	0	340	17
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	282	14
WTR YR 2012	TOTAL	149	MEAN	0	MAX	340	MIN	0	AC_FT	295		

See also Pool Level and Storage Volume Data

ADOBE DAM OUTLET - ALL RUNOFF DATA





Scatter Wash			
STATION ID	5543	DRAINAGE AREA	18.1 MI ²
IN-SERVICE DATE	09/18/1996		
PERIOD OF AVAILABLE RECORD	09/18/1996 - CURRENT YEAR		
WY 2012 PEAK	602 CFS	1.88 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	1,784 CFS	3.42 FEET	07/25/2007

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5		102										
6												
7												155
8												1
9												9
10												
11												8
12												30
13												2
14												
15												
16												
17		---										
18		---				22						
19												
20												
21											19	
22											77	
23											121	
24												
25												
26												
27						---						
28						---						
29												
30						---						
31		---				---	---		---			---
TOTAL	0	102	0	0	0	22	0	0	0	0	217	204
MEAN	0	3	0	0	0	1	0	0	0	0	7	7
MAX	0	436	4	0	0	211	0	0	0	0	602	422
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	202	1	0	0	44	0	0	0	0	429	406
WTR YR 2012	TOTAL	546	MEAN	1	MAX	602	MIN	0	AC_FT	1082		



Flood Frequency computed from annual peaks

<i>Skunk Creek at I-17</i>			
STATION ID	5568	DRAINAGE AREA	64.7 MI ²
IN-SERVICE DATE	10/26/1989		
PERIOD OF AVAILABLE RECORD	08/11/1990 - CURRENT YEAR		
WY 2012 PEAK	2,472 CFS	3.44 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	7,015 CFS	5.09 FEET	08/23/1992
EXTREME OUTSIDE PERIOD OF RECORD	11,500 CFS	10.48 FEET	08/01/1964

See [USGS Water-Data Report AZ-12-1](#) for official data for this site.


Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												7
12												1
13												
14												
15												
16												
17												
18												
19												
20												
21										9		
22												
23											144	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	9	144	8
MEAN	0	0	0	0	0	0	0	0	0	0	5	0
MAX	0	0	0	0	0	0	0	0	0	210	2472	192
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	18	286	16
WTR YR 2012	TOTAL	161	MEAN	0	MAX	2472	MIN	0	AC_FT	320		

SKUNK CREEK AT I-17 - ALL RUNOFF DATA



Skunk Creek at I-17
Peak Annual Discharge





Flood Frequency computed from annual peaks

Cline Creek			
STATION ID	5583	DRAINAGE AREA	10 MI ²
IN-SERVICE DATE	11/20/2001		
PERIOD OF AVAILABLE RECORD	11/20/2001 - CURRENT YEAR		
WY 2012 PEAK	1,952 CFS	6.06 FEET	09/10/2012
EXTREME FOR PERIOD OF RECORD	1,952 CFS	6.06 FEET	09/10/2012

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												31
11												36
12												
13												
14												
15												
16												
17												
18												
19												
20												
21										4		
22												
23											18	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	4	18	67
MEAN	0	0	0	0	0	0	0	0	0	0	1	2
MAX	0	0	0	0	0	0	0	0	0	128	643	1952
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	8	35	133
WTR YR 2012	TOTAL	89	MEAN	0	MAX	1952	MIN	0	AC_FT	176		



Flood Frequency computed from annual peaks



Skunk Creek near New River			
STATION ID	5588	DRAINAGE AREA	4 MI ²
IN-SERVICE DATE	06/21/1995		
PERIOD OF AVAILABLE RECORD	06/21/1995 - CURRENT YEAR		
WY 2012 PEAK	550 CFS	2.59 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	2,000 CFS	4.29 FEET	01/21/2010

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												6
11												4
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22										---		
23											8	
24												
25												
26												
27												
28												
29			---									
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	9	11
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	550	469
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	18	21
WTR YR 2012	TOTAL	20	MEAN	0	MAX	550	MIN	0	AC_FT	40		



Flood Frequency computed by FEMA, 1995

<i>New River at Bell Road</i>			
STATION ID	5598	DRAINAGE AREA	185 MI ²
		INCLUDING 164 MI ² CONTROLLED	
IN-SERVICE DATE	04/04/1990		
PERIOD OF AVAILABLE RECORD	04/04/1990 - CURRENT YEAR		
REVISED RECORDS	WY1996:WY1995		
WY 2012 PEAK	175 CFS	0.65 FEET	08/22/2012
EXTREME FOR PERIOD OF RECORD	4,005 CFS	5.77 FEET	09/02/1990
EXTREME OUTSIDE PERIOD OF RECORD	14,600 CFS	UNAVAILABLE	12/19/1967


Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22											6	
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	6	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	175	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	11	0
WTR YR 2012	TOTAL	6	MEAN	0	MAX	175	MIN	0	AC_FT	12		

NOTE: Flows are controlled upstream at New River Dam.

NEW RIVER AT BELL ROAD - ALL RUNOFF DATA



New River at Bell Road
Peak Annual Discharge - HECWRC Implementation, N=23



Flood Frequency computed from annual peaks

<i>New River Dam Outlet</i>			
STATION ID	5613	DRAINAGE AREA	164 MI ²
IN-SERVICE DATE	04/15/1986		
PERIOD OF AVAILABLE RECORD	08/30/1988 - CURRENT YEAR		
WY 2012 PEAK	462 CFS	6.05 FEET	08/01/2012
EXTREME FOR PERIOD OF RECORD	1,570 CFS	9.36 FEET	02/15/1995
Pool Level	Storage Volume		


Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											252	
2											93	
3											51	
4											30	
5											10	
6											2	
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											48	
24											64	
25											41	
26											24	
27											16	
28											5	
29											1	
30					---							
31		---			---		---		---	4		---
TOTAL	0	0	0	0	0	0	0	0	0	4	639	0
MEAN	0	0	0	0	0	0	0	0	0	0	21	0
MAX	0	0	0	0	0	0	0	0	0	147	462	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	8	1268	0
WTR YR 2012	TOTAL	643	MEAN	2	MAX	462	MIN	0	AC_FT	1276		

See also Pool Level and Storage Volume Data.

NEW RIVER DAM OUTLET - ALL RUNOFF DATA




<i>New River Fire</i>			
STATION ID	5638	DRAINAGE AREA	62 MI ²
IN-SERVICE DATE	07/20/2005		
PERIOD OF AVAILABLE RECORD	07/20/2005 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	16,230 CFS	8.50 FEET	07/31/2005

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3			---									
4			---									
5												
6												
7												
8												
9											---	
10											---	
11											---	
12											---	
13												
14												
15												
16												
17												
18		---										
19		---										
20		---										
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

NEW RIVER FIRE - ALL RUNOFF DATA



<i>Picacho Wash at SR-74</i>			
STATION ID	5678	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	04/11/2012		
PERIOD OF AVAILABLE RECORD	04/11/2012 – CURRENT YEAR		
WY 2012 PEAK	582 CFS	2.55 FEET	08/16/2012
EXTREME FOR PERIOD OF RECORD	582 CFS	2.55 FEET	08/16/2012


Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---					
2	---	---	---	---	---	---	---					
3	---	---	---	---	---	---	---					
4	---	---	---	---	---	---	---					
5	---	---	---	---	---	---	---					
6	---	---	---	---	---	---	---					
7	---	---	---	---	---	---	---					
8	---	---	---	---	---	---	---					
9	---	---	---	---	---	---	---					
10	---	---	---	---	---	---	---					
11	---	---	---	---	---	---	---					
12	---	---	---	---	---	---	---					
13	---	---	---	---	---	---	---					
14	---	---	---	---	---	---	---			3		
15	---	---	---	---	---	---	---					
16	---	---	---	---	---	---	---				8	
17	---	---	---	---	---	---	---					
18	---	---	---	---	---	---	---					
19	---	---	---	---	---	---	---					
20	---	---	---	---	---	---	---					
21	---	---	---	---	---	---	---					
22	---	---	---	---	---	---	---					
23	---	---	---	---	---	---	---				2	
24	---	---	---	---	---	---	---					
25	---	---	---	---	---	---	---					
26	---	---	---	---	---	---	---				---	
27	---	---	---	---	---	---	---				---	
28	---	---	---	---	---	---	---				---	
29	---	---	---	---	---	---	---					
30	---	---	---	---	---	---	---					
31	---	---	---	---	---	---	---		---			---
TOTAL	---	---	---	---	---	---	0	0	0	3	10	0
MEAN	---	---	---	---	---	---	0	0	0	0	0	0
MAX	---	---	---	---	---	---	0	0	0	150	582	0
MIN	---	---	---	---	---	---	0	0	0	0	0	0
AC_FT	---	---	---	---	---	---	0	0	0	7	21	0
WTR YR 2012	TOTAL	14	MEAN	0	MAX	582	MIN	0	AC_FT	27		

NOTE: Gaging established in Water Year 2012 on April 11, 2012.

PICACHO WASH - ALL RUNOFF DATA



Sycamore Creek Fire RADAR			
STATION ID	5871	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	07/12/2012		
PERIOD OF AVAILABLE RECORD	07/12/2012 – CURRENT YEAR		
WY 2012 PEAK	7,906 CFS	11.96 FEET	08/16/2012
EXTREME FOR PERIOD OF RECORD	7,906 CFS	11.96 FEET	08/16/2012

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	6
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	50
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	167	---
17	---	---	---	---	---	---	---	---	---	---	70	---
18	---	---	---	---	---	---	---	---	---	---	57	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	79	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	12	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	---	---	---	---	---	---	---	---	---	12	373	55
MEAN	---	---	---	---	---	---	---	---	---	0	12	2
MAX	---	---	---	---	---	---	---	---	---	1817	7906	3187
MIN	---	---	---	---	---	---	---	---	---	0	0	0
AC_FT	---	---	---	---	---	---	---	---	---	23	741	110
WTR YR 2012	TOTAL	440	MEAN	1	MAX	7906	MIN	0	AC_FT	874		

NOTE: RADAR gaging established in Water Year 2012 on July 16, 2012.

ID #5871 is a RADAR type gage.

Sycamore Creek Fire			
STATION ID	5873	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	06/27/2012		
PERIOD OF AVAILABLE RECORD	06/27/2012 – CURRENT YEAR		
WY 2012 PEAK	7,676 CFS	11.84 FEET	08/16/2012
EXTREME FOR PERIOD OF RECORD	7,676 CFS	11.84 FEET	08/16/2012

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	16
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	131	---
17	---	---	---	---	---	---	---	---	---	---	110	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	---	---	---	---	---	---	---	---	0	0	241	16
MEAN	---	---	---	---	---	---	---	---	0	0	8	5
MAX	---	---	---	---	---	---	---	---	0	0	7676	2823
MIN	---	---	---	---	---	---	---	---	0	0	0	0
AC_FT	---	---	---	---	---	---	---	---	0	0	478	105
WTR YR 2012	TOTAL	256	MEAN	1	MAX	7676	MIN	0	AC_FT	584		

NOTE: Gaging established in Water Year 2012 on June 27, 2012.

ID #5873 is a pressure transducer type gage.

SYCAMORE CREEK FIRE - ALL RUNOFF DATA





<i>McDowell Mountain Road</i>			
STATION ID	5923	DRAINAGE AREA	11.9 MI ²
IN-SERVICE DATE	05/18/2004		
PERIOD OF AVAILABLE RECORD	05/18/2004 - CURRENT YEAR		
WY 2012 PEAK	59 CFS	0.52 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	652 CFS	1.77 FEET	07/23/2007

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												2
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	2
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	15	45	59
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	1	1	4
WTR YR 2012	TOTAL	3	MEAN	0	MAX	59	MIN	0	AC_FT	6		



Flood Frequency computed from an HEC-1 analysis

<i>Stoneridge Dam</i>			
STATION ID	5968	DRAINAGE AREA	0.86 MI ²
IN-SERVICE DATE	12/11/1996		
PERIOD OF AVAILABLE RECORD	12/11/1996 - CURRENT YEAR		
WY 2012 PEAK	13 CFS	1.80 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	57 CFS	7.15 FEET	08/31/1999
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP			
1															
2															
3															
4															
5															
6															
7															
8															
9															
10															
11															
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23											1				
24															
25															
26															
27															
28															
29															
30					---										
31		---			---		---		---			---			
TOTAL	0	0	0	0	0	0	0	0	0	0	1	0			
MEAN	0	0	0	0	0	0	0	0	0	0	0	0			
MAX	0	0	0	0	0	0	0	0	0	0	13	0			
MIN	0	0	0	0	0	0	0	0	0	0	0	0			
AC_FT	0	0	0	0	0	0	0	0	0	0	2	0			
WTR YR 2012	TOTAL		1	MEAN		0	MAX		13	MIN		0	AC_FT		2

See also Pool Level and Storage Volume Data.

<i>Sunridge Canyon Dam</i>			
<i>STATION ID</i>	<i>5973</i>	<i>DRAINAGE AREA</i>	<i>1.60 MI²</i>
<i>IN-SERVICE DATE</i>	<i>02/04/1997</i>		
<i>PERIOD OF AVAILABLE RECORD</i>	<i>02/04/1997 - CURRENT YEAR</i>		
<i>WY 2012 PEAK</i>	<i>0 CFS</i>	<i>NONE</i>	<i>NONE</i>
<i>EXTREME FOR PERIOD OF RECORD</i>	<i>140 CFS</i>	<i>7.68 FEET</i>	<i>10/26/1998</i>
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012 TOTAL 0 MEAN 0 MAX 0 MIN 0 AC_FT 0

See also Pool Level and Storage Volume Data.

<i>Golden Eagle Park Dam</i>			
<i>STATION ID</i>	5978	<i>DRAINAGE AREA</i>	7.13 MI ²
<i>IN-SERVICE DATE</i>	12/12/1996		
<i>PERIOD OF AVAILABLE RECORD</i>	12/12/1996 - CURRENT YEAR		
<i>WY 2012 PEAK</i>	334 CFS	4.71 FEET	07/28/2012
<i>EXTREME FOR PERIOD OF RECORD</i>	914 CFS	12.02 FEET	08/02/2005
<i>Pool Level Data</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											1	
24												
25												
26												
27												
28										28		
29										38		
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	66	1	0
MEAN	0	0	0	0	0	0	0	0	0	2	0	0
MAX	0	0	0	0	---	0	0	0	0	334	105	---
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	131	2	0

WTR YR 2012 TOTAL 67 MEAN 0 MAX 334 MIN 0 AC_FT 133

See also Pool Level and Storage Volume Data.

North Heights Dam			
STATION ID	5983	DRAINAGE AREA	2.13 MI ²
IN-SERVICE DATE	10/11/1996		
PERIOD OF AVAILABLE RECORD	10/11/1996 - CURRENT YEAR		
WY 2012 PEAK	83 CFS	4.25 FEET	07/28/2012
EXTREME FOR PERIOD OF RECORD	218 CFS	14.82 FEET	09/10/2002
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28										3		
29												
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	3	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	83	17	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	5	1	0

WTR YR 2012 TOTAL 3 MEAN 0 MAX 83 MIN 0 AC_FT 6

See also Pool Level and Storage Volume Data.

<i>Aspen Dam</i>			
STATION ID	5988	DRAINAGE AREA	2.02 MI ²
IN-SERVICE DATE	01/02/1997		
PERIOD OF AVAILABLE RECORD	01/02/1997 - CURRENT YEAR		
WY 2012 PEAK	26 CFS	1.74 FEET	07/28/2012
EXTREME FOR PERIOD OF RECORD	110 CFS	5.84 FEET	03/05/2004
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8		1										
9												
10												
11												
12												
13												
14												
15					1							
16												
17												
18												
19												
20												
21												
22												
23										1		
24												
25												
26												
27												
28										1		
29												
30					---							
31		---			---		---		---			---
TOTAL	0	1	0	0	1	0	0	0	0	1	1	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	2	0	0	2	0	0	0	0	26	21	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	2	0	0	1	0	0	0	0	2	1	0
WTR YR 2012	TOTAL	4	MEAN	0	MAX	26	MIN	0	AC_FT	7		

See also Pool Level and Storage Volume Data.

<i>Hesperus Dam</i>			
STATION ID	5993	DRAINAGE AREA	2.91 MI ²
IN-SERVICE DATE	12/18/1996		
PERIOD OF AVAILABLE RECORD	12/18/1996 - CURRENT YEAR		
WY 2012 PEAK	53 CFS	2.73 FEET	07/28/2012
EXTREME FOR PERIOD OF RECORD	153 CFS	8.93 FEET	09/10/2002
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28										6		
29												
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	6	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	53	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	11	0	0

WTR YR 2012 TOTAL 6 MEAN 0 MAX 53 MIN 0 AC_FT 11

See also Pool Level and Storage Volume Data.

<i>Guadalupe FRS</i>			
STATION ID	6503	DRAINAGE AREA	1.87 MI ²
IN-SERVICE DATE	06/29/1989		
PERIOD OF AVAILABLE RECORD	06/29/1989 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	0 CFS	9.41 FEET	07/13/2008
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												---
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012 TOTAL 0 MEAN 0 MAX 0 MIN 0 AC_FT 0

NOTE: Gated outlet closed.

See also Pool Level and Storage Volume Data.


<i>Pecos North Inflow</i>			
STATION ID	6532	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	01/21/2009		
PERIOD OF AVAILABLE RECORD	01/21/2009 – CURRENT YEAR		
WY 2012 PEAK	50 CFS	1.28 FEET	08/17/2012
EXTREME FOR PERIOD OF RECORD	52 CFS	1.30 FEET	10/05/2010

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14											1	
15												
16												
17											2	
18												
19												
20												
21											1	
22												
23												
24											1	
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	5	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	3	0	0	0	0	0	0	0	1	50	1
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	1	0	0	0	0	0	0	0	0	10	0
WTR YR 2012	TOTAL	6	MEAN	0	MAX	50	MIN	0	AC_FT	11		

PECOS INFLOW NORTH - ALL RUNOFF DATA




<i>Pecos East Inflow</i>			
STATION ID	6533	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	01/21/2009		
PERIOD OF AVAILABLE RECORD	01/21/2009 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	67 CFS	1.13 FEET	10/05/2010

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16							---					
17							---					
18							---					
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

PECOS INFLOW EAST - ALL RUNOFF DATA




<i>Pecos West Inflow</i>			
STATION ID	6534	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	01/21/2009		
PERIOD OF AVAILABLE RECORD	01/21/2009 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	24 CFS	1.05 FEET	10/05/2010

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31	---				---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

PECOS INFLOW WEST - ALL RUNOFF DATA



<i>Pecos Sediment Basin</i>			
STATION ID	6537	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	01/09/2009		
PERIOD OF AVAILABLE RECORD	01/09/2009 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	5.06 FEET	08/17/2012
EXTREME FOR PERIOD OF RECORD	*67 CFS	10.28 FEET	02/11/2009
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1								---				
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---		---					
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

See also Pool Level and Storage Volume Data.

*Assumes outlet is open.

<i>Pecos Basin</i>			
STATION ID	6538	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	01/06/2009		
PERIOD OF AVAILABLE RECORD	01/09/2009 - CURRENT YEAR		
WY 2012 PEAK	*56 CFS	7.15 FEET	08/22/2012
EXTREME FOR PERIOD OF RECORD	*57 CFS	8.10 FEET	01/22/2010
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1								---				
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17											35	
18											52	
19											25	
20												
21												
22											55	
23											54	
24											54	
25											53	
26											1	
27												
28												
29												
30					---		---					
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	327	0
MEAN	0	0	0	0	0	0	0	0	0	0	11	0
MAX	0	0	0	0	0	0	0	0	0	0	56	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	649	0

WTR YR 2012 TOTAL 327 MEAN 1 MAX 56 MIN 0 AC_FT 649

See also Pool Level and Storage Volume Data.

*Assumes outlet is open.

<i>South Mountain Fan</i>			
STATION ID	6563	DRAINAGE AREA	2.1 MI ²
IN-SERVICE DATE	06/09/1993		
PERIOD OF AVAILABLE RECORD	06/09/1993 - CURRENT YEAR		
REVISED RECORDS	WY1996:WY1995		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	757 CFS	2.75 FEET	07/07/1999

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012



Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8				---								
9				---								
10												
11												
12												
13												
14												
15												
16												
17												
18		---										
19		---										
20		---										
21		---										
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012 TOTAL 0 MEAN 0 MAX 0 MIN 0 AC_FT 0





Flood Frequency computed from an HEC-1 analysis

<i>East Maricopa Floodway at Broadway Road</i>			
STATION ID	6573	DRAINAGE AREA	15.4 MI ²
IN-SERVICE DATE	08/10/1989		
PERIOD OF AVAILABLE RECORD	09/03/1990 - CURRENT YEAR		
WY 2012 PEAK	4,292 CFS	5.08 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	4,292 CFS	5.08 FEET	09/07/2012

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												414
8												13
9								2				
10												
11												
12												
13			40									
14			13							189		
15										22		
16												
17									---			
18												
19												
20											25	
21											1	
22												
23											15	
24											20	
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	53	0	0	0	0	2	0	212	62	428
MEAN	0	0	2	0	0	0	0	0	0	7	2	14
MAX	0	0	393	0	0	0	0	12	0	1421	393	4292
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	105	0	0	0	0	3	0	420	122	848
WTR YR 2012	TOTAL	755	MEAN	2	MAX	4292	MIN	0	AC_FT	1498		



Flood Frequency computed from annual peaks

East Maricopa Floodway at Queen Creek Road

STATION ID	6583	DRAINAGE AREA	104.6 MI ²
IN-SERVICE DATE	01/18/1989		
PERIOD OF AVAILABLE RECORD	01/18/1989 - CURRENT YEAR		
REVISED RECORDS	WY2000:WY1998-1999		
WY 2012 PEAK	3,167 CFS	4.41 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	3,167 CFS	4.41 FEET	09/07/2012

Flood Control District of Maricopa County ALERT System


Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	---								
2	---	---	---	---								
3	---	---	---	---								
4	---	---	---	---				---				331
5	---	---	---	---								677
6	---	---	---	---								357
7	---	---	---	---								1053
8	---	---	---	---								917
9	---	---	---	---								424
10	---	---	---	---				34				118
11	---	---	---	---								4
12	---	---	---	---								20
13	---	---	---	---								
14	---	---	---	---						3		
15	---	---	---	---						410		
16	---	---	---	---						138		
17	---	---	---	---						5		
18	---	---	---	---								
19	---	---	---	---								
20	---	---	---	---								
21	---	---	---	---								
22	---	---	---	---						8	35	
23	---	---	---	---						5	282	
24	---	---	---	---							477	
25	---	---	---	---							293	
26	---	---	---	---							214	
27	---	---	---	---							51	
28	---	---	---	---								
29	---	---	---	---								
30	---	---	---	---						146		
31	---	---	---	---						55		
TOTAL	---	---	---	0	0	0	0	34	0	770	1353	3900
MEAN	---	---	---	0	0	0	0	1	0	25	44	130
MAX	---	---	---	0	0	0	0	66	0	523	990	3167
MIN	---	---	---	0	0	0	0	0	0	0	0	0
AC_FT	---	---	---	0	0	0	0	67	0	1527	2683	7735
WTR YR 2012	TOTAL	6056	MEAN	17	MAX	3167	MIN	0	AC_FT	12012		

NOTE: Gage was removed for construction from October 1, 2011 through January 17, 2012 for widening of the Queen Creek Road bridge.

EAST MARICOPA FLOODWAY AT QUEEN CREEK ROAD - ALL RUNOFF DATA



East Maricopa Floodway at Queen Creek Road
Peak Annual Discharge



Flood Frequency computed from annual peaks

East Maricopa Floodway at Arizona Avenue

STATION ID	6598	DRAINAGE AREA	214 MI ²
IN-SERVICE DATE	02/10/1989		
PERIOD OF AVAILABLE RECORD	02/10/1989 - CURRENT YEAR		
WY 2012 PEAK	827 CFS	1.68 FEET	09/08/2012
EXTREME FOR PERIOD OF RECORD	5,534 CFS	4.07 FEET	01/11/1993

Flood Control District of Maricopa County ALERT System



Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											16	
2												
3												
4	---											
5	---											
6												25
7												58
8												335
9												97
10												60
11												55
12												19
13												
14			101									
15			166							20		
16			87							58		
17										19		
18										9		
19												
20												
21						12						
22												
23												
24												
25											33	
26								---			41	
27											25	
28											16	
29										67		
30					---					48		
31		---			---		---		---	6		---

TOTAL	0	0	355	0	0	12	0	0	0	227	131	647
MEAN	0	0	11	0	0	0	0	0	0	7	4	22
MAX	0	0	230	0	0	48	0	0	0	424	57	827
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	703	0	0	24	0	0	0	450	260	1284

WTR YR 2012	TOTAL	1372	MEAN	4	MAX	827	MIN	0	AC_FT	2721		





Flood Frequency computed from annual peaks

<i>Guadalupe Channel</i>			
STATION ID	6603	DRAINAGE AREA	13.7 MI ²
IN-SERVICE DATE	08/07/1998		
PERIOD OF AVAILABLE RECORD	08/07/1998 - CURRENT YEAR		
WY 2012 PEAK	348 CFS	1.55 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	940 CFS	2.88 FEET	07/23/2002

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
1													
2								---					
3								---					
4								---					
5													
6													
7												32	
8													
9													
10													
11													
12													
13						14							
14					4					19			
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													
25													
26													
27													
28													
29													
30													
31		---				---			---			---	
TOTAL	0	0	18	0	0	0	0	0	0	19	0	32	
MEAN	0	0	1	0	0	0	0	0	0	1	0	1	
MAX	0	0	176	0	0	0	0	0	0	243	0	348	
MIN	0	0	0	0	0	0	0	0	0	0	0	0	
AC_FT	0	0	37	0	0	0	0	0	0	38	0	64	
WTR YR 2012	TOTAL		70	MEAN		0	MAX	348	MIN		0	AC_FT	139



Flood Frequency computed from annual peaks

<i>Signal Butte FRS</i>			
STATION ID	6628	DRAINAGE AREA	16.4 MI ²
IN-SERVICE DATE	11/10/1987		
PERIOD OF AVAILABLE RECORD	11/10/1987 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	5.10 FEET	07/15/2012
EXTREME FOR PERIOD OF RECORD	0 CFS	13.30 FEET	01/11/1993
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0
-------------	-------	---	------	---	-----	---	-----	---	-------	---

NOTE: Outlet is typically closed and is open only when required.

See also Pool Level and Storage Volume Data.


<i>Spookhill at McDowell Road</i>			
STATION ID	6637	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	06/19/2008		
PERIOD OF AVAILABLE RECORD	06/19/2008 - CURRENT YEAR		
WY 2012 PEAK	43 CFS	3.58 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	57 CFS	7.43 FEET	07/10/2008

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												24
8												43
9												42
10												38
11												28
12												26
13			7									26
14			34						11			16
15			29						35			
16			29						31			
17			29						26			
18			28						25			
19			27						10			
20			27									
21			26									
22			26									
23			25								29	
24			25								33	
25			24								33	
26			5								32	
27											29	
28											26	
29											25	
30					---						15	
31		---			---		---		---			---
TOTAL	0	0	340	0	0	0	0	0	0	138	222	242
MEAN	0	0	11	0	0	0	0	0	0	4	7	8
MAX	0	0	37	0	0	0	0	0	0	35	35	43
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	674	0	0	0	0	0	0	274	440	480
WTR YR 2012	TOTAL	942	MEAN	3	MAX	43	MIN	0	AC_FT	1867		

SPOOKHILL McDOWELL - ALL RUNOFF DATA




<i>Spookhill McKellips Road</i>			
STATION ID	6638	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	06/19/2008		
PERIOD OF AVAILABLE RECORD	06/19/2008 - CURRENT YEAR		
WY 2012 PEAK	44 CFS	2.82 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	58 CFS	6.60 FEET	07/10/2008

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												25
8												43
9												43
10												40
11												15
12												2
13			3									
14			30						7			
15			4						29			
16									17			
17									1			
18												
19												
20												
21												
22												
23											9	
24											11	
25											10	
26											6	
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	36	0	0	0	0	0	0	54	36	169
MEAN	0	0	1	0	0	0	0	0	0	2	1	6
MAX	0	0	37	0	0	0	0	0	0	32	19	44
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	71	0	0	0	0	0	0	108	71	335
WTR YR 2012	TOTAL	295	MEAN	1	MAX	44	MIN	0	AC_FT	585		

SPOOKHILL McKELLIPS - ALL RUNOFF DATA



<i>Apache Junction FRS</i>			
STATION ID	6673	DRAINAGE AREA	5.8 MI ²
IN-SERVICE DATE	12/16/1981		
PERIOD OF AVAILABLE RECORD	09/15/1988 - CURRENT YEAR		
WY 2012 PEAK	1 CFS	2.58 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	36 CFS	6.48 FEET	08/17/2010
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	1	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012 TOTAL 0 MEAN 0 MAX 1 MIN 0 AC_FT 0

See also Pool Level and Storage Volume Data.

<i>Powerline FRS</i>			
STATION ID	6683	DRAINAGE AREA	49.9 MI ²
IN-SERVICE DATE	12/02/1992		
PERIOD OF AVAILABLE RECORD	12/02/1992 - CURRENT YEAR		
WY 2012 PEAK	55 CFS	4.15 FEET	09/04/2012
EXTREME FOR PERIOD OF RECORD	118 CFS	11.00 FEET	01/11/1993
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												42
5		2										29
6												17
7		1										20
8												18
9												12
10												1
11												
12												
13												
14										1		
15												
16												
17												
18						1						
19												
20												
21												
22												
23											9	
24								---			5	
25								---			2	
26												
27												
28												
29									---			
30					---				---			
31		---			---		---		---			---
TOTAL	0	2	0	0	0	1	0	0	0	1	16	140
MEAN	0	0	0	0	0	0	0	0	0	0	1	5
MAX	0	6	0	0	0	7	0	0	0	6	15	55
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	5	0	0	0	2	0	0	0	1	33	277
WTR YR 2012	TOTAL	161	MEAN	0	MAX	55	MIN	0	AC_FT	319		

See also Pool Level and Storage Volume Data.

Vineyard FRS			
STATION ID	6688	DRAINAGE AREA	57.8 MI ²
IN-SERVICE DATE	11/02/1983		
PERIOD OF AVAILABLE RECORD	11/09/1987 - CURRENT YEAR		
WY 2012 PEAK	63 CFS	3.20 FEET	09/04/2012
EXTREME FOR PERIOD OF RECORD	129 CFS	5.90 FEET	11/16/1993
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1				---							2	
2				---								
3				---								
4												41
5												24
6												12
7												11
8												9
9												6
10												5
11						1						6
12												5
13			5									2
14			6							1		
15			5							4		
16			2							1		
17												
18						3						
19						5						
20						4						
21												
22												
23											18	
24											19	
25											16	
26											8	
27											6	
28											4	
29										1	2	
30						---				5		
31		---			---		---		---	5		---
TOTAL	0	0	18	0	0	13	0	0	0	18	75	120
MEAN	0	0	1	0	0	0	0	0	0	1	2	4
MAX	0	0	7	0	0	6	0	0	0	6	27	63
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	36	0	0	26	0	0	0	35	148	239
WTR YR 2012	TOTAL	244	MEAN	1	MAX	63	MIN	0	AC_FT	484		

See also Pool Level and Storage Volume Data.


<i>Spookhill Brown</i>			
STATION ID	6693	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	06/04/2008		
PERIOD OF AVAILABLE RECORD	06/04/2008 - CURRENT YEAR		
WY 2012 PEAK	46 CFS	1.60 FEET	12/13/2011
EXTREME FOR PERIOD OF RECORD	58 CFS	5.42 FEET	07/10/2008

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												4
2												
3												
4												
5												
6												
7												29
8												46
9												45
10												45
11												45
12												44
13			26									44
14			44						14			44
15			43						44			43
16			42						43			42
17			41						42			41
18			41			18			42			21
19			39			41			44			
20			8			40			43			
21						35			42			
22						43			41			
23						42			41	37		
24						41			42	44		
25						39			41	45		
26						17			23	44		
27										44		
28										43		
29										43		
30										41		
31		---			---		---		---	38		---
TOTAL	0	0	283	0	0	317	0	0	0	500	379	494
MEAN	0	0	9	0	0	10	0	0	0	16	12	16
MAX	0	0	46	0	0	43	0	0	0	46	45	51
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	561	0	0	629	0	0	0	991	751	980
WTR YR 2012	TOTAL	1973	MEAN	5	MAX	51	MIN	0	AC_FT	3914		

SPOOKHILL BROWN - ALL RUNOFF DATA



<i>Rittenhouse FRS</i>			
STATION ID	6703	DRAINAGE AREA	51.3 MI ²
IN-SERVICE DATE	09/27/1988		
PERIOD OF AVAILABLE RECORD	09/27/1988 - CURRENT YEAR		
WY 2012 PEAK	92 CFS	7.82 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	120 CFS	12.58 FEET	02/12/2005
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												3
5												
6												1
7												8
8												
9												
10												
11												
12												
13			11									
14			5							9		
15										2		
16												
17												
18												
19												
20												
21												
22												
23											66	
24											18	
25												
26												
27												
28												
29										25		
30						---				33		
31		---			---		---		---			---
TOTAL	0	0	16	0	0	0	0	0	0	69	84	12
MEAN	0	0	1	0	0	0	0	0	0	2	3	0
MAX	0	0	23	0	0	0	0	0	0	86	92	20
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	32	0	0	0	0	0	0	137	166	23
WTR YR 2012	TOTAL	180	MEAN	0	MAX	92	MIN	0	AC_FT	357		

See also Pool Level and Storage Volume Data.

Queen Creek at Rittenhouse Road			
STATION ID	6707*	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	09/18/1996		
PERIOD OF AVAILABLE RECORD	09/18/1996 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	827 CFS	2.25 FEET	01/05/1995

Flood Control District of Maricopa County ALERT System


Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

*NOTE: Gage ID number changed during Water Year 1997 from 6713 to 6707 to mitigate radio interference problems.

QUEEN CREEK AT RITTENHOUSE ROAD - ALL RUNOFF DATA



<i>Powerline Floodway</i>			
STATION ID	6708	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	02/13/2008		
PERIOD OF AVAILABLE RECORD	02/13/2008 - CURRENT YEAR		
WY 2012 PEAK	1,077 CFS	4.70 FEET	09/04/2012
EXTREME FOR PERIOD OF RECORD	1,077 CFS	4.70 FEET	09/04/2012


Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												321
5												121
6												30
7												71
8												29
9												10
10												3
11												
12												
13			1									
14										2		
15												
16												
17												
18						2						
19												
20												
21												
22												
23											118	
24											57	
25											33	
26											18	
27											8	
28											3	
29										2		
30					---							
31		---			---		---		---			---
TOTAL	0	0	1	0	0	2	0	0	0	4	237	585
MEAN	0	0	0	0	0	0	0	0	0	0	8	19
MAX	0	5	14	0	0	9	0	0	0	34	254	1077
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	3	0	0	5	0	0	0	8	471	1160
WTR YR 2012	TOTAL	830	MEAN	2	MAX	1077	MIN	0	AC_FT	1647		

POWERLINE FLOODWAY - ALL RUNOFF DATA



<i>Magma FRS</i>			
STATION ID	6718	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	11/15/2007		
PERIOD OF AVAILABLE RECORD	11/15/2007 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	167 CFS	1618.74 FEET	07/11/2008
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1								---	---	---	---	---
2								---	---	---	---	---
3								---	---	---	---	---
4								---	---	---	---	---
5								---	---	---	---	---
6								---	---	---	---	---
7								---	---	---	---	---
8								---	---	---	---	---
9								---	---	---	---	---
10								---	---	---	---	---
11								---	---	---	---	---
12								---	---	---	---	---
13							---	---	---	---	---	---
14							---	---	---	---	---	---
15							---	---	---	---	---	---
16							---	---	---	---	---	---
17							---	---	---	---	---	---
18							---	---	---	---	---	---
19							---	---	---	---	---	---
20							---	---	---	---	---	---
21							---	---	---	---	---	---
22							---	---	---	---	---	---
23							---	---	---	---	---	---
24							---	---	---	---	---	---
25							---	---	---	---	---	---
26							---	---	---	---	---	---
27							---	---	---	---	---	---
28							---	---	---	---	---	---
29							---	---	---	---	---	---
30					---		---	---	---	---	---	---
31		---			---		---	---	---	---	---	---
TOTAL	0	0	0	0	0	0	0	---	---	---	---	---
MEAN	0	0	0	0	0	0	0	---	---	---	---	---
MAX	0	0	0	0	0	0	0	---	---	---	---	---
MIN	0	0	0	0	0	0	0	---	---	---	---	---
AC_FT	0	0	0	0	0	0	0	---	---	---	---	---
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

See also Pool Level and Storage Volume Data.

NOTE: Station temporarily removed for construction from April 12 through September 30, 2012.


Queen Creek at CAP			
STATION ID	6723	DRAINAGE AREA	256 MI ²
IN-SERVICE DATE	09/18/1996		
PERIOD OF AVAILABLE RECORD	09/18/1996 - CURRENT YEAR		
WY 2012 PEAK	29 CFS	1.10 FEET	09/04/2012
EXTREME FOR PERIOD OF RECORD	1,034 CFS	10.15 FEET	02/12/2005

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												2
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19											---	
20											---	
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	1	0	0	0	0	2
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	29
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	1	0	0	0	0	3
WTR YR 2012	TOTAL	2	MEAN	0	MAX	29	MIN	0	AC_FT	5		

QUEEN CREEK AT CAP - ALL RUNOFF DATA



<i>Whitlow Ranch Dam</i>			
STATION ID	6739	DRAINAGE AREA	143 MI ²
IN-SERVICE DATE	08/02/2000		
PERIOD OF AVAILABLE RECORD	08/02/2000 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	731 CFS	58.20 FEET	02/12/2005
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31	---				---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

NOTE: Gage becomes disconnected from the USACOE gaging equipment on occasion. There may have been several impoundments behind the dam during the water year that may not have been recorded by FCDMC gaging equipment. For more information, refer to the U.S. Army Corps of Engineers, Los Angeles District.

<i>Weekes Wash Baseline</i>			
STATION ID	6753	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	05/27/2008		
PERIOD OF AVAILABLE RECORD	05/27/2008 - CURRENT YEAR		
WY 2012 PEAK	131 CFS	1.55 FEET	09/04/2012
EXTREME FOR PERIOD OF RECORD	168 CFS	1.83 FEET	08/27/2008


Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												8
5												
6												
7												3
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											1	
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	1	11
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	5	17	131
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	1	1	22
WTR YR 2012	TOTAL	12	MEAN	0	MAX	131	MIN	0	AC_FT	24		

WEEKES WASH BASELINE - ALL RUNOFF DATA



Buckeye FRS #3			
STATION ID	6813	DRAINAGE AREA	9.3 MI ²
IN-SERVICE DATE	11/23/1992		
PERIOD OF AVAILABLE RECORD	05/18/1996 - CURRENT YEAR		
WY 2012 PEAK	46 CFS	-0.18 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD	46 CFS	-0.18 FEET	08/21/2012
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21											4	
22											2	
23												
24												
25												
26												
27												
28												
29												
30												
31												
TOTAL	0	0	0	0	0	0	0	0	0	0	6	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	46	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	13	0

WTR YR 2012 TOTAL 7 MEAN 0 MAX 46 MIN 0 AC_FT 13

See also Pool Level and Storage Volume Data.

Note: Storage does not begin until after 0.0 feet stage.

White Tank FRS #4			
STATION ID	6823	DRAINAGE AREA	18.6 MI ²
IN-SERVICE DATE	01/09/1986		
PERIOD OF AVAILABLE RECORD	10/01/1987 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	67 CFS	0.75 FEET	08/15/1990
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---										
2	---	---										
3	---	---										
4	---	---										
5	---	---										
6	---	---										
7	---	---										
8	---	---										
9	---	---										
10	---	---										
11	---	---										
12	---	---										
13	---	---										
14	---	---										
15	---	---										
16	---	---										
17	---											
18	---											
19	---											
20	---											
21	---											
22	---											
23	---											
24	---											
25	---											
26	---											
27	---											
28	---											
29	---											
30	---				---							
31	---	---			---		---		---			---
TOTAL	---	0	0	0	0	0	0	0	0	0	0	0
MEAN	---	0	0	0	0	0	0	0	0	0	0	0
MAX	---	0	0	0	0	0	0	0	0	0	0	0
MIN	---	0	0	0	0	0	0	0	0	0	0	0
AC_FT	---	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

See also Pool Level and Storage Volume Data.



NOTE: Station removed for construction October 1 through November 16, 2011.

<i>Waterman Wash at Rainbow Valley Road</i>			
STATION ID	6833	DRAINAGE AREA	362 MI ²
IN-SERVICE DATE	03/18/1999		
PERIOD OF AVAILABLE RECORD	03/18/1999 - CURRENT YEAR		
WY 2012 PEAK	2,937 CFS	9.62 FEET	08/22/2012
EXTREME FOR PERIOD OF RECORD	2,937 CFS	9.62 FEET	08/22/2012

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4										128		
5										4		
6												
7												236
8												3
9												
10												
11												
12												
13												
14		---								64		
15										54		
16												
17											218	
18												
19												
20												
21											3	
22											821	
23											5	
24												
25												
26												
27												
28												
29				---						95		
30					---					31		
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	376	1046	239
MEAN	0	0	0	0	0	0	0	0	0	12	34	8
MAX	0	0	0	0	0	0	0	0	0	802	2937	1015
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	1	745	2076	475
WTR YR 2012	TOTAL	1662	MEAN	5	MAX	2937	MIN	0	AC_FT	3297		



Flood Frequency computed from annual peaks

<i>Gila River at 116th Avenue</i>			
STATION ID	6848	DRAINAGE AREA	43,300 MI ² (APPROX)
IN-SERVICE DATE	12/16/1998		
PERIOD OF AVAILABLE RECORD	12/16/1998 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	49,394 CFS	9.15 FEET	02/13/2005

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31	---				---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

*Gage installed on December 21, 1998, replacing FCDMC gage #6863 at the old 115th Avenue Gila River crossing. Old gage was in service from November 6, 1997 until installation of new gage 6848.

**An undetermined amount of flow occurs more or less continually at this location without detection by the gage.

GILA RIVER AT AVONDALE BOULEVARD - ALL RUNOFF DATA



<i>Gila River at Estrella Parkway</i>			
STATION ID	6853	DRAINAGE AREA	45,585 MI ²
IN-SERVICE DATE	12/02/1992		
PERIOD OF AVAILABLE RECORD	12/02/1992 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	75,883 CFS	16.45 FEET	02/16/1995

See [USGS Water-Data Report AZ-09-1](#) for official data for this site.


Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

GILA RIVER AT ESTRELLA PARKWAY - ALL RUNOFF DATA



Gila River at Estrella Parkway
Peak Annual Discharge - From Modified Roosevelt Dam



Flood Frequency computed from Roosevelt Dam Reconstruction

<i>Bullard Wash</i>			
STATION ID	6863	DRAINAGE AREA	58 MI ²
IN-SERVICE DATE	03/30/2000		
PERIOD OF AVAILABLE RECORD	03/30/2000 - CURRENT YEAR		
WY 2012 PEAK	0 CFS	NONE	NONE
EXTREME FOR PERIOD OF RECORD	347 CFS	1.29 FEET	08/02/2005

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values


DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012 TOTAL 0 MEAN 0 MAX 0 MIN 0 AC_FT 0

BULLARD WASH - ALL RUNOFF DATA




<i>Bullard Wash at Indian School Road</i>			
STATION ID	6868	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	06/27/2006		
PERIOD OF AVAILABLE RECORD	06/27/2006 – CURRENT YEAR		
WY 2012 PEAK	1 CFS	0.88 FEET	12/13/2011
EXTREME FOR PERIOD OF RECORD	535 CFS	2.62 FEET	01/21/2010

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	1	1	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	1	1	0	0	0	0	0	0	0	1	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	1	1	0	0	1	0	0	0	0	0	0
WTR YR 2012	TOTAL	2	MEAN	0	MAX	1	MIN	0	AC_FT	4		

BULLARD WASH AT INDIAN SCHOOL - ALL RUNOFF DATA





<i>Estrella Fan</i>			
STATION ID	6893	DRAINAGE AREA	1.0 MI ²
IN-SERVICE DATE	04/30/1993		
PERIOD OF AVAILABLE RECORD	04/30/1993 - CURRENT YEAR		
REVISED RECORDS	WY1997:WY1996		
WY 2012 PEAK	23 CFS	0.35 FEET	07/29/2012
EXTREME FOR PERIOD OF RECORD	82 CFS	0.70 FEET	09/11/1998

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2											---	
3											---	
4		---									---	
5		---									---	
6		---									---	
7		---									---	
8		---									---	
9												
10												
11												
12		---										
13		---										
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	23	5	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	1	0	0
WTR YR 2012	TOTAL	1	MEAN	0	MAX	23	MIN	0	AC_FT	1		



Flood Frequency computed from an HEC-1 analysis



Sauceda Wash			
STATION ID	6923	DRAINAGE AREA	126 MI ²
IN-SERVICE DATE	02/28/1990		
PERIOD OF AVAILABLE RECORD	02/28/1990 - CURRENT YEAR		
WY 2012 PEAK	134 CFS	2.52 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	1,825 CFS	4.66 FEET	08/25/1998

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13		21										
14		6								7		
15										8		
16												
17												
18												
19												
20												
21												
22												
23					---							
24					---							
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	27	0	0	0	0	0	0	0	15	0	0
MEAN	0	1	0	0	0	0	0	0	0	0	0	0
MAX	0	71	0	0	0	0	0	0	0	134	10	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	53	0	0	0	0	0	0	0	30	1	0
WTR YR 2012	TOTAL	42	MEAN	0	MAX	134	MIN	0	AC_FT	83		

NOTE: USGS maintained a crest stage gage at this location from 11/27/1963 to 09/30/1979. In 1990, a joint USGS/FCDMC continuous station was installed. The USGS continuous station was discontinued 10/01/1994. Since Water Year 1995, the continuous station has been operated by the FCDMC and a crest-stage gage by the USGS.



Flood Frequency computed from annual peaks


<i>Sand Tank Wash at I-8</i>			
STATION ID	6933	DRAINAGE AREA	185 MI ²
IN-SERVICE DATE	05/31/2001		
PERIOD OF AVAILABLE RECORD	05/31/2001 - CURRENT YEAR		
WY 2012 PEAK	1,429 CFS	4.15 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	1,535 CFS	4.30 FEET	07/23/2007

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												105
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21											16	
22											48	
23												
24												
25												
26												
27												
28												
29										62		
30					---					22		
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	84	64	105
MEAN	0	0	0	0	0	0	0	0	0	3	2	3
MAX	0	0	0	0	0	0	0	0	0	717	973	1429
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	167	127	207
WTR YR 2012	TOTAL	252	MEAN	1	MAX	1429	MIN	0	AC_FT	501		

SAND TANK WASH AT I-8 - ALL RUNOFF DATA



Sand Tank Wash at I-8
Peak Annual Discharge





Flood Frequency computed from annual peaks

<i>Rainbow Wash at SR 85</i>			
STATION ID	6953	DRAINAGE AREA	17.6 MI ²
IN-SERVICE DATE	11/06/2000		
PERIOD OF AVAILABLE RECORD	11/06/2000 - CURRENT YEAR		
WY 2012 PEAK	2,695 CFS	5.00 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD	2,695 CFS	5.00 FEET	08/21/2012

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										1		
15												
16												
17											56	
18												
19												
20												
21											218	
22											96	
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	1	370	0
MEAN	0	0	0	0	0	0	0	0	0	0	12	0
MAX	0	0	0	0	0	0	0	0	0	39	2695	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	3	734	0
WTR YR 2012	TOTAL	371	MEAN	1	MAX	2695	MIN	0	AC_FT	737		



Flood Frequency computed from annual peaks



<i>Bender Wash</i>			
STATION ID	6963	DRAINAGE AREA	68.6 MI ²
IN-SERVICE DATE	05/12/2004		
PERIOD OF AVAILABLE RECORD	05/12/2004 - CURRENT YEAR		
WY 2012 PEAK	600 CFS	4.60 FEET	07/29/2012
EXTREME FOR PERIOD OF RECORD	600 CFS	4.60 FEET	07/29/2012
EXTREME FOR USGS PERIOD OF RECORD	8,250 CFS	10.78 FEET	09/07/2002

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11											---	
12											---	
13												
14										1		
15												
16												
17											5	
18												
19												
20												
21												
22												
23												
24								---				
25								---				
26								---				
27												
28												
29										22		
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	23	5	0
MEAN	0	0	0	0	0	0	0	0	0	1	0	0
MAX	0	6	0	0	0	0	0	0	0	600	198	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	45	10	0
WTR YR 2012	TOTAL	28	MEAN	0	MAX	600	MIN	0	AC_FT	55		



Flood Frequency computed from annual peaks

<i>Vekol Wash</i>			
STATION ID	6983	DRAINAGE AREA	150 MI ²
IN-SERVICE DATE	03/07/1990		
PERIOD OF AVAILABLE RECORD	03/07/1990 - CURRENT YEAR		
WY 2012 PEAK	405 CFS	5.28 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD	10,100 CFS	10.30 FEET	08/27/2010



Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												5
7												
8												
9												
10												35
11												
12												
13												
14												
15												
16												
17												
18												
19												
20								---				
21								---			11	
22								---			3	
23								---				
24								---				
25								---				
26								---				
27								---				
28								---				
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	14	40
MEAN	0	0	0	0	0	0	0	0	0	0	0	1
MAX	0	0	0	0	0	0	0	0	0	0	405	383
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	28	79
WTR YR 2012	TOTAL	54	MEAN	0	MAX	405	MIN	0	AC_FT	106		

NOTE: Gaging station was moved approximately 400 feet downstream (north) of the I-8 bridge on August 19, 2000. The gaging station is now co-located with the USGS gaging station ID 09488650.



Flood Frequency computed from annual peaks



<i>Martinez Creek</i>			
STATION ID	7013	DRAINAGE AREA	105 MI ²
IN-SERVICE DATE	11/23/1994		
PERIOD OF AVAILABLE RECORD	11/23/1994 - CURRENT YEAR		
WY 2012 PEAK	1,951 CFS	5.45 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	8,800 CFS	5.75 FEET	09/26/1997

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										68		
15												
16												
17												
18											11	
19												
20												
21												
22												
23												
24												
25												
26							---					
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	68	11	0
MEAN	0	0	0	0	0	0	0	0	0	2	0	0
MAX	0	0	0	0	0	0	0	0	0	1951	1252	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	135	22	0
WTR YR 2012	TOTAL	79	MEAN	0	MAX	1951	MIN	0	AC_FT	157		

Note: Flows below about 3,000 cfs are considered approximate at best due to multiple channel configuration, expanding downstream reach, mobile bed conditions, and the angle of attack of flow.



Flood Frequency computed from annual peaks

Sols Wash Tributary at US 93

STATION ID	7028	DRAINAGE AREA	6.5 MI ²	
IN-SERVICE DATE	01/30/2002			
PERIOD OF AVAILABLE RECORD	01/30/2002 - CURRENT YEAR			
WY 2012 PEAK	0 CFS	NONE	NONE	
EXTREME FOR PERIOD OF RECORD	758 CFS	2.87 FEET	07/25/2007	


Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11		---										
12		---										
13												
14												
15												
16									---			
17									---			
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	TOTAL	0	MEAN	0	MAX	0	MIN	0	AC_FT	0		

SOLS TRIBUTARY NEAR US 93 - ALL RUNOFF DATA





<i>Sols Wash near Matthie</i>			
STATION ID	7043	DRAINAGE AREA	121.4 MI ²
IN-SERVICE DATE	08/04/1995		
PERIOD OF AVAILABLE RECORD	08/04/1995 - CURRENT YEAR		
WY 2012 PEAK	4,123 CFS	3.98 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	10,792 CFS	5.15 FEET	10/21/2000

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9										---		
10										---		
11										---		
12												
13												
14										243		
15										14		
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	257	0	0
MEAN	0	0	0	0	0	0	0	0	0	8	0	0
MAX	0	0	0	0	0	0	0	0	0	4123	10	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	509	1	0
WTR YR 2012	TOTAL	257	MEAN	1	MAX	4123	MIN	0	AC_FT	510		



Flood Frequency computed by FEMA, 1995


<i>Hartman Wash</i>			
STATION ID	7063	DRAINAGE AREA	5.4 MI ²
IN-SERVICE DATE	07/06/1994		
PERIOD OF AVAILABLE RECORD	07/06/1994 - CURRENT YEAR		
REVISED RECORDS	WY1996: WY1995		
WY 2012 PEAK	663 CFS	2.82 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	3,400 CFS	9.38 FEET	07/30/2005

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										18		
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26										---		
27										---		
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	18	0	0
MEAN	0	0	0	0	0	0	0	0	0	1	0	0
MAX	0	0	0	0	0	0	0	0	0	663	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	35	0	0
WTR YR 2012	TOTAL	18	MEAN	0	MAX	663	MIN	0	AC_FT	35		

HARTMAN WASH AT US60 - ALL RUNOFF DATA



Hartman Wash at US60
Peak Annual Discharge





Flood Frequency computed from annual peaks

Flying E Wash			
STATION ID	7083	DRAINAGE AREA	8.5 MI ²
IN-SERVICE DATE	07/12/1994		
PERIOD OF AVAILABLE RECORD	07/12/1994 - CURRENT YEAR		
REVISED RECORDS	WY1996: WY1994-1995		
WY 2012 PEAK	218 CFS	1.58 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	3,740 CFS	5.74 FEET	07/30/2005

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8										---		
9												
10												
11												
12												
13												
14										16		
15										1		
16												
17												
18												
19												
20												
21												
22												
23											3	
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	17	3	0
MEAN	0	0	0	0	0	0	0	0	0	1	0	0
MAX	0	0	0	0	0	0	0	0	0	218	109	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	35	6	0
WTR YR 2012	TOTAL	20	MEAN	0	MAX	218	MIN	0	AC_FT	40		



Flood Frequency computed from Wickenburg ADMS

<i>Casandro Wash</i>			
STATION ID	7093	DRAINAGE AREA	0.61 MI ²
IN-SERVICE DATE	07/12/1994		
PERIOD OF AVAILABLE RECORD	07/12/1994 - CURRENT YEAR		
WY 2012 PEAK	446 CFS	5.66 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	446 CFS	5.66 FEET	07/14/2012

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values



DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8										---		
9												
10												
11												
12												
13												
14										13		
15												
16												
17												
18												
19												
20												
21												
22										2		
23											1	
24												
25					---							
26												
27										---		
28												
29												
30					---							
31		---			---		---		---			---

TOTAL	0	0	0	0	0	0	0	0	0	15	1	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	446	70	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	30	1	0

WTR YR 2012 TOTAL 16 MEAN 0 MAX 446 MIN 0 AC_FT 31

Note: Transducer gage location was moved from inside US60 culvert to the upstream side of the culvert on March 15, 2006.





Flood Frequency computed from a Flood Insurance Study

<i>Powderhouse Wash</i>			
STATION ID	7113	DRAINAGE AREA	1.8 MI ²
IN-SERVICE DATE	05/18/1995		
PERIOD OF AVAILABLE RECORD	05/18/1995 - CURRENT YEAR		
REVISED RECORDS	WY2000: WY1995-1999		
WY 2012 PEAK	853 CFS	1.60 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	1,425 CFS	2.12 FEET	09/26/1997

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										9		
15												
16											1	
17												
18												
19												
20												
21												
22												
23											1	
24												
25												
26												
27												
28		---										
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	9	2	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	901	171	1
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	18	5	1
WTR YR 2012	TOTAL	12	MEAN	0	MAX	901	MIN	0	AC_FT	23		



Flood Frequency computed from FEMA, 1995

<i>Casandro Dam</i>			
STATION ID	7133	DRAINAGE AREA	1.3 MI ²
IN-SERVICE DATE	08/15/1996		
PERIOD OF AVAILABLE RECORD	08/15/1996 - CURRENT YEAR		
WY 2012 PEAK	15 CFS	7.29 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	18 CFS	11.30 FEET	09/26/1997
Pool Level Data	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP

1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										4		
15										5		
16												
17												
18												
19												
20												
21												
22						---						
23											1	
24												
25						---						
26						---						
27												
28												
29												
30						---						
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	9	1	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	15	8	0
MIN	0	0	0	0	0	0	0	---	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	19	1	0

WTR YR 2012 TOTAL 10 MEAN 0 MAX 15 MIN 0 AC_FT 20

See also Pool Level and Storage Volume Data.


<i>Antelope Creek</i>			
STATION ID	7168	DRAINAGE AREA	62 MI ²
IN-SERVICE DATE	07/09/2003		
PERIOD OF AVAILABLE RECORD	07/09/2003 - CURRENT YEAR		
WY 2012 PEAK	1,071 CFS	3.12 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	6,948 CFS	5.22 FEET	09/09/2006

Flood Control District of Maricopa County ALERT System
 Discharge, in cfs, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8										17		
9												
10												
11												
12												
13												
14										63		
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27										---		
28												
29												
30					---							
31		---			---		---		---			---
TOTAL	0	0	0	0	0	0	0	0	0	80	0	0
MEAN	0	0	0	0	0	0	0	0	0	3	0	0
MAX	0	0	0	0	0	0	0	0	0	1071	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC_FT	0	0	0	0	0	0	0	0	0	159	0	0
WTR YR 2012	TOTAL	80	MEAN	0	MAX	1071	MIN	0	AC_FT	159		

ANTELOPE CREEK - ALL RUNOFF DATA



POOL LEVEL DATA

(sorted by ID number)

Tat Momolikot Dam			
STATION ID	0773*	DRAINAGE AREA	1,780 MI ²
IN-SERVICE DATE	01/24/2000		
PERIOD OF AVAILABLE RECORD	01/24/2000 - CURRENT YEAR		
WY 2012 PEAK		11.56 FEET	09/13/2012
EXTREME FOR PERIOD OF RECORD		11.56 FEET	09/13/2012
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	3.9	8.6
2	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	3.7	8.4
3	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	3.6	---
4	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	3.4	9.4
5	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	3.4	9.5
6	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1.5	3.2	9.3
7	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1.6	3.1	9.5
8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	3.0	9.8
9	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	3.0	9.8
10	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	2.9	9.8
11	0.8	0.8	0.8	0.8	0.8	---	0.8	0.8	0.8	0.8	2.8	11.0
12	0.8	0.8	0.8	0.8	0.8	---	0.8	0.8	0.8	1.1	2.7	11.4
13	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1.5	2.6	11.4
14	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1.4	2.5	11.2
15	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1.8	2.6	11.0
16	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	6.0	2.7	10.8
17	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	5.7	2.7	10.6
18	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	5.3	2.6	10.4
19	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	5.0	2.6	10.2
20	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	4.8	2.6	10.0
21	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	5.0	2.9	9.9
22	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	4.8	4.4	9.7
23	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	4.6	10.2	9.6
24	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	4.4	11.1	9.3
25	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	4.2	10.6	9.3
26	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	4.0	10.2	9.2
27	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	3.8	9.8	9.1
28	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	3.7	9.5	9.0
29	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	3.7	9.2	1.1
30	0.8	0.8	0.8	0.8	---	0.8	0.8	0.8	0.8	3.8	9.0	0.8
31	0.8	---	0.8	0.8	---	0.8	---	0.8	---	4.0	8.9	---
MEAN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	2.9	5.0	9.2
MAX	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	6.2	11.4	11.6
MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	2.4	0.8
WTR YR 2012	MEAN	2.03	MAX	11.56	MIN	0.81						

*NOTE: Float gage was removed and a pressure transducer type gage was installed on January 24, 2000. Subsequently, the gage id number changed to 0773 from 0768. Data before January 24, 2000 have been deleted.

See also Surface Water Streamflow and Storage Volume Data.

Spookhill FRS			
STATION ID	4563	DRAINAGE AREA	13.6 MI ²
IN-SERVICE DATE	03/13/1984		
PERIOD OF AVAILABLE RECORD	12/30/1987 - CURRENT YEAR		
WY 2012 PEAK		4.96 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD		8.90 FEET	07/10/2008
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	2.6
8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	4.9
9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	4.7
10	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	3.6
11	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.9
12	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
13	0.3	0.3	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5
14	0.3	0.3	2.5	0.3	0.3	0.3	0.3	0.3	0.3	1.2	0.3	1.0
15	0.3	0.3	1.1	0.3	0.3	0.3	0.3	0.3	0.3	3.3	0.3	0.9
16	0.3	0.3	2.1	0.3	0.3	0.3	0.3	0.3	0.3	1.9	0.3	0.7
17	0.3	0.3	2.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5
18	0.3	0.3	1.9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4
19	0.3	0.3	1.8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
20	0.3	0.3	1.6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
21	0.3	0.3	1.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
22	0.3	0.3	1.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
23	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	2.5	0.3
24	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	2.8	0.3
25	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	2.8	0.3
26	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	2.6	0.3
27	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	1.5	0.3
28	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
29	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
30	0.3	0.3	0.3	0.3	---	0.3	0.3	0.3	0.3	0.3	0.3	0.3
31	0.3	---	0.3	0.3	---	0.3	---	0.3	---	0.3	0.3	---
MEAN	0.3	0.3	0.7	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.6	0.9
MAX	0.3	0.3	3.4	0.3	0.3	0.3	0.3	0.3	0.3	3.5	3.0	5.0
MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3

WTR YR 2012 MEAN 0.41 MAX 4.96 MIN 0.28

See also Surface Water Streamflow and Storage Volume Data.

<i>Laveen Basin</i>			
STATION ID	4578	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	11/07/2006		
PERIOD OF AVAILABLE RECORD	11/07/2006 - CURRENT YEAR		
WY 2012 PEAK		5.75 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD		9.43 FEET	08/29/2008
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.3	1.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	1.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7	0.2	1.4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8	0.2	1.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.2	0.6	0.2	0.2	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2
11	0.2	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4
12	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.0	0.2	0.2
13	0.2	0.4	0.6	0.2	0.2	0.2	0.2	0.2	0.2	1.7	0.2	0.2
14	0.2	0.2	1.2	0.2	0.2	0.2	0.2	0.2	0.2	1.3	0.2	0.2
15	0.2	0.2	1.0	0.2	0.2	0.2	0.2	0.2	0.2	1.0	0.2	0.2
16	0.2	0.2	0.6	0.2	0.2	0.2	0.2	0.2	0.2	0.8	0.3	0.2
17	0.2	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.7	0.9	0.2
18	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.3	0.5	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	4.1	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	5.1	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	4.4	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	3.7	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	2.9	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.4	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.9	0.2
29	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.4	0.2
30	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	1.0	0.2
31	0.2	---	0.2	0.2	---	0.2	---	0.2	---	0.2	0.8	---
MEAN	0.2	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.4	1.1	0.2
MAX	0.9	1.6	1.4	0.2	0.2	0.6	0.5	0.2	0.2	2.3	5.8	0.8
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WTR YR 2012 MEAN	0.32		MAX	5.75		MIN	0.20					

See also Surface Water Streamflow and Storage Volume Data.

<i>East Fork Cave Creek Basin #1</i>			
STATION ID	4648	DRAINAGE AREA	1.18 MI ²
IN-SERVICE DATE	03/02/1994		
PERIOD OF AVAILABLE RECORD	03/02/1994 - CURRENT YEAR		
WY 2012 PEAK		1.20 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD		3.92 FEET	07/14/2002
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2	---	0.2	0.2	---	0.2	---	0.2	---	0.2	0.2	---
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
MAX	0.2	1.2	0.2	0.2	0.2	0.4	0.2	0.2	0.2	0.2	1.2	0.6
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2

WTR YR 2012 MEAN 0.23 MAX 1.21 MIN 0.23

See also Surface Water Streamflow and Storage Volume Data.

<i>Tatum Wash Basin</i>			
STATION ID	4653	DRAINAGE AREA	2.17 MI ²
IN-SERVICE DATE	05/08/1998		
PERIOD OF AVAILABLE RECORD	05/08/1998 - CURRENT YEAR		
WY 2012 PEAK		0.78 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD		9.93 FEET	08/02/2005
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1	---	0.1	0.1	0.1	0.1	0.1	0.1	0.1
31	0.1	---	0.1	0.1	---	0.1	---	0.1	---	0.1	0.1	---
MEAN	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1
MAX	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.8
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
WTR YR 2012 MEAN	0.05		MAX	0.78		MIN	0.05					

See also Surface Water Streamflow and Storage Volume data.

<i>East Fork Cave Creek Basin #4</i>			
STATION ID	4658	DRAINAGE AREA	0.68 MI ²
IN-SERVICE DATE	01/18/1994		
PERIOD OF AVAILABLE RECORD	01/18/1994 - CURRENT YEAR		
WY 2012 PEAK		1.85 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD		3.65 FEET	07/14/1999
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	---	0.0	0.0	---	0.0	---	0.0	---	0.0	0.0	---
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	1.2	0.8	0.0	0.0	0.6	0.0	0.0	0.0	0.0	1.9	0.2
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR 2012	MEAN	0.00	MAX	1.85	MIN	0.00						

See also Surface Water Streamflow and Storage Volume data.

<i>East Fork Cave Creek Basin #3</i>			
STATION ID	4683	DRAINAGE AREA	3.52 MI ²
IN-SERVICE DATE	09/13/1994		
PERIOD OF AVAILABLE RECORD	09/13/1994 - CURRENT YEAR		
WY 2012 PEAK		0.28 FEET	11/04/2011
EXTREME FOR PERIOD OF RECORD		4.22 FEET	09/07/2006
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
4	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1	---	0.1	0.1	0.1	0.1	0.1	0.1	0.1
31	0.1	---	0.1	0.1	---	0.1	---	0.1	---	0.1	0.1	---
MEAN	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
MAX	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

WTR YR 2012 MEAN 0.15 MAX 0.28 MIN 0.15

See also Surface Water Streamflow and Storage Volume data.

<i>Phoenix Basin 2B</i>			
STATION ID	4778	DRAINAGE AREA	0.6 MI ²
IN-SERVICE DATE	06/30/2009		
PERIOD OF AVAILABLE RECORD	06/30/2009 - CURRENT YEAR		
WY 2012 PEAK		1.65 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD		1.70 FEET	01/21/2010
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	---	0.0	0.0	---	0.0	---	0.0	---	0.0	0.0	---
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.6
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WTR YR 2012 MEAN 0.00 MAX 1.65 MIN 0.00

See also Surface Water Streamflow and Storage Volume data.

<i>Phoenix Basin 2A</i>			
STATION ID	4789	DRAINAGE AREA	0.75 MI ²
IN-SERVICE DATE	06/29/2009		
PERIOD OF AVAILABLE RECORD	06/29/2009 - CURRENT YEAR		
WY 2012 PEAK		5.00 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD		5.15 FEET	09/05/2009
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	---	0.0	0.0	---	0.0	---	0.0	---	0.0	0.0	---
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	5.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WTR YR 2012	MEAN	0.00	MAX	5.00	MIN	0.00						

See also Surface Water Streamflow and Storage Volume data.

<i>Dreamy Draw Dam</i>			
STATION ID	4803	DRAINAGE AREA	1.5 MI ²
IN-SERVICE DATE	01/24/1984		
PERIOD OF AVAILABLE RECORD	08/29/1988 - CURRENT YEAR		
REVISED RECORDS	WY1996:WY1995		
WY 2012 PEAK		4.77 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD		19.17 FEET	10/06/1993
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.8
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1	---	0.1	0.1	0.1	0.1	0.1	0.1	0.1
31	0.1	---	0.1	0.1	---	0.1	---	0.1	---	0.1	0.1	---
MEAN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MAX	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.8
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

WTR YR 2012 MEAN 0.12 MAX 4.77 MIN 0.12

See also Surface Water Streamflow and Storage Volume data.

10th Street Wash Basin #1			
STATION ID	4818	DRAINAGE AREA	1.2 MI ²
IN-SERVICE DATE	11/26/1996		
PERIOD OF AVAILABLE RECORD	11/26/1996 - CURRENT YEAR		
WY 2012 PEAK		1.60 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD		3.33 FEET	07/14/2002
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
5	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.6
8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
10	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
11	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
12	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
13	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
14	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
15	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
16	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
17	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
18	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
19	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
20	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
21	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
22	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
23	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
24	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
25	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
26	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
27	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
28	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
29	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
30	0.3	0.3	0.3	0.3	---	0.3	0.3	0.3	0.3	0.3	0.3	0.3
31	0.3	---	0.3	0.3	---	0.3	---	0.3	---	0.3	0.3	---
MEAN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MAX	0.3	1.0	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.6	1.6
MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3

WTR YR 2012 MEAN 0.33 MAX 1.60 MIN 0.33

See also Surface Water Streamflow and Storage Volume data.

Phoenix Basin #3			
STATION ID	4828	DRAINAGE AREA	1.2 MI ²
IN-SERVICE DATE	12/18/2001		
PERIOD OF AVAILABLE RECORD	12/18/2001 - CURRENT YEAR		
WY 2012 PEAK		4.42 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD		10.36 FEET	07/14/2002
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
2	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
3	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
4	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
5	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
6	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.8
8	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
9	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.6
10	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
11	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.7
12	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
13	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
14	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
15	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
16	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
17	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
18	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
19	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
20	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
21	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
22	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
23	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
24	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
25	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
26	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
27	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
28	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
29	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
30	0.7	0.7	0.7	0.7	---	0.7	0.7	0.7	0.7	0.7	0.7	0.7
31	0.7	---	0.7	0.7	---	0.7	---	0.7	---	0.7	0.7	---
MEAN	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.6	0.7
MAX	0.7	1.3	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	4.4
MIN	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7

WTR YR 2012 MEAN 0.65 MAX 4.42 MIN 0.65

See also Surface Water Streamflow and Storage Volume data.

<i>Phoenix Basin #4</i>			
STATION ID	4838	DRAINAGE AREA	0.60 MI ²
IN-SERVICE DATE	07/06/2009		
PERIOD OF AVAILABLE RECORD	07/06/2009 - CURRENT YEAR		
WY 2012 PEAK		4.80 FEET	08/14/2012
EXTREME FOR PERIOD OF RECORD		9.02 FEET	07/31/2011
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	---	0.0	0.0	---	0.0	---	0.0	---	0.0	0.0	---
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	3.4
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WTR YR 2012 MEAN 0.00 MAX 4.80 MIN 0.00

See also Surface Water Streamflow and Storage Volume data.

<i>Phoenix Basin #99</i>			
STATION ID	4843	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	07/07/2009		
PERIOD OF AVAILABLE RECORD	07/07/2009 - CURRENT YEAR		
WY 2012 PEAK		1.45 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD		2.68 FEET	01/21/2010
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	---	0.0	0.0	---	0.0	---	0.0	---	0.0	0.0	---
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WTR YR 2012 MEAN 0.00 MAX 1.45 MIN 0.00

See also Surface Water Streamflow and Storage Volume data.

<i>Phoenix East Park Dam</i>			
STATION ID	4848	DRAINAGE AREA	0.11 MI ²
IN-SERVICE DATE	11/28/2001		
PERIOD OF AVAILABLE RECORD	11/28/2001 - CURRENT YEAR		
WY 2012 PEAK		NONE	NONE
EXTREME FOR PERIOD OF RECORD		4.84 FEET	07/14/2002
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	---	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1	---	0.1	0.1	0.1	0.1	0.1	0.1	0.1
31	0.1	---	0.1	0.1	---	0.1	---	0.1	---	0.1	0.1	---
MEAN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MAX	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

WTR YR 2012 MEAN 0.10 MAX 0.10 MIN 0.10

See also Surface Water Streamflow and Storage Volume data.

<i>Phoenix Basin #7</i>			
STATION ID	4853	DRAINAGE AREA	1.2 MI ²
IN-SERVICE DATE	12/19/2001		
PERIOD OF AVAILABLE RECORD	12/19/2001 - CURRENT YEAR		
WY 2012 PEAK		4.92 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD		12.11 FEET	07/14/2002
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2	---	0.2	0.2	---	0.2	---	0.2	---	0.2	0.2	---
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
MAX	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	4.9	0.3
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WTR YR 2012	MEAN	0.17	MAX	4.92	MIN	0.17						

See also Surface Water Streamflow and Storage Volume data.

<i>Phoenix West Park Dam</i>			
STATION ID	4858	DRAINAGE AREA	0.68 MI ²
IN-SERVICE DATE	11/29/2001		
PERIOD OF AVAILABLE RECORD	11/29/2001 - CURRENT YEAR		
WY 2012 PEAK		2.08 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD		10.73 FEET	07/14/2002
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2	---	0.2	0.2	---	0.2	---	0.2	---	0.2	0.2	---
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
MAX	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.1	0.2
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WTR YR 2012	MEAN	0.20	MAX	2.08	MIN	0.20						

See also Surface Water Streamflow and Storage Volume data.

<i>Cave Buttes Dam</i>			
STATION ID	4904	DRAINAGE AREA	191 MI ²
IN-SERVICE DATE	01/25/1984		
PERIOD OF AVAILABLE RECORD	10/01/1987 - CURRENT YEAR		
WY 2012 PEAK		8.40 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD		75.89 FEET	01/11/1993
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
2	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
3	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
4	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
5	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
6	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
7	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
8	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
10	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
11	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
12	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
13	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
14	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
15	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
16	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
17	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
18	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
19	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
20	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
21	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
22	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
23	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	6.3	1.9
24	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	2.2	1.9
25	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
26	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
27	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
28	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
29	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
30	1.9	1.9	1.9	1.9	---	1.9	1.9	1.9	1.9	1.9	1.9	1.9
31	1.9	---	1.9	1.9	---	1.9	---	1.9	---	1.9	1.9	---
MEAN	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	2.1	1.9
MAX	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	8.4	1.9
MIN	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9

WTR YR 2012 MEAN 1.91 MAX 8.40 MIN 1.90

*NOTE: Non-submersible pressure transducer type gage was replaced with a bubbler type digital gage on February 17, 2000. The gage id number changed from 4904 to 4899. Id number again changed from 4899 to 4904 as of October 1, 2008, due to equipment change.

See also Surface Water Streamflow (4903) and Storage Volume data (4904R2).

<i>Reata Pass Dam</i>			
STATION ID	4938	DRAINAGE AREA	1.0 MI ²
IN-SERVICE DATE	10/02/2001		
PERIOD OF AVAILABLE RECORD	10/02/2001 - CURRENT YEAR		
WY 2012 PEAK		4.28 FEET	09/09/2012
EXTREME FOR PERIOD OF RECORD		5.40 FEET	09/09/2006
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.6
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.5
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.5
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.7
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3
13	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.6	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.6	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.6	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1	---	0.1	0.1	0.1	0.1	0.1	0.1	0.1
31	0.1	---	0.1	0.1	---	0.1	---	0.1	---	0.1	0.1	---
MEAN	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.2
MAX	0.1	1.5	0.8	0.1	0.1	0.6	0.1	0.1	0.1	2.4	2.0	4.3
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

WTR YR 2012 MEAN 0.07 MAX 4.28 MIN 0.05

See also Surface Water Streamflow and Storage Volume data.

REATA PASS DAM - ALL IMPOUNDMENT DATA



<i>Saddleback FRS</i>			
STATION ID	5113	DRAINAGE AREA	29.6 MI ²
IN-SERVICE DATE	12/16/1988		
PERIOD OF AVAILABLE RECORD	12/16/1988 - CURRENT YEAR		
WY 2012 PEAK		NONE	NONE
EXTREME FOR PERIOD OF RECORD		2.50 FEET	07/15/1996
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
10	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
11	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
12	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
13	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
14	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
15	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
16	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
17	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
18	0.3	---	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
19	0.3	---	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
20	0.3	---	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
21	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
22	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
23	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
24	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
25	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
26	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
27	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
28	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
29	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
30	0.3	0.3	0.3	0.3	---	0.3	0.3	0.3	0.3	0.3	0.3	0.3
31	0.3	---	0.3	0.3	---	0.3	---	0.3	---	0.3	0.3	---
MEAN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MAX	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
WTR YR 2012	MEAN	0.30	MAX	0.30	MIN	0.30						

See also Surface Water Streamflow and Storage Volume data.

<i>Harquahala FRS</i>			
STATION ID	5128	DRAINAGE AREA	102.3 MI ²
IN-SERVICE DATE	03/01/1994		
PERIOD OF AVAILABLE RECORD	03/01/1994 - CURRENT YEAR		
WY 2012 PEAK		12.54 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD		21.47 FEET	10/27/2000
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
4	0.4	0.4	0.4	0.4	0.4	---	0.4	0.4	0.4	0.4	0.4	0.4
5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
6	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
7	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
9	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
10	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
11	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
12	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
13	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
14	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
15	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
16	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
17	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
18	0.4	---	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
19	0.4	---	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
20	0.4	---	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
21	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4
22	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.9	0.4
23	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	10.8	0.4
24	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	3.6	0.4
25	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
26	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
27	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
28	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
29	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
30	0.4	0.4	0.4	0.4	---	0.4	0.4	0.4	0.4	0.4	0.4	0.4
31	0.4	---	0.4	0.4	---	0.4	---	0.4	---	0.4	0.4	---
MEAN	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.8	0.4
MAX	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	12.5	0.4
MIN	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4

WTR YR 2012 MEAN 0.42 MAX 12.54 MIN 0.38

NOTE: Gated outlet not opened. Therefore, many days of post-flood impoundment.

See also Surface Water Streamflow and Storage Volume data.

<i>Buckeye FRS #1</i>			
STATION ID	5203	DRAINAGE AREA	74 MI ²
IN-SERVICE DATE	07/26/1983		
PERIOD OF AVAILABLE RECORD	11/23/1987 - CURRENT YEAR		
WY 2012 PEAK		-1.42 FEET	11/05/2011
EXTREME FOR PERIOD OF RECORD		4.96 FEET	02/14/2003
Surface Water Streamflow	Storage Volume Data		

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
2	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
4	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
5	-2.3	-1.9	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
6	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
7	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
8	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
9	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
10	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
11	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
12	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
13	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
14	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
15	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
16	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
17	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
18	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
19	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
20	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
21	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
22	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
23	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
24	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
25	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
26	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
27	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
28	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
29	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
30	-2.3	-2.3	-2.3	-2.3	---	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
31	-2.3	---	-2.3	-2.3	---	-2.3	---	-2.3	---	-2.3	-2.3	---
MEAN	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
MAX	-2.3	-1.4	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3
MIN	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3	-2.3

WTR YR 2012 MEAN -2.30 MAX -1.43 MIN -2.30

NOTE: Instrument is 2.30 feet below gage datum zero at invert elevation of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

See also Surface Water Streamflow and Storage Volume data.

<i>Buckeye FRS #2</i>			
STATION ID	5208	DRAINAGE AREA	5.7 MI ²
IN-SERVICE DATE	11/11/1992		
PERIOD OF AVAILABLE RECORD	11/11/1992 - CURRENT YEAR		
WY 2012 PEAK		-0.64 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD		4.66 FEET	02/14/2003
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
2	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
3	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
5	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
6	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
7	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
8	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
9	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
10	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
11	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
12	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
13	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
14	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
15	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
16	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
17	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
18	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
19	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
20	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
21	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
22	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.3	-1.4
23	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
24	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
25	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
26	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
27	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
28	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
29	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
30	-1.4	-1.4	-1.4	-1.4	---	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
31	-1.4	---	-1.4	-1.4	---	-1.4	---	-1.4	---	-1.4	-1.4	---
MEAN	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4
MAX	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-0.6	-1.4
MIN	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4	-1.4

WTR YR 2012 MEAN -1.39 MAX -0.64 MIN -1.39

Instrument is 1.39 feet below zero gage datum at invert of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

See also Surface Water Streamflow and Storage Volume data.

Sunset FRS			
STATION ID	5233	DRAINAGE AREA	0.95 MI ²
IN-SERVICE DATE	02/12/1989		
PERIOD OF AVAILABLE RECORD	02/12/1989 - CURRENT YEAR		
WY 2012 PEAK		7.23 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD		12.27 FEET	09/26/1997
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.9	2.2
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.8	2.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.6	2.0
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0	1.3	1.9
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.8	1.1	1.8
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.6	0.9	1.7
7	0.1	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.4	0.6	1.5
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.2	0.1	1.4
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.8	0.1	1.3
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	1.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0
12	0.1	0.1	0.7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.9
13	0.1	0.1	2.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.8
14	0.1	0.1	2.2	0.1	0.1	0.1	0.1	0.1	0.1	2.7	0.1	0.7
15	0.1	0.1	1.9	0.1	0.1	0.1	0.1	0.1	0.1	6.6	0.1	0.3
16	0.1	0.1	1.4	0.1	0.1	0.1	0.1	0.1	0.1	6.1	0.1	0.1
17	0.1	0.1	0.4	0.1	0.1	0.1	0.1	0.1	0.1	5.4	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	2.3	0.1	0.1	0.1	2.3	0.6	0.1
19	0.1	0.1	0.1	0.1	0.1	2.2	0.1	0.1	0.1	0.9	2.1	0.1
20	0.1	0.1	0.1	0.1	0.1	1.9	0.1	0.1	0.1	0.2	1.7	0.1
21	0.1	0.1	0.1	0.1	0.1	1.7	0.1	0.1	0.1	0.1	1.4	0.1
22	0.1	0.1	0.1	0.1	0.1	1.5	0.1	0.1	0.1	1.0	1.7	0.1
23	0.1	0.1	0.1	0.1	0.1	1.3	0.1	0.1	0.1	3.8	4.7	0.1
24	0.1	0.1	0.1	0.1	0.1	0.9	0.1	0.1	0.1	2.0	4.4	0.1
25	0.1	0.1	0.1	0.1	0.1	0.4	0.1	0.1	0.1	0.1	4.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.7	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	---	3.4	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.1	0.1
29	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.8	0.1
30	0.1	0.1	0.1	0.1	---	0.1	0.1	0.1	0.1	2.3	2.6	0.1
31	0.1	---	0.1	0.1	---	0.1	---	0.1	---	2.1	2.3	---
MEAN	0.1	0.1	0.4	0.1	0.1	0.5	0.1	0.1	0.1	1.4	1.6	0.8
MAX	0.1	1.0	2.4	0.2	0.1	2.8	0.1	0.1	0.1	7.2	5.3	2.3
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

WTR YR 2012 MEAN 0.47 MAX 7.23 MIN 0.13

See also Surface Water Streamflow and Storage Volume Data.

<i>Sunnycove FRS</i>			
STATION ID	5248	DRAINAGE AREA	1.35 MI ²
IN-SERVICE DATE	07/01/1986		
PERIOD OF AVAILABLE RECORD	12/16/1988 - CURRENT YEAR		
REVISED RECORDS	WY2000:WY1999		
WY 2012 PEAK		12.65 FEET	07/15/2012
EXTREME FOR PERIOD OF RECORD		21.68 FEET	08/22/1992
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	6.1
2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	6.0
3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	6.0
4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	5.9
5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	5.9
6	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	5.8
7	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	5.8
8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	5.7
9	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	5.6
10	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	5.6
11	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	5.6
12	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	5.5
13	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	5.4
14	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	3.5	0.4	5.3
15	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	12.4	0.4	5.3
16	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	12.1	0.4	5.2
17	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	10.8	0.4	5.1
18	0.4	0.4	0.4	0.4	0.4	0.6	0.4	0.4	0.4	5.7	0.4	5.1
19	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	4.7	0.4	5.0
20	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	4.6	0.4	5.0
21	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	4.6	0.4	4.9
22	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	4.6	0.4	4.8
23	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	4.9	6.8	4.8
24	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	2.8	7.0	4.7
25	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	1.0	6.8	4.7
26	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.8	6.7	2.9
27	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	6.6	0.4
28	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	6.5	0.4
29	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	6.4	0.4
30	0.4	0.4	0.4	0.4	---	0.4	0.4	0.4	0.4	0.4	6.3	0.4
31	0.4	---	0.4	0.4	---	0.4	---	0.4	---	0.4	6.2	---
MEAN	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	2.6	2.2	4.6
MAX	0.4	0.4	0.4	0.4	0.4	1.3	0.4	0.4	0.4	12.7	7.5	6.2
MIN	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4

WTR YR 2012 MEAN 1.08 MAX 12.65 MIN 0.40

See also Surface Water Streamflow and Storage Volume data.

White Tank FRS #3			
STATION ID	5418	DRAINAGE AREA	20.5 MI ²
IN-SERVICE DATE	03/12/1986		
PERIOD OF AVAILABLE RECORD	01/01/1988 - CURRENT YEAR		
WY 2012 PEAK		NONE	NONE
EXTREME FOR PERIOD OF RECORD		2.60 FEET	01/11/1993
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	---	0.0	0.0	---	0.0	---	0.0	---	0.0	0.0	---
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WTR YR 2012 MEAN 0.00 MAX 0.00 MIN 0.00

See also Surface Water Streamflow and Storage Volume data.

McMicken Dam			
STATION ID	5448	DRAINAGE AREA	247 MI ²
IN-SERVICE DATE	03/20/1983		
PERIOD OF AVAILABLE RECORD	02/18/1988 - CURRENT YEAR		
WY 2012 PEAK		NONE	NONE
EXTREME FOR PERIOD OF RECORD		4.90 FEET	09/04/1990
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
2	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
3	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
4	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
5	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
7	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
8	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
9	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
10	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
11	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
12	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
13	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
14	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
15	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
16	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
17	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
18	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
19	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
20	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
21	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
22	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
23	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
24	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
25	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
26	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
27	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
28	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
29	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
30	1.6	1.6	1.6	1.6	---	1.6	1.6	1.6	1.6	1.6	1.6	1.6
31	1.6	---	1.6	1.6	---	1.6	---	1.6	---	1.6	1.6	---
MEAN	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
MAX	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
MIN	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6

WTR YR 2012 MEAN 1.60 MAX 1.60 MIN 1.60

See also Surface Water Streamflow and Storage Volume data.

<i>Adobe Dam</i>			
STATION ID	5539	DRAINAGE AREA	89.6 MI ²
IN-SERVICE DATE	10/28/1982		
PERIOD OF AVAILABLE RECORD	08/30/1988 - CURRENT YEAR		
WY 2012 PEAK		7.05 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD		17.30 FEET	01/22/2010
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
3	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
4	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
5	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
6	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
7	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
8	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
9	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
10	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
11	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
12	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
13	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
14	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
15	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
16	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
17	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
18	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
19	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
20	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
21	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
22	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
23	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	4.6	3.2
24	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
25	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
26	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
27	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
28	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
29	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
30	3.2	3.2	3.2	3.2	---	3.2	3.2	3.2	3.2	3.2	3.2	3.2
31	3.2	---	3.2	3.2	---	3.2	---	3.2	---	3.2	3.2	---
MEAN	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
MAX	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	7.1	3.2
MIN	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2

WTR YR 2012 MEAN 3.20 MAX 7.05 MIN 3.20

NOTE: ID was changed from 5534 to 5539, effective June 18, 2009.

See also Surface Water Streamflow (5538) and Storage Volume data (5539R2).

New River Dam			
STATION ID	5614	DRAINAGE AREA	164 MI ²
IN-SERVICE DATE	04/15/1986		
PERIOD OF AVAILABLE RECORD	08/30/1988 - CURRENT YEAR		
WY 2012 PEAK		6.48 FEET	08/01/2012
EXTREME FOR PERIOD OF RECORD		44.37 FEET	01/08/1993
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	4.5	2.9
2	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
3	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
4	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
5	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
6	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
7	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
8	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
10	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
11	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
12	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
13	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
14	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
15	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
16	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
17	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
18	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
19	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
20	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
21	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
22	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
23	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
24	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
25	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
26	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
27	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
28	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
29	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
30	2.9	2.9	2.9	2.9	---	2.9	2.9	2.9	2.9	2.9	2.9	2.9
31	2.9	---	2.9	2.9	---	2.9	---	2.9	---	2.9	2.9	---
MEAN	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
MAX	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	5.9	6.5	2.9
MIN	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
WTR YR 2012	MEAN	2.88	MAX	6.48	MIN	2.88						

*NOTE: ID changed from 5609 to 5614, effective October 1, 2008.

See also Surface Water Streamflow (5613) and Storage Volume data (5612).

Stoneridge Dam			
STATION ID	5968	DRAINAGE AREA	0.86 MI ²
IN-SERVICE DATE	12/11/1996		
PERIOD OF AVAILABLE RECORD	12/11/1996 - CURRENT YEAR		
WY 2012 PEAK		1.80 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD		7.15 FEET	08/31/1999
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
2	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
3	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
4	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
5	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
6	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
7	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
8	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
10	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
11	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
12	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
13	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
14	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
15	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
16	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
17	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
18	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
19	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
20	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
21	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
22	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
23	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
24	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
25	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
26	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
27	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
28	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
29	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
30	0.9	0.9	0.9	0.9	---	0.9	0.9	0.9	0.9	0.9	0.9	0.9
31	0.9	---	0.9	0.9	---	0.9	---	0.9	---	0.9	0.9	---
MEAN	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
MAX	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.8	0.9
MIN	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9

WTR YR 2012 MEAN 0.87 MAX 1.79 MIN 0.87

See also Surface Water Streamflow and Storage Volume data.

<i>Sunridge Canyon Dam</i>			
STATION ID	5973	DRAINAGE AREA	1.60 MI ²
IN-SERVICE DATE	02/04/1997		
PERIOD OF AVAILABLE RECORD	02/04/1997 - CURRENT YEAR		
WY 2012 PEAK		NONE	NONE
EXTREME FOR PERIOD OF RECORD		7.68 FEET	10/26/1998
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
2	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
3	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
5	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
6	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
8	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
9	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
10	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
11	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
12	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
13	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
14	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
15	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
16	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
17	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
18	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
19	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
20	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
21	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
22	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
23	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
24	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
25	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
26	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
27	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
28	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
29	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
30	1.4	1.4	1.4	1.4	---	1.4	1.4	1.4	1.4	1.4	1.4	1.4
31	1.4	---	1.4	1.4	---	1.4	---	1.4	---	1.4	1.4	---
MEAN	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
MIN	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4

WTR YR 2012 MEAN 1.36 MAX 1.36 MIN 1.36

See also Surface Water Streamflow and Storage Volume data.

Golden Eagle Park Dam			
STATION ID	5978	DRAINAGE AREA	7.13 MI ²
IN-SERVICE DATE	12/12/1996		
PERIOD OF AVAILABLE RECORD	12/12/1996 - CURRENT YEAR		
WY 2012 PEAK		4.71 FEET	07/28/2012
EXTREME FOR PERIOD OF RECORD		12.02 FEET	08/02/2005
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
2	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
3	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
4	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
5	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
7	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
8	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
9	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
10	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
11	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
12	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
13	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
14	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
15	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
16	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
17	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
18	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
19	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
20	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
21	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
22	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
23	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
24	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
25	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
26	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
27	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
28	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.8	2.6	2.6
29	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.9	2.6	2.6
30	2.6	2.6	2.6	2.6	---	2.6	2.6	2.6	2.6	2.6	2.6	2.6
31	2.6	---	2.6	2.6	---	2.6	---	2.6	---	2.6	2.6	---
MEAN	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
MAX	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	4.7	3.3	2.6
MIN	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6

WTR YR 2012 MEAN 2.56 MAX 4.71 MIN 2.56

See also Surface Water Streamflow and Storage Volume Data.

North Heights Dam			
STATION ID	5983	DRAINAGE AREA	2.13 MI ²
IN-SERVICE DATE	10/11/1996		
PERIOD OF AVAILABLE RECORD	10/11/1996 - CURRENT YEAR		
WY 2012 PEAK		4.25 FEET	07/28/2012
EXTREME FOR PERIOD OF RECORD		14.82 FEET	09/10/2002
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.2	0.2
29	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2	---	0.2	0.2	---	0.2	---	0.2	---	0.2	0.2	---
MEAN	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2
MAX	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	4.2	0.8	0.2
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2

WTR YR 2012 MEAN 0.25 MAX 4.25 MIN 0.25

See also Surface Water Streamflow and Storage Volume data.

Aspen Dam			
STATION ID	5988	DRAINAGE AREA	2.02 MI ²
IN-SERVICE DATE	01/02/1997		
PERIOD OF AVAILABLE RECORD	01/02/1997 - CURRENT YEAR		
WY 2012 PEAK		1.74 FEET	07/28/2012
EXTREME FOR PERIOD OF RECORD		5.84 FEET	03/05/2004
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2
29	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2	---	0.2	0.2	---	0.2	---	0.2	---	0.2	0.2	---
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
MAX	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	1.7	1.4	0.2
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2

WTR YR 2012 MEAN 0.24 MAX 1.74 MIN 0.24

See also Surface Water Streamflow and Storage Volume data.

<i>Hesperus Dam</i>			
STATION ID	5993	DRAINAGE AREA	2.91 MI ²
IN-SERVICE DATE	12/18/1996		
PERIOD OF AVAILABLE RECORD	12/18/1996 - CURRENT YEAR		
WY 2012 PEAK		2.73 FEET	07/28/2012
EXTREME FOR PERIOD OF RECORD		8.93 FEET	09/10/2002
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
2	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
3	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
6	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
7	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
10	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
11	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
12	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
13	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
14	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
15	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
16	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
17	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
18	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
19	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
20	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
21	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
22	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
23	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
24	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
26	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
27	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
28	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.0	1.0
29	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
30	1.0	1.0	1.0	1.0	---	1.0	1.0	1.0	1.0	1.0	1.0	1.0
31	1.0	---	1.0	1.0	---	1.0	---	1.0	---	1.0	1.0	---
MEAN	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
MAX	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.7	1.0	1.0
MIN	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

WTR YR 2012 MEAN 1.03 MAX 2.73 MIN 1.03

See also Surface Water Streamflow and Storage Volume data.

<i>Guadalupe FRS</i>			
STATION ID	6503	DRAINAGE AREA	1.87 MI ²
IN-SERVICE DATE	06/29/1989		
PERIOD OF AVAILABLE RECORD	06/29/1989 - CURRENT YEAR		
WY 2012 PEAK		NONE	NONE
EXTREME FOR PERIOD OF RECORD		9.41 FEET	07/13/2008
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
10	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
11	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
12	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
13	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
14	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	---
15	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
16	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
17	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
18	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
19	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
20	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
21	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
22	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
23	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
24	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
25	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
26	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
27	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
28	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
29	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
30	0.3	0.3	0.3	0.3	---	0.3	0.3	0.3	0.3	0.3	0.3	0.3
31	0.3	---	0.3	0.3	---	0.3	---	0.3	---	0.3	0.3	---
MEAN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MAX	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3

WTR YR 2012 MEAN 0.26 MAX 0.36 MIN 0.26

See also Surface Water Streamflow and Storage Volume data.

<i>Pecos Sediment Basin</i>			
STATION ID	6537	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	01/06/2009		
PERIOD OF AVAILABLE RECORD	01/06/2009 - CURRENT YEAR		
WY 2012 PEAK		5.06 FEET	08/17/2012
EXTREME FOR PERIOD OF RECORD		10.28 FEET	02/11/2009
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	---	1.5	1.5	1.5	1.6
2	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
3	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
4	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
6	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
7	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
8	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
9	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
10	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
11	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
12	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
13	1.5	1.5	1.8	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
14	1.5	1.5	2.4	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
15	1.5	1.5	2.4	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2.9	1.5
16	1.5	1.5	2.1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2.6	1.5
17	1.5	1.5	2.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	3.9	1.5
18	1.5	1.5	1.9	1.5	1.5	1.5	1.5	1.5	1.5	1.5	3.4	1.5
19	1.5	1.5	1.8	1.5	1.5	1.5	1.5	1.5	1.5	1.5	3.1	1.5
20	1.5	1.5	1.6	1.5	1.5	1.5	1.5	1.5	1.5	1.5	3.1	1.5
21	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	3.2	1.5
22	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	4.0	1.5
23	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	3.6	1.5
24	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	3.7	1.5
25	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	3.4	1.5
26	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	3.1	1.5
27	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2.8	1.5
28	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2.6	1.5
29	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2.3	1.5
30	1.5	1.5	1.5	1.5	---	1.5	---	1.5	1.5	1.5	2.1	1.5
31	1.5	---	1.5	1.5	---	1.5	---	1.5	---	1.5	1.9	---
MEAN	1.5	1.5	1.6	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2.3	1.5
MAX	1.5	1.5	2.6	1.5	1.5	1.5	1.5	1.5	1.5	1.5	5.1	1.8
MIN	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5

WTR YR 2012 MEAN 1.56 MAX 5.05 MIN 1.48

See also Surface Water Streamflow and Storage Volume data.

<i>Pecos Basin</i>			
STATION ID	6538	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	01/06/2009		
PERIOD OF AVAILABLE RECORD	01/06/2009 - CURRENT YEAR		
WY 2012 PEAK		7.15 FEET	08/22/2012
EXTREME FOR PERIOD OF RECORD		8.10 FEET	01/22/2010
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	6.0	6.0	6.0	6.0	6.0	6.0	6.0	---	6.0	6.0	6.0	6.0
2	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.1	6.0	6.0	6.0	6.0
3	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.1	6.0	6.0
4	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
5	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
6	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
7	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
8	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
9	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
10	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
11	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
12	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
13	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
14	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
15	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
16	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
17	6.1	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.4	6.0
18	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.3	6.0
19	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.1	6.0
20	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
21	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
22	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.9	6.0
23	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.7	6.0
24	6.0	6.0	6.0	6.0	6.0	6.1	6.0	6.0	6.0	6.0	6.6	6.0
25	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.4	6.0
26	6.0	6.0	6.0	6.0	6.0	6.0	6.1	6.0	6.0	6.0	6.1	6.0
27	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
28	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
29	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
30	6.0	6.0	6.0	6.0	---	6.0	---	6.0	6.0	6.0	6.0	6.0
31	6.0	---	6.0	6.0	---	6.0	---	6.0	---	6.0	6.0	---
MEAN	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.1	6.0
MAX	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	7.2	6.0
MIN	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0

WTR YR 2012 MEAN 6.06 MAX 7.15 MIN 6.05

See also Surface Water Streamflow and Storage Volume data.

NOTE: Station established during Water Year 2009 on January 6, 2009.

<i>Freestone Basin</i>			
STATION ID	6608	DRAINAGE AREA	2.2 MI ²
IN-SERVICE DATE	12/19/1995		
PERIOD OF AVAILABLE RECORD	12/19/1995 - CURRENT YEAR		
WY 2012 PEAK		9.90 FEET	07/15/2012
EXTREME FOR PERIOD OF RECORD		13.38 FEET	07/26/2006
Storage Volume Data			

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.4	3.0	3.2	2.8	3.1	2.8	2.8	3.8	3.3	4.1	3.0	2.8
2	3.2	3.2	2.8	2.8	2.8	2.8	3.4	3.1	3.7	3.5	2.9	2.9
3	2.9	3.1	2.8	2.8	2.8	2.8	3.1	3.4	3.9	3.0	2.8	3.2
4	3.2	2.9	---	2.8	2.9	2.8	3.0	3.8	3.6	3.5	2.9	3.0
5	3.6	4.0	---	2.8	2.9	2.8	2.8	3.6	3.1	3.1	3.2	2.8
6	2.8	3.0	2.8	2.8	2.8	2.8	2.8	3.6	3.0	2.8	3.0	2.8
7	2.8	3.7	3.6	3.0	2.8	2.8	2.8	3.0	3.1	3.2	2.8	5.2
8	2.8	3.2	3.5	3.2	3.0	2.8	2.8	2.8	3.0	2.9	2.8	6.1
9	2.8	2.8	3.1	2.9	2.8	2.8	3.0	3.7	3.7	2.8	2.8	2.9
10	2.8	2.8	2.8	2.8	2.8	2.8	2.9	3.4	3.1	2.8	2.8	2.8
11	2.8	3.4	2.8	2.9	2.8	2.8	2.8	3.2	3.1	2.9	2.8	3.3
12	3.1	3.6	4.1	3.0	2.8	2.8	2.8	3.9	3.5	3.1	3.1	3.1
13	3.6	3.8	6.9	3.0	2.9	2.8	2.9	3.9	3.0	3.4	3.1	2.8
14	3.1	3.2	8.2	2.8	2.8	2.9	2.9	3.9	3.4	5.6	2.8	3.1
15	2.8	2.8	8.0	2.8	2.8	2.8	3.4	3.9	3.0	9.2	2.8	3.3
16	2.9	2.8	7.8	2.8	2.8	2.8	3.1	3.1	3.2	6.8	2.8	3.0
17	3.5	2.8	7.6	2.8	2.8	2.8	3.6	3.0	3.0	3.3	3.5	2.8
18	3.7	2.8	7.5	2.8	2.8	4.9	3.1	3.2	3.3	2.8	3.8	2.8
19	3.1	2.8	5.9	2.8	2.8	4.3	3.1	3.2	3.0	2.8	3.8	2.8
20	3.3	3.0	2.8	2.8	3.3	2.8	3.0	3.5	3.1	2.9	3.2	2.8
21	3.7	3.2	2.8	2.8	2.9	3.7	2.8	3.0	3.0	3.7	2.9	2.8
22	3.9	3.8	2.8	2.8	2.8	3.2	3.1	3.1	3.0	3.5	3.3	2.8
23	3.1	3.1	2.8	2.8	2.8	2.8	3.0	2.8	3.5	2.8	3.7	2.9
24	2.9	2.8	2.8	2.8	2.8	3.3	3.0	3.5	3.7	3.2	3.1	2.8
25	2.9	2.8	2.8	2.8	3.1	3.5	3.6	3.5	3.1	3.0	3.1	2.8
26	4.1	2.9	2.8	2.8	2.8	3.1	4.1	2.8	3.5	2.8	3.4	2.8
27	3.5	3.0	2.8	2.8	2.9	2.8	3.4	3.3	3.7	2.8	3.4	2.8
28	2.8	3.2	2.8	2.8	2.8	2.9	2.8	3.5	3.8	3.1	2.8	2.8
29	2.8	3.4	2.8	2.8	2.8	3.0	3.0	3.0	3.9	3.3	3.1	2.8
30	2.8	3.4	2.8	2.8	---	2.8	3.6	3.5	4.0	2.8	3.0	2.8
31	3.1	---	2.8	2.9	---	2.8	---	3.1	---	2.8	2.8	---
MEAN	3.2	3.2	4.0	2.9	2.9	3.0	3.1	3.4	3.3	3.5	3.1	3.1
MAX	5.3	5.7	8.2	3.8	3.7	6.3	4.8	4.9	5.3	9.9	5.4	7.1
MIN	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
WTR YR 2012 MEAN	3.21		MAX	9.90		MIN	2.83					

Many days of impoundment due to irrigation tailwater. The gage is located inside a pump housing that, when stage reaches a certain level, pumps water from the gage house and basin. The daily stage values fluctuate substantially. Gage Heights above 10.0 feet are generally caused by storm events.

See also Storage Volume data.

<i>Crossroads Park</i>			
STATION ID	6623	DRAINAGE AREA	15.7 MI ²
IN-SERVICE DATE	12/18/1995		
PERIOD OF AVAILABLE RECORD	12/18/1995 - CURRENT YEAR		
WY 2012 PEAK		4.33 FEET	12/21/2011
EXTREME FOR PERIOD OF RECORD		4.33 FEET	12/21/2011
Storage Volume Data			

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
2	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
5	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
6	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
7	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
8	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
9	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
10	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
11	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
12	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
13	1.3	1.3	1.5	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
14	1.3	1.3	2.9	1.3	1.3	1.3	1.3	1.3	1.3	1.6	1.3	1.3
15	1.3	1.3	3.2	1.3	1.3	1.3	1.3	1.3	1.3	2.1	1.3	1.3
16	1.3	1.3	3.4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
17	1.3	1.3	3.6	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
18	1.3	1.3	3.8	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
19	1.3	1.3	4.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
20	1.3	1.3	4.1	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
21	1.3	1.3	4.2	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
22	1.3	1.3	4.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
23	1.3	1.3	3.7	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
24	1.3	1.3	3.5	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
25	1.3	1.3	3.2	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
26	1.3	1.3	3.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
27	1.3	1.3	2.7	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
28	1.3	1.3	2.5	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
29	1.3	1.3	2.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
30	1.3	1.3	1.4	1.3	---	1.3	1.3	1.3	1.3	1.3	1.3	1.3
31	1.3	---	1.3	1.3	---	1.3	---	1.3	---	1.3	1.3	---
MEAN	1.3	1.3	2.4	1.3	1.3	1.3	1.3	1.3	1.3	1.4	1.3	1.3
MAX	1.3	1.3	4.3	1.3	1.3	1.3	1.3	1.3	1.3	2.5	1.3	1.3
MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
WTR YR 2012	MEAN	1.42	MAX	4.33	MIN	1.33						

See also Storage Volume data.

Signal Butte FRS			
STATION ID	6628	DRAINAGE AREA	16.4 MI ²
IN-SERVICE DATE	11/10/1987		
PERIOD OF AVAILABLE RECORD	11/10/1987 - CURRENT YEAR		
WY 2012 PEAK		5.10 FEET	07/15/2012
EXTREME FOR PERIOD OF RECORD		13.30 FEET	01/11/1993
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	-0.2	-0.2	-0.2	0.5	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.3
2	-0.2	-0.2	-0.2	0.4	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.2
3	-0.2	-0.2	-0.2	0.3	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.1
4	-0.2	-0.2	-0.2	0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.0
5	-0.2	-0.2	-0.2	0.1	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.9
6	-0.2	-0.2	-0.2	-0.0	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.8
7	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	2.9
8	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	3.7
9	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	3.4
10	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	3.1
11	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	2.8
12	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	2.4
13	-0.2	-0.2	1.4	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.3
14	-0.2	-0.2	2.3	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.3	-0.2	-0.2
15	-0.2	-0.2	2.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	4.9	-0.2	-0.2
16	-0.2	-0.2	2.0	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	4.4	-0.2	-0.2
17	-0.2	-0.2	1.8	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	3.9	-0.2	-0.2
18	-0.2	-0.2	1.8	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	3.5	-0.2	-0.2
19	-0.2	-0.2	1.7	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	3.2	-0.2	-0.2
20	-0.2	-0.2	1.6	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	3.0	-0.2	-0.2
21	-0.2	-0.2	1.5	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	2.9	-0.2	-0.2
22	-0.2	-0.2	1.4	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	2.7	-0.2	-0.2
23	-0.2	-0.2	1.3	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	2.5	2.0	-0.2
24	-0.2	-0.2	1.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	2.3	2.1	-0.2
25	-0.2	-0.2	1.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	1.7	2.0	-0.2
26	-0.2	-0.2	1.1	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.3	1.8	-0.2
27	-0.2	-0.2	1.0	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.1	1.8	-0.2
28	-0.2	-0.2	0.9	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.1	1.6	-0.2
29	-0.2	-0.2	0.8	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	0.1	1.6	-0.2
30	-0.2	-0.2	0.7	-0.2	---	-0.2	-0.2	-0.2	-0.2	-0.0	1.5	-0.2
31	-0.2	---	0.6	-0.2	---	-0.2	---	-0.2	---	-0.1	1.3	---
MEAN	-0.2	-0.2	0.8	-0.1	-0.2	-0.2	-0.2	-0.2	-0.2	1.1	0.3	0.7
MAX	-0.2	-0.2	2.5	0.6	-0.2	-0.2	-0.2	-0.2	-0.2	5.1	2.6	4.2
MIN	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2	-0.2
WTR YR 2012	MEAN	0.08	MAX	5.10	MIN	-0.25						

See also Surface Water Streamflow and Storage Volume data.

<i>Apache Junction FRS</i>			
STATION ID	6673	DRAINAGE AREA	5.8 MI ²
IN-SERVICE DATE	12/16/1981		
PERIOD OF AVAILABLE RECORD	09/15/1988 - CURRENT YEAR		
WY 2012 PEAK		2.58 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD		6.48 FEET	08/17/2010
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4
8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.8	0.1	0.1
15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
21	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
29	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1	---	0.1	0.1	0.1	0.1	0.1	0.1	0.1
31	0.1	---	0.1	0.1	---	0.1	---	0.1	---	0.1	0.1	---
MEAN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
MAX	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.6	0.1	2.3
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

WTR YR 2012 MEAN 0.13 MAX 2.58 MIN 0.13

See also Surface Water Streamflow and Storage Volume data.

<i>Powerline FRS</i>			
STATION ID	6683	DRAINAGE AREA	49.9 MI ²
IN-SERVICE DATE	12/02/1992		
PERIOD OF AVAILABLE RECORD	12/02/1992 - CURRENT YEAR		
WY 2012 PEAK		4.15 FEET	09/04/2012
EXTREME FOR PERIOD OF RECORD		11.00 FEET	01/11/1993
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	3.2
5	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.5
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.5
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.8
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.7
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.0
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.8	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	---	0.2	0.2	0.4	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	---	0.2	0.2	0.3	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	---	0.2	0.2	0.2
31	0.2	---	0.2	0.2	---	0.2	---	0.2	---	0.2	0.2	---
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.6
MAX	0.2	0.5	0.2	0.2	0.2	0.5	0.2	0.2	0.2	0.4	1.4	4.2
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2

WTR YR 2012 MEAN 0.23 MAX 4.15 MIN 0.20

See also Surface Water Streamflow and Storage Volume data.

<i>Vineyard FRS</i>			
STATION ID	6688	DRAINAGE AREA	57.8 MI ²
IN-SERVICE DATE	11/02/1983		
PERIOD OF AVAILABLE RECORD	11/09/1987 - CURRENT YEAR		
WY 2012 PEAK		3.20 FEET	09/04/2012
EXTREME FOR PERIOD OF RECORD		5.90 FEET	11/16/1993
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.4
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.9
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.3
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.2
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.1
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.8
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.6
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.9
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.6
13	0.2	0.2	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4
14	0.2	0.2	0.8	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2
15	0.2	0.2	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.5	0.2	0.2
16	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.6	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.4	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.6	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.5	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.0	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.7	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.5	0.2
29	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2
30	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.6	0.2	0.2
31	0.2	---	0.2	0.2	---	0.2	---	0.2	---	0.6	0.2	---
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.5
MAX	0.2	0.2	0.9	0.2	0.2	0.7	0.2	0.2	0.2	0.7	2.0	3.2
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2

WTR YR 2012 MEAN 0.25 MAX 3.20 MIN 0.20

See also Surface Water Streamflow and Storage Volume data.

<i>Rittenhouse FRS</i>			
STATION ID	6703	DRAINAGE AREA	51.3 MI ²
IN-SERVICE DATE	09/27/1988		
PERIOD OF AVAILABLE RECORD	09/27/1988 - CURRENT YEAR		
WY 2012 PEAK		7.82 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD		12.58 FEET	02/12/2005
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.5
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.0
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	1.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.9	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.5	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	5.3	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.6	0.2
25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.1	0.2	0.2
30	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	2.7	0.2	0.2
31	0.2	---	0.2	0.2	---	0.2	---	0.2	---	0.2	0.2	---
MEAN	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.5	0.3
MAX	0.2	0.2	2.1	0.2	0.2	0.2	0.2	0.2	0.2	6.9	7.8	1.9
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2

WTR YR 2012 MEAN 0.29 MAX 7.83 MIN 0.25

See also Surface Water Streamflow and Storage Volume data.

<i>Magma FRS</i>			
STATION ID	6718	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	11/15/2007		
PERIOD OF AVAILABLE RECORD	11/15/2007 - CURRENT YEAR		
WY 2012 PEAK		NONE	NONE
EXTREME FOR PERIOD OF RECORD		1618.90 FEET	07/11/2008
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
2	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
3	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
4	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
5	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
6	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
7	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
8	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
9	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
10	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
11	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
12	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
13	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
14	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
15	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
16	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
17	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
18	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
19	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
20	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
21	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
22	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
23	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
24	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
25	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
26	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
27	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
28	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
29	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---	---
30	1601.	1601.	1601.	1601.	---	1601.	---	---	---	---	---	---
31	1601.	---	1601.	1601.	---	1601.	---	---	---	---	---	---
MEAN	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
MAX	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
MIN	1601.	1601.	1601.	1601.	1601.	1601.	1601.	---	---	---	---	---
WTR YR 2012 MEAN	1601.	MAX	1601.	MIN	1601.							

See also Surface Water Streamflow and Storage Volume data.

NOTE: Gaging temporarily removed for construction, April 12 through September 30, 2012.

<i>Whitlow Ranch Dam</i>			
STATION ID	6739	DRAINAGE AREA	143 MI ²
IN-SERVICE DATE	08/02/2000		
PERIOD OF AVAILABLE RECORD	08/02/2000 - CURRENT YEAR		
WY 2012 PEAK		NONE	NONE
EXTREME FOR PERIOD OF RECORD		58.20 FEET	02/12/2005
<i>Surface Water Streamflow</i>	<i>Storage Volume Data</i>		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
2	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
4	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
5	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
6	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
7	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
8	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
9	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
10	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
11	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
12	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
13	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
14	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
15	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
16	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
17	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
18	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
19	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
20	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
21	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
22	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
23	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
24	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
25	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
26	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
27	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
28	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
29	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
30	3.3	3.3	3.3	3.3	---	3.3	3.3	3.3	3.3	3.3	3.3	3.3
31	3.3	---	3.3	3.3	---	3.3	---	3.3	---	3.3	3.3	---
MEAN	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
MAX	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
MIN	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
WTR YR 2012 MEAN	3.30	MAX	3.30	MIN	3.30							

NOTE: Gage becomes disconnected from the USACOE gaging equipment on occasion. There may have been several impoundments behind the dam during the water year that may not have been recorded by FCDMC gaging equipment. For more information, refer to the U.S. Army Corps of Engineers, Los Angeles District.

<i>Buckeye FRS #3</i>			
STATION ID	6813	DRAINAGE AREA	9.3 MI ²
IN-SERVICE DATE	11/23/1992		
PERIOD OF AVAILABLE RECORD	05/18/1996 - CURRENT YEAR		
WY 2012 PEAK		-0.18 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD		-0.18 FEET	08/21/2012
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
2	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
3	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
4	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
5	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
6	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
7	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
8	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
9	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
10	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
11	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
12	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
13	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
14	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
15	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
16	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
17	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
18	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
19	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
20	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
21	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-3.7	-4.1
22	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-3.9	-4.1
23	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
24	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
25	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
26	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
27	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
28	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
29	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
30	-4.1	-4.1	-4.1	-4.1	---	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
31	-4.1	---	-4.1	-4.1	---	-4.1	---	-4.1	---	-4.1	-4.1	---
MEAN	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1
MAX	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.0	-4.1	-0.2	-4.1
MIN	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1	-4.1

WTR YR 2012 MEAN -4.08 MAX -0.18 MIN -4.08

Note: Instrument is 4.08 feet below zero gage datum at invert of principal outlet, which is located in a depressed drop box type inlet structure. Gage datum of 0.00 feet is taken to be the point at the top of the drop box which is level with the ground at the inlet structure.

See also Surface Water Streamflow and Storage Volume data.

White Tank FRS #4			
STATION ID	6823	DRAINAGE AREA	18.6 MI ²
IN-SERVICE DATE	01/09/1986		
PERIOD OF AVAILABLE RECORD	10/01/1987 - CURRENT YEAR		
WY 2012 PEAK		NONE	NONE
EXTREME FOR PERIOD OF RECORD		0.75 FEET	08/15/1990
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System

Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
5	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
6	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8
7	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5
8	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
9	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
10	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
11	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
12	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
13	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
14	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
15	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	---	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
22	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0
23	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0
24	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0
25	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0
26	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0
27	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0
28	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
29	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
30	---	0.0	0.0	0.0	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	---	---	0.0	0.0	---	0.0	---	0.0	---	0.0	0.0	---
MEAN	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4
MAX	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.7
MIN	---	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WTR YR 2012 MEAN 0.05 MAX 2.72 MIN 0.00

See also Surface Water Streamflow and Storage Volume data.

NOTE: Gaging removed for construction from October 1 through November 16, 2011.

<i>Casandro Dam</i>			
STATION ID	7133	DRAINAGE AREA	1.3 MI ²
IN-SERVICE DATE	08/15/1996		
PERIOD OF AVAILABLE RECORD	08/15/1996 - CURRENT YEAR		
WY 2012 PEAK		7.29 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD		11.30 FEET	09/26/1997
Surface Water Streamflow	Storage Volume Data		

Flood Control District of Maricopa County ALERT System
 Depth, in feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
13	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
14	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.8	0.2	0.2
15	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.8	0.2	0.2
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
17	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
19	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
20	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
22	0.2	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2
23	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.5	0.2
24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
25	0.2	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2
26	0.2	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2
27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
29	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
30	0.2	0.2	0.2	0.2	---	0.2	0.2	0.2	0.2	0.2	0.2	0.2
31	0.2	---	0.2	0.2	---	0.2	---	0.2	---	0.2	0.2	---
MEAN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2
MAX	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.3	1.6	0.2
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WTR YR 2012	MEAN	0.20	MAX	7.29	MIN	0.19						

See also Surface Water Streamflow and Storage Volume data.

Page Intentionally Blank

STORAGE VOLUME DATA

(sorted by ID number)

Tat Momolikot Dam			
STATION ID	0773*	DRAINAGE AREA	1,780 MI ²
IN-SERVICE DATE	01/24/2000		
PERIOD OF AVAILABLE RECORD	01/24/2000 - CURRENT YEAR		
SPILLWAY CAPACITY	198,545 ACRE-FEET		
WY 2012 PEAK	3,248 AC-FT	11.56 FEET	09/13/2012
EXTREME FOR PERIOD OF RECORD	3,248 AC-FT	11.56 FEET	09/13/2012
Surface Water Streamflow	Pool Level Data		

Flood Control District of Maricopa County ALERT System

Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values


DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											736	1713
2											702	1674
3											678	---
4											644	1874
5											630	1889
6									242	606	1854	
7									264	586	1896	
8										559	1966	
9										549	1967	
10										533	1950	
11						---			19	519	2820	
12						---			167	490	3096	
13									254	466	3139	
14									224	455	2932	
15									314	479	2802	
16									1177	489	2633	
17									1118	498	2465	
18									1041	481	2305	
19									972	475	2151	
20									932	476	2048	
21									962	533	1986	
22									928	837	1939	
23									890	2427	1925	
24									844	2873	1865	
25									803	2450	1859	
26									762	2133	1837	
27									717	1966	1814	
28									694	1894	1790	
29									698	1840	53	
30						---			719	1800		
31		---			---		---		---	758	1776	---
MEAN	0	0	0	0	0	0	0	0	0	502	1019	1995
MAX	0	0	0	0	0	0	0	0	0	1219	3088	3248
MIN	0	0	0	0	0	0	0	0	0	0	436	0
WTR YR 2012	MEAN	292	MAX	3248	MIN	0						

*Gage ID was 0769 prior to January 24, 2000.

**FCD Operated gage since January 1998. However, previous gage did not work properly. A pressure transducer gage was installed January 24, 2000 and all previous data were deleted. Previously, the US Army Corps of Engineers, Los Angeles District maintained a gage at this location.

See also Surface Water Streamflow and Pool Level data.

TAT MOMOLIKOT DAM - ALL IMPOUND DATA



Spookhill FRS			
STATION ID	4563	DRAINAGE AREA	13.6 MI ²
IN-SERVICE DATE	03/13/1984		
PERIOD OF AVAILABLE RECORD	12/30/1987 - CURRENT YEAR		
SPILLWAY CAPACITY	1,391 ACRE-FEET		
WY 2012 PEAK	48 AC-FT	4.96 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	210 AC-FT	8.90 FEET	07/10/2008
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												19
8												45
9												38
10												16
11												
12												
13												
14			4							2		
15										8		
16			1							3		
17			1									
18												
19												
20												
21												
22												
23											5	
24											5	
25											5	
26											4	
27											2	
28												
29												
30						---						
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	1	4
MAX	0	0	8	0	0	0	0	0	0	9	6	48
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	48	MIN	0						

See also Surface Water Streamflow and Pool Level data.

SPOOKHILL FRS - ALL IMPOUND DATA



<i>Laveen Basin</i>			
STATION ID	4578	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	11/06/2006		
PERIOD OF AVAILABLE RECORD	11/06/2006 - CURRENT YEAR		
SPILLWAY CAPACITY	59 ACRE-FEET		
WY 2012 PEAK	14.0 AC-FT	5.75 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	31.5 AC-FT	9.43 FEET	08/29/2008
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10									---			
11												
12											1	
13											1	
14												
15												
16												
17												
18												
19												
20												
21												
22											8	
23											12	
24											9	
25											7	
26											4	
27											3	
28											1	
29												
30						---						
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	1	0
MAX	0	0	0	0	0	0	0	0	0	2	14	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0		MAX	14		MIN	0				

See also Surface Water Streamflow and Pool Level data.

LAVEEN BASIN - ALL VOLUMETRIC DATA



<i>East Fork Cave Creek Basin #1</i>			
STATION ID	4648	DRAINAGE AREA	1.18 MI ²
IN-SERVICE DATE	03/02/1994		
PERIOD OF AVAILABLE RECORD	03/02/1994 - CURRENT YEAR		
SPILLWAY CAPACITY	59 ACRE-FEET		
WY 2012 PEAK	0.9 AC-FT	1.20 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	21 AC-FT	3.92 FEET	07/14/2002
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	1	0	0	0	0	0	0	0	0	1	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	1	MIN	0						

See also Surface Water Streamflow and Pool Level data.

EFCC BASIN #1 - ALL VOLUMETRIC DATA



<i>Tatum Wash Basin</i>			
STATION ID	4653	DRAINAGE AREA	2.17 MI ²
IN-SERVICE DATE	05/08/1998		
PERIOD OF AVAILABLE RECORD	05/08/1998 - CURRENT YEAR		
SPILLWAY CAPACITY	30.8 ACRE-FEET		
WY 2012 PEAK VOLUME	1.8 AC-FT	0.78 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	25.0 AC-FT	9.93 FEET	08/02/2005
Surface Water Streamflow	Pool Level Data		

Flood Control District of Maricopa County ALERT System


Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	1	0	0	0	0	0	0	0	0	1	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	1	MIN	0						

See also Surface Water Streamflow and Pool Level data.

TATUM BASIN - ALL VOLUMETRIC DATA



<i>East Fork Cave Creek Basin #4</i>			
STATION ID	4658	DRAINAGE AREA	0.68 MI ²
IN-SERVICE DATE	01/18/1994		
PERIOD OF AVAILABLE RECORD	01/18/1994 - CURRENT YEAR		
SPILLWAY CAPACITY	74 ACRE-FEET		
WY 2012 PEAK	0.8 AC-FT	1.85 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	8 AC-FT	3.65 FEET	07/14/1999
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	1	0	0	0	0	0	0	0	0	1	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	1	MIN	0						

See also Surface Water Streamflow and Pool Level data.

EFCC BASIN #4 - ALL VOLUMETRIC DATA



<i>East Fork Cave Creek Basin #3</i>			
STATION ID	4683	DRAINAGE AREA	3.52 MI ²
IN-SERVICE DATE	09/13/1994		
PERIOD OF AVAILABLE RECORD	09/13/1994 - CURRENT YEAR		
SPILLWAY CAPACITY	175 ACRE-FEET		
WY 2012 PEAK	<0.1 AC-FT	0.28 FEET	11/04/2011
EXTREME FOR PERIOD OF RECORD	57.1 AC-FT	4.22 FEET	09/07/2006
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

EFCC BASIN #3 - ALL VOLUMETRIC DATA



<i>Phoenix Basin 2B</i>			
STATION ID	4778	DRAINAGE AREA	0.60 MI ²
IN-SERVICE DATE	06/30/2009		
PERIOD OF AVAILABLE RECORD	06/30/2009 - CURRENT YEAR		
SPILLWAY CAPACITY	60 ACRE-FEET		
WY 2012 PEAK	0.6 AC-FT	1.65 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	0.6 AC-FT	1.70 FEET	01/21/2010
Surface Water Streamflow	Pool Level Data		

Flood Control District of Maricopa County ALERT System


Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10		---										
11		---										
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	1
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	1	MIN	0						

See also Surface Water Streamflow and Pool Level data.

PHOENIX BASIN 2B - ALL VOLUMETRIC DATA



Phoenix Basin 2A			
STATION ID	4789	DRAINAGE AREA	0.75 MI ²
IN-SERVICE DATE	06/29/2009		
PERIOD OF AVAILABLE RECORD	06/29/2009 - CURRENT YEAR		
SPILLWAY CAPACITY	48 ACRE-FEET		
WY 2012 PEAK	7.5 AC-FT	5.00 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	7.7 AC-FT	5.15 FEET	09/05/2009
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	1	0	0	0	0	0	0	0	0	6	8
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	8	MIN	0						

See also Surface Water Streamflow and Pool Level data.

PHOENIX BASIN 2A - ALL VOLUMETRIC DATA



<i>Dreamy Draw Dam</i>			
STATION ID	4803	DRAINAGE AREA	1.5 MI ²
IN-SERVICE DATE	01/24/1984		
PERIOD OF AVAILABLE RECORD	08/29/1988 - CURRENT YEAR		
REVISED RECORDS	WY1996:WY1995		
SPILLWAY CAPACITY	299 ACRE-FEET		
WY 2012 PEAK	<1 AC-FT	4.77 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	38 AC-FT	19.17 FEET	10/06/1993
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

DREAMY DRAW DAM - ALL STAGE DATA



10th Street Wash Basin #1			
STATION ID	4818	DRAINAGE AREA	1.2 MI ²
IN-SERVICE DATE	11/26/1996		
PERIOD OF AVAILABLE RECORD	11/26/1996 - CURRENT YEAR		
SPILLWAY CAPACITY	21.6 ACRE-FEET		
WY 2012 PEAK	0.9 AC-FT	1.60 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	3.3 AC-FT	3.33 FEET	07/14/2002
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	1
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	1	MIN	0						

See also Surface Water Streamflow and Pool Level data.

TENTH STREET WASH BASIN #1 - ALL VOLUMETRIC DATA



<i>Phoenix Basin #3</i>			
STATION ID	4828	DRAINAGE AREA	1.2 MI ²
IN-SERVICE DATE	12/18/2001		
PERIOD OF AVAILABLE RECORD	12/18/2001 - CURRENT YEAR		
SPILLWAY CAPACITY	60.2 ACRE-FEET		
WY 2012 PEAK	1.3 AC-FT	4.42 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	7.0 AC-FT	10.36 FEET	07/14/2002
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	1
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	1	MIN	0						

See also Surface Water Streamflow and Pool Level data.

PHOENIX BASIN #3 - ALL VOLUMETRIC DATA



<i>Phoenix Basin #4</i>			
STATION ID	4838	DRAINAGE AREA	0.60 MI ²
IN-SERVICE DATE	07/06/2009		
PERIOD OF AVAILABLE RECORD	07/06/2009 - CURRENT YEAR		
SPILLWAY CAPACITY	43 ACRE-FEET		
WY 2012 PEAK	2.3 AC-FT	4.80 FEET	08/14/2012
EXTREME FOR PERIOD OF RECORD	9.2 AC-FT	9.02 FEET	07/31/2011
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	2	1
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	2	MIN	0						

See also Surface Water Streamflow and Pool Level data.

PHOENIX BASIN 4 - ALL VOLUMETRIC DATA



<i>Phoenix Basin #99</i>			
STATION ID	4843	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	07/07/2009		
PERIOD OF AVAILABLE RECORD	07/07/2009 - CURRENT YEAR		
SPILLWAY CAPACITY	27.2 ACRE-FEET		
WY 2012 PEAK	0 AC-FT	1.45 FEET	09/07/2012
EXTREME FOR PERIOD OF RECORD	0 AC-FT	2.68 FEET	01/21/2010
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		

Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

NOTE: Storage does not begin until about 10 feet gage height.

See also Surface Water Streamflow and Pool Level data.

PHOENIX BASIN 99 - ALL VOLUMETRIC DATA



Phoenix East Park Dam			
STATION ID	4848	DRAINAGE AREA	0.11 MI ²
IN-SERVICE DATE	11/28/2001		
PERIOD OF AVAILABLE RECORD	11/28/2001 - CURRENT YEAR		
SPILLWAY CAPACITY	23.4 ACRE-FEET		
WY 2012 PEAK	0.0 AC-FT	NONE	NONE
EXTREME FOR PERIOD OF RECORD	1.7 AC-FT	4.84 FEET	07/14/2002
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23	---											
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

PHOENIX EAST PARK DAM - ALL VOLUMETRIC DATA



Phoenix Basin #7			
STATION ID	4853	DRAINAGE AREA	1.2 MI ²
IN-SERVICE DATE	12/19/2001		
PERIOD OF AVAILABLE RECORD	12/19/2001 - CURRENT YEAR		
SPILLWAY CAPACITY	103.5 ACRE-FEET		
WY 2012 PEAK	1.6 AC-FT	4.92 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	20.8 AC-FT	12.11 FEET	07/14/2002
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	2	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	2	MIN	0						

See also Surface Water Streamflow and Pool Level data.

PHOENIX BASIN #7 - ALL VOLUMETRIC DATA



Phoenix West Park Dam			
STATION ID	4858	DRAINAGE AREA	0.68 MI ²
IN-SERVICE DATE	11/29/2001		
PERIOD OF AVAILABLE RECORD	11/29/2001 - CURRENT YEAR		
SPILLWAY CAPACITY	113 ACRE-FEET		
WY 2012 PEAK	3.1 AC-FT	2.08 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	18.4 AC-FT	10.73 FEET	07/14/2002
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	3	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	3	MIN	0						

See also Surface Water Streamflow and Pool Level data.

PHOENIX WEST PARK DAM - ALL VOLUMETRIC DATA



<i>Cave Buttes Dam</i>			
STATION ID	4904	DRAINAGE AREA	191 MI ²
IN-SERVICE DATE	01/25/1984		
PERIOD OF AVAILABLE RECORD	10/01/1987 - CURRENT YEAR		
SPILLWAY CAPACITY	46,100 ACRE-FEET		
WY 2012 PEAK	9.0 AC-FT	8.40 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	17,592 AC-FT	75.89 FEET	01/11/1993
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		

Flood Control District of Maricopa County ALERT System


Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											4	
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	9	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	9	MIN	0						

See also Surface Water Streamflow (4903) and Pool Level (4904) data.

CAVE BUTTES DAM POOL - ALL VOLUMETRIC DATA



<i>Reata Pass Dam</i>			
<i>STATION ID</i>	<i>4938</i>	<i>DRAINAGE AREA</i>	<i>1.0 MI²</i>
<i>IN-SERVICE DATE</i>		<i>10/02/2001</i>	
<i>PERIOD OF AVAILABLE RECORD</i>		<i>10/02/2001 - CURRENT YEAR</i>	
<i>SPILLWAY CAPACITY</i>		<i>UNDETERMINED</i>	
<i>WY 2012 PEAK</i>		<i>3.30 FEET</i>	<i>07/24/2011</i>
<i>EXTREME FOR PERIOD OF RECORD</i>		<i>5.40 FEET</i>	<i>09/09/2006</i>
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		

NOTE: Volumetric Capacities for Reata Pass Dam are not available.

<i>Saddleback FRS</i>			
STATION ID	5113	DRAINAGE AREA	29.6 MI ²
IN-SERVICE DATE	12/16/1988		
PERIOD OF AVAILABLE RECORD	12/16/1988 - CURRENT YEAR		
SPILLWAY CAPACITY	6,743 ACRE-FEET		
WY 2012 PEAK	0 AC-FT	NONE	NONE
EXTREME FOR PERIOD OF RECORD	102 AC-FT	2.50 FEET	07/15/1996
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		

Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18		---										
19		---										
20		---										
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

SADDLEBACK FRS - ALL VOLUMETRIC DATA



<i>Harquahala FRS</i>			
STATION ID	5128	DRAINAGE AREA	102.3 MI ²
IN-SERVICE DATE	03/01/1994		
PERIOD OF AVAILABLE RECORD	03/01/1994 - CURRENT YEAR		
SPILLWAY CAPACITY	8,689 ACRE-FEET		
WY 2012 PEAK	14 AC-FT	12.54 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	492 AC-FT	21.47 FEET	10/27/2000
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4						---						
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18		---										
19		---										
20		---										
21												
22												
23											8	
24											1	
25												
26												
27												
28												
29												
30						---						
31		---				---		---		---		---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	14	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0		MAX	14		MIN	0				

See also Surface Water Streamflow and Pool Level data.

HARQUAHALA FRS - ALL VOLUMETRIC DATA



Buckeye FRS #1			
STATION ID	5203	DRAINAGE AREA	74 MI ²
IN-SERVICE DATE	07/26/1983		
PERIOD OF AVAILABLE RECORD	11/23/1987 - CURRENT YEAR		
SPILLWAY CAPACITY	8,105 ACRE-FEET		
WY 2012 PEAK	0 AC-FT	-1.42 FEET	11/05/2011
EXTREME FOR PERIOD OF RECORD	595 AC-FT	4.96 FEET	02/14/2003
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

BUCKEYE #1 FRS - ALL VOLUMETRIC DATA



<i>Buckeye FRS #2</i>			
STATION ID	5208	DRAINAGE AREA	5.7 MI ²
IN-SERVICE DATE	11/11/1992		
PERIOD OF AVAILABLE RECORD	11/11/1992 - CURRENT YEAR		
SPILLWAY CAPACITY	824 ACRE-FEET		
WY 2012 PEAK	0 AC-FT	-0.64 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD	77 AC-FT	4.66 FEET	02/14/2003
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

BUCKEYE #2 FRS - ALL VOLUMETRIC DATA



Sunset FRS			
STATION ID	5233	DRAINAGE AREA	0.95 MI ²
IN-SERVICE DATE	02/12/1989		
PERIOD OF AVAILABLE RECORD	02/12/1989 - CURRENT YEAR		
SPILLWAY CAPACITY	86 ACRE-FEET		
WY 2012 PEAK	11.1 AC-FT	7.23 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	34 AC-FT	12.27 FEET	09/26/1997
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										3		
15										10		
16										8		
17										6		
18						1				1		
19												
20												
21												
22										1		
23										2	5	
24										1	4	
25											3	
26											2	
27										---	1	
28											1	
29											1	
30						---					1	
31		---				---	---		---		1	---
MEAN	0	0	0	0	0	0	0	0	0	1	1	0
MAX	0	0	1	0	0	1	0	0	0	11	6	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	11	MIN	0						

See also Surface Water Streamflow and Pool Level data.

SUNSET FRS - ALL VOLUMETRIC DATA



<i>Sunnycove FRS</i>			
STATION ID	5248	DRAINAGE AREA	1.35 MI ²
IN-SERVICE DATE	07/01/1986		
PERIOD OF AVAILABLE RECORD	12/16/1988 - CURRENT YEAR		
REVISED RECORDS	WY2000:WY1999		
SPILLWAY CAPACITY	216 ACRE-FEET		
WY 2012 PEAK	14.7 AC-FT	12.65 FEET	07/15/2012
EXTREME FOR PERIOD OF RECORD	53 AC-FT	21.68 FEET	08/22/1992
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												3
2												3
3												3
4												3
5												3
6												3
7												3
8												3
9												3
10												3
11												3
12												2
13												2
14										3		2
15										14		2
16										13		2
17										10		2
18										3		2
19										2		2
20										2		2
21										2		2
22										2		2
23										2	4	2
24										1	4	2
25											4	2
26											4	1
27											4	
28											3	
29											3	
30						---					3	
31		---			---		---		---		3	---
MEAN	0	0	0	0	0	0	0	0	0	2	1	2
MAX	0	0	0	0	0	0	0	0	0	15	4	3
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0		MAX	15		MIN	0				

See also Surface Water Streamflow and Pool Level data.

SUNNYCOVE FRS - ALL VOLUMETRIC DATA



White Tank FRS #3			
STATION ID	5418	DRAINAGE AREA	20.5 MI ²
IN-SERVICE DATE	03/12/1986		
PERIOD OF AVAILABLE RECORD	01/01/1988 - CURRENT YEAR		
SPILLWAY CAPACITY	3,134 ACRE-FEET		
WY 2012 PEAK	0 AC-FT	NONE	NONE
EXTREME FOR PERIOD OF RECORD	249 AC-FT	2.60 FEET	01/11/1993
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10			---									
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31	---				---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

WHITE TANK FRS #3 - ALL VOLUMETRIC DATA



McMicken Dam			
STATION ID	5448	DRAINAGE AREA	247 MI ²
IN-SERVICE DATE	03/20/1983		
PERIOD OF AVAILABLE RECORD	02/18/1988 - CURRENT YEAR		
SPILLWAY CAPACITY	20,700 ACRE-FEET		
WY 2012 PEAK	0 AC-FT	NONE	NONE
EXTREME FOR PERIOD OF RECORD	1,524 AC-FT	3.10 FEET	01/22/2010
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre feet, Water Year October 2004 to September 2005

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN		0	MAX	0	MIN	0					

See also Surface Water Streamflow and Pool Level data.

MCMICKEN DAM - ALL VOLUMETRIC DATA



<i>Adobe Dam Pool</i>			
STATION ID	5539	DRAINAGE AREA	89.6 MI ²
IN-SERVICE DATE	10/28/1982		
PERIOD OF AVAILABLE RECORD	08/30/1988 - CURRENT YEAR		
SPILLWAY CAPACITY	18,776 ACRE-FEET		
WY 2012 PEAK	157 AC-FT	7.05 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	1,853 AC-FT	17.30 FEET	01/22/2010
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											59	
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	2	0
MAX	0	0	0	0	0	0	0	0	0	0	157	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0		MAX	157	MIN	0					

See also Surface Water Streamflow (5538) and Pool Level data (5539).

ADOBE DAM POOL - ALL VOLUMETRIC DATA



<i>New River Dam Pool</i>			
STATION ID	5614	DRAINAGE AREA	164 MI ²
IN-SERVICE DATE	04/15/1986		
PERIOD OF AVAILABLE RECORD	08/30/1988 - CURRENT YEAR		
SPILLWAY CAPACITY	43,700 ACRE-FEET		
WY 2012 PEAK	286 AC-FT	6.48 FEET	08/01/2012
EXTREME FOR PERIOD OF RECORD	14,670 AC-FT	44.37 FEET	01/08/1993
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											188	
2											29	
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---	6		---
MEAN	0	0	0	0	0	0	0	0	0	0	7	0
MAX	0	0	0	0	0	0	0	0	0	256	286	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	1		MAX	286	MIN	0					

See also Surface Water Streamflow and Pool Level data.

NEW RIVER DAM POOL - ALL VOLUMETRIC DATA



<i>Stoneridge Dam</i>			
STATION ID	5968	DRAINAGE AREA	0.86 MI ²
IN-SERVICE DATE	12/11/1996		
PERIOD OF AVAILABLE RECORD	12/11/1996 - CURRENT YEAR		
SPILLWAY CAPACITY	66.2 ACRE-FEET		
WY 2012 PEAK	0.1 AC-FT	1.80 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	2.1 AC-FT	7.15 FEET	08/31/1999
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

STONERIDGE DAM - ALL VOLUMETRIC DATA



<i>Sunridge Canyon Dam</i>			
STATION ID	5973	DRAINAGE AREA	1.60 MI ²
IN-SERVICE DATE	02/04/1997		
PERIOD OF AVAILABLE RECORD	02/04/1997 - CURRENT YEAR		
SPILLWAY CAPACITY	94 ACRE-FEET		
WY 2012 PEAK	0.0 AC-FT	NONE	NONE
EXTREME FOR PERIOD OF RECORD	0.2 AC-FT	7.68 FEET	10/26/1998
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

SUNRIDGE CANYON DAM - ALL VOLUMETRIC DATA



<i>Golden Eagle Park Dam</i>			
STATION ID	5978	DRAINAGE AREA	7.13 MI ²
IN-SERVICE DATE	12/12/1996		
PERIOD OF AVAILABLE RECORD	12/12/1996 - CURRENT YEAR		
SPILLWAY CAPACITY	98 ACRE-FEET		
WY 2012 PEAK	1.3 AC-FT	4.71 FEET	07/28/2012
EXTREME FOR PERIOD OF RECORD	18.5 AC-FT	12.76 FEET	03/05/2004
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	2	0	0	0	0	0	0	0	0	1	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	1	MIN	0						

See also Surface Water Streamflow and Pool Level data.

GOLDEN EAGLE PARK DAM - ALL VOLUMETRIC DATA



North Heights Dam			
STATION ID	5983	DRAINAGE AREA	2.13 MI ²
IN-SERVICE DATE	10/11/1996		
PERIOD OF AVAILABLE RECORD	10/11/1996 - CURRENT YEAR		
SPILLWAY CAPACITY	138 ACRE-FEET		
WY 2012 PEAK	0.2 AC-FT	4.25 FEET	07/28/2012
EXTREME FOR PERIOD OF RECORD	16 AC-FT	14.82 FEET	09/10/2002
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

NORTH HEIGHTS DAM - ALL VOLUMETRIC DATA



UPDATED: 10/31/12

<i>Aspen Dam</i>			
STATION ID	5988	DRAINAGE AREA	2.02 MI ²
IN-SERVICE DATE	01/02/1997		
PERIOD OF AVAILABLE RECORD	01/02/1997 - CURRENT YEAR		
SPILLWAY CAPACITY	183 ACRE-FEET		
WY 2012 PEAK	0.3 AC-FT	1.74 FEET	07/28/2012
EXTREME FOR PERIOD OF RECORD	8.8 AC-FT	5.84 FEET	03/05/2004
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30					---							
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

ASPEN DAM - ALL VOLUMETRIC DATA



UPDATED: 10/30/12

<i>Hesperus Dam</i>			
STATION ID	5993	DRAINAGE AREA	2.91 MI ²
IN-SERVICE DATE	12/18/1996		
PERIOD OF AVAILABLE RECORD	12/18/1996 - CURRENT YEAR		
SPILLWAY CAPACITY	276 ACRE-FEET		
WY 2012 PEAK	0.1 AC-FT	2.73 FEET	07/28/2012
EXTREME FOR PERIOD OF RECORD	2.6 AC-FT	8.93 FEET	09/10/2002
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

HESPERUS DAM - ALL VOLUMETRIC DATA



<i>Guadalupe FRS</i>			
STATION ID	6503	DRAINAGE AREA	1.87 MI ²
IN-SERVICE DATE	06/29/1989		
PERIOD OF AVAILABLE RECORD	06/29/1989 - CURRENT YEAR		
SPILLWAY CAPACITY	329 ACRE-FEET		
WY 2012 PEAK	0 AC-FT	NONE	NONE
EXTREME FOR PERIOD OF RECORD	36 AC-FT	9.41 FEET	07/13/2008
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												---
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

GUADALUPE FRS - ALL VOLUMETRIC DATA



<i>Pecos Basin Sediment</i>			
STATION ID	6537	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	01/06/2009		
PERIOD OF AVAILABLE RECORD	01/06/2009 - CURRENT YEAR		
SPILLWAY CAPACITY	49 ACRE-FEET		
WY 2012 PEAK	9.9 AC-FT	5.06 FEET	08/17/2012
EXTREME FOR PERIOD OF RECORD	22.6 AC-FT	10.28 FEET	02/11/2009
Surface Water Streamflow	Pool Level Data		

Flood Control District of Maricopa County ALERT System


Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1								---				1
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13			1									
14			4									
15			4							5		
16			4							5		
17			3							7		
18			3							6		
19			2							6		
20			1							6		
21										6		
22										8		
23										7		
24										7		
25										6		
26										6		
27										5		
28										5		
29										4		
30					---		---			4		
31		---			---		---		---	3	---	
MEAN	0	0	1	0	0	0	0	0	0	0	3	0
MAX	0	0	5	0	0	0	0	0	0	0	10	2
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012 MEAN			0	MAX	10	MIN	0					

See also Surface Water Streamflow and Pool Level data.

PECOS SEDIMENT BASIN - ALL VOLUMETRIC DATA



<i>Pecos Basin</i>			
STATION ID	6538	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	01/06/2009		
PERIOD OF AVAILABLE RECORD	01/06/2009 - CURRENT YEAR		
SPILLWAY CAPACITY	329 ACRE-FEET		
WY 2012 PEAK	2.8 AC-FT	7.15 FEET	08/22/2012
EXTREME FOR PERIOD OF RECORD	7.9 AC-FT	8.10 FEET	01/22/2010
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1								---				
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17											1	
18											1	
19												
20												
21												
22											2	
23											1	
24											1	
25											1	
26												
27												
28												
29												
30						---		---				
31		---				---		---	---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	3	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	3	MIN	0						

See also Surface Water Streamflow and Pool Level data.

PECOS BASIN - ALL VOLUMETRIC DATA



Freestone Basin			
STATION ID	6608	DRAINAGE AREA	2.2 MI ²
IN-SERVICE DATE	12/19/1995		
PERIOD OF AVAILABLE RECORD	12/19/1995 - CURRENT YEAR		
SPILLWAY CAPACITY	218 ACRE-FEET		
WY 2012 PEAK	25.3 AC-FT	9.90 FEET	07/15/2012
EXTREME FOR PERIOD OF RECORD	56 AC-FT	13.38 FEET	07/26/2006
Storage Volume Data			

Flood Control District of Maricopa County ALERT System

Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1							1	1	1		
2							1		1	1		
3								1	1			
4			---					1	1	1		
5	1	2	---					1				
6								1				
7		1	1									5
8			1									6
9								1	1			
10								1				
11		1										
12		1	2					1	1			
13	1	1	9					1		1		
14			15					1	1	8		
15			14				1	1		20		
16			13							8		
17	1		12				1			1	1	
18	1		11			3					1	
19			7			2					1	
20								1				
21	1					1				1		
22	1	1								1		
23									1		1	
24								1	1			
25						1	1	1				
26	1						1		1		1	
27	1						1	1	1		1	
28								1	1			
29		1							1			
30		1					1	1	1			
31		---					---		---			---
MEAN	0	0	3	0	0	0	0	1	1	1	0	0
MAX	3	4	15	1	1	6	2	3	3	25	4	9
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN		1	MAX		25	MIN		0			

See also Pool Level data.

Many days of storage from irrigation tailwater. The gage is located inside a pump housing that, when stage reaches a certain level, pumps water from the gage house and basin. The daily stage values fluctuate substantially. Gage Heights above 10.0 feet are generally caused by storm events.

Crossroads Park			
STATION ID	6623	DRAINAGE AREA	15.7 MI ²
IN-SERVICE DATE	12/18/1995		
PERIOD OF AVAILABLE RECORD	12/18/1995 - CURRENT YEAR		
SPILLWAY CAPACITY	456 ACRE-FEET		
WY 2012 PEAK	35.8 AC-FT	4.33 FEET	12/21/2011
EXTREME FOR PERIOD OF RECORD	35.8 AC-FT	4.33 FEET	12/21/2011
Pool Level Data			

Flood Control District of Maricopa County ALERT System

Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13			3									
14			23						6			
15			25						16			
16			27									
17			29									
18			31									
19			32									
20			34									
21			35									
22			33									
23			30									
24			27									
25			25									
26			23									
27			21									
28			19									
29			17									
30			2		---							
31	---				---		---		---			---
MEAN	0	0	14	0	0	0	0	0	0	1	0	0
MAX	0	0	36	0	0	0	0	0	0	19	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN		1	MAX	36	MIN	0					

See also Pool Level data.

Signal Butte FRS			
STATION ID	6628	DRAINAGE AREA	16.4 MI ²
IN-SERVICE DATE	11/10/1987		
PERIOD OF AVAILABLE RECORD	11/10/1987 - CURRENT YEAR		
SPILLWAY CAPACITY	1,665 ACRE-FEET		
WY 2012 PEAK	31 AC-FT	5.10 FEET	07/15/2012
EXTREME FOR PERIOD OF RECORD	166 AC-FT	13.30 FEET	01/11/1993
Surface Water Streamflow	Pool Level Data		

Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												12
8												15
9												11
10												8
11												6
12												4
13				1								
14				3						9		
15				3						28		
16				2						22		
17				1						17		
18				1						12		
19				1						10		
20										8		
21										7		
22										6		
23										4	3	
24										3	3	
25										1	2	
26											1	
27											1	
28											1	
29												
30												
31												
MEAN	0	0	0	0	0	0	0	0	0	4	0	2
MAX	0	0	4	0	0	0	0	0	0	31	5	20
MIN	0	0	0	0	0	0	0	0	0	0	0	0

WTR YR 2012 MEAN 1 MAX 31 MIN 0

See also Surface Water Streamflow and Pool Level data.

SIGNAL BUTTE FRS - ALL VOLUMETRIC DATA



<i>Apache Junction FRS</i>			
STATION ID	6673	DRAINAGE AREA	5.8 MI ²
IN-SERVICE DATE	12/16/1981		
PERIOD OF AVAILABLE RECORD	09/15/1988 - CURRENT YEAR		
SPILLWAY CAPACITY	676 ACRE-FEET		
WY 2012 PEAK	2.0 AC-FT	2.58 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	43 AC-FT	6.48 FEET	08/17/2010
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	2	0	1
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	2	MIN	0						

See also Surface Water Streamflow and Pool Level data.

APACHE JUNCTION FRS - ALL VOLUMETRIC DATA



<i>Powerline FRS</i>				
STATION ID	6683	DRAINAGE AREA	49.9 MI ²	
IN-SERVICE DATE	12/02/1992			
PERIOD OF AVAILABLE RECORD	12/02/1992 - CURRENT YEAR			
SPILLWAY CAPACITY	4,064 ACRE-FEET			
WY 2012 PEAK	352 AC-FT	4.15 FEET	09/04/2012	
EXTREME FOR PERIOD OF RECORD	952 AC-FT	11.00 FEET	01/11/1993	
Surface Water Streamflow	Pool Level Data			


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												249
5		9										162
6												82
7		5										109
8												96
9												52
10												7
11												
12												
13												
14										3		
15												
16												
17												
18						7						
19												
20												
21												
22												
23											40	
24								---			30	
25								---			12	
26												
27												
28												
29									---	2		
30					---				---			
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	3	25
MAX	0	32	0	0	0	33	0	0	0	31	71	352
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	2		MAX	352		MIN	0				

See also Surface Water Streamflow and Pool Level data.

POWERLINE FRS - ALL VOLUMETRIC DATA



Vineyard FRS			
STATION ID	6688	DRAINAGE AREA	57.8 MI ²
IN-SERVICE DATE	11/02/1983		
PERIOD OF AVAILABLE RECORD	11/09/1987 - CURRENT YEAR		
SPILLWAY CAPACITY	3,531 ACRE-FEET		
WY 2012 PEAK	269 AC-FT	3.20 FEET	09/04/2012
EXTREME FOR PERIOD OF RECORD	897 AC-FT	5.90 FEET	11/16/1993
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1				---							7	
2				---								
3				---								
4												170
5												99
6												58
7												54
8												47
9												31
10												20
11						1						35
12												22
13			25									8
14			32							4		
15			19							16		
16			6							4		
17												
18						9						
19						22						
20						12						
21												
22												
23											74	
24											84	
25											69	
26											45	
27											28	
28											15	
29										4	5	
30						---				24		
31		---				---	---		---	20		---
MEAN	0	0	3	0	0	1	0	0	0	2	11	18
MAX	0	0	40	0	0	26	0	0	0	27	114	269
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN		3	MAX	269	MIN	0					

See also Surface Water Streamflow and Pool Level data.

VINEYARD FRS - ALL VOLUMETRIC DATA



<i>Rittenhouse FRS</i>			
STATION ID	6703	DRAINAGE AREA	51.3 MI ²
IN-SERVICE DATE	09/27/1988		
PERIOD OF AVAILABLE RECORD	09/27/1988 - CURRENT YEAR		
SPILLWAY CAPACITY	3,475 ACRE-FEET		
WY 2012 PEAK	133 AC-FT	7.82 FEET	08/23/2012
EXTREME FOR PERIOD OF RECORD	919 AC-FT	12.58 FEET	02/12/2005
Surface Water Streamflow	Pool Level Data		

Flood Control District of Maricopa County ALERT System


Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23											55	
24											2	
25												
26												
27												
28												
29										15		
30					---					6		
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	1	2	0
MAX	0	0	0	0	0	0	0	0	0	67	133	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	133	MIN	0						

See also Surface Water Streamflow and Pool Level data.

RITTENHOUSE FRS - ALL VOLUMETRIC DATA



<i>Magma FRS</i>			
STATION ID	6718	DRAINAGE AREA	UNDETERMINED
IN-SERVICE DATE	11/15/2007		
PERIOD OF AVAILABLE RECORD	11/15/2007 - CURRENT YEAR		
SPILLWAY CAPACITY	5,650 ACRE-FEET		
WY 2012 PEAK	0 AC-FT	NONE	NONE
EXTREME FOR PERIOD OF RECORD	2,460 AC-FT	1618.74 FEET	07/11/2008
Surface Water Streamflow	Pool Level Data		

Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1								---	---	---	---	---
2								---	---	---	---	---
3								---	---	---	---	---
4								---	---	---	---	---
5								---	---	---	---	---
6								---	---	---	---	---
7								---	---	---	---	---
8								---	---	---	---	---
9								---	---	---	---	---
10								---	---	---	---	---
11								---	---	---	---	---
12								---	---	---	---	---
13							---	---	---	---	---	---
14							---	---	---	---	---	---
15							---	---	---	---	---	---
16							---	---	---	---	---	---
17							---	---	---	---	---	---
18							---	---	---	---	---	---
19							---	---	---	---	---	---
20							---	---	---	---	---	---
21							---	---	---	---	---	---
22							---	---	---	---	---	---
23							---	---	---	---	---	---
24							---	---	---	---	---	---
25							---	---	---	---	---	---
26							---	---	---	---	---	---
27							---	---	---	---	---	---
28							---	---	---	---	---	---
29							---	---	---	---	---	---
30					---		---	---	---	---	---	---
31		---			---		---	---	---	---	---	---
MEAN	0	0	0	0	0	0	0	---	---	---	---	---
MAX	0	0	0	0	0	0	0	---	---	---	---	---
MIN	0	0	0	0	0	0	0	---	---	---	---	---
WTR YR 2012	MEAN		0	MAX	0	MIN	0					

See also Surface Water Streamflow and Pool Level data.

NOTE: Gaging temporarily removed for construction from April 12 through September 30, 2012.

MAGMA FRS - ALL VOLUMETRIC DATA



<i>Whitlow Ranch Dam</i>			
STATION ID	6739	DRAINAGE AREA	143 MI ²
IN-SERVICE DATE	08/02/2000		
PERIOD OF AVAILABLE RECORD	08/02/2000 - CURRENT YEAR		
SPILLWAY CAPACITY	35,593 ACRE-FEET		
WY 2012 PEAK	0 AC-FT	NONE	NONE
EXTREME FOR PERIOD OF RECORD	6,965 AC-FT	58.20 FEET	02/12/2005
<i>Surface Water Streamflow</i>	<i>Pool Level Data</i>		

Flood Control District of Maricopa County ALERT System

Volume, in acre-feet, Water Year October 2011 to September 2012


Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12			---									
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30						---						
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN		0	MAX	0	MIN	0					

NOTE: Tie-in to Corps of Engineers gaging equipment was set up in August 2000. FCD gage was in operation since January 8, 1998. All FCD data prior to August 2000 has been deleted because it is believed that the gage did not operate correctly during that period. See U.S. Army Corps of Engineers, Los Angeles District for official information at this gage site.

See also Surface Water Streamflow and Pool Level data.

WHITLOW RANCH DAM - ALL VOLUMETRIC DATA



<i>Buckeye FRS #3</i>			
STATION ID	6813	DRAINAGE AREA	9.3 MI ²
IN-SERVICE DATE	11/23/1992		
PERIOD OF AVAILABLE RECORD	05/18/1996 - CURRENT YEAR		
SPILLWAY CAPACITY	1,286 ACRE-FEET		
WY 2012 PEAK	0 AC-FT	-0.18 FEET	08/21/2012
EXTREME FOR PERIOD OF RECORD	0 AC-FT	-0.18 FEET	08/21/2012
Surface Water Streamflow	Pool Level Data		


Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN		0	MAX	0	MIN	0					

See also Surface Water Streamflow and Pool Level data.

BUCKEYE #3 FRS - ALL VOLUMETRIC DATA



White Tank FRS #4			
STATION ID	6823	DRAINAGE AREA	18.6 MI ²
IN-SERVICE DATE	01/09/1986		
PERIOD OF AVAILABLE RECORD	10/01/1987 - CURRENT YEAR		
SPILLWAY CAPACITY	1,243 ACRE-FEET		
WY 2012 PEAK	0 AC-FT*	NONE	NONE
EXTREME FOR PERIOD OF RECORD	644 AC-FT	0.75 FEET	08/15/1990
Surface Water Streamflow	Pool Level Data		

Flood Control District of Maricopa County ALERT System

Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values


DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---										
2	---	---										
3	---	---										
4	---	---										
5	---	---										
6	---	---										
7	---	---										
8	---	---										
9	---	---										
10	---	---										
11	---	---										
12	---	---										
13	---	---										
14	---	---										
15	---	---										
16	---	---										
17	---											
18	---											
19	---											
20	---											
21	---											
22	---											
23	---											
24	---											
25	---											
26	---											
27	---											
28	---											
29	---											
30	---				---							
31	---	---			---		---		---			---
MEAN	---	0	0	0	0	0	0	0	0	0	0	0
MAX	---	0	0	0	0	0	0	0	0	0	0	0
MIN	---	0	0	0	0	0	0	0	0	0	0	0
WTR YR 2012	MEAN	0	MAX	0	MIN	0						

See also Surface Water Streamflow and Pool Level data.

NOTE(1): Over 500 acre-feet are stored before the level gage detects water.

NOTE(2): Gaging out of service for construction from October 1 through November 16, 2011.

WHITE TANK FRS #4 - ALL VOLUMETRIC DATA



<i>Casandro Dam</i>			
STATION ID	7133	DRAINAGE AREA	1.3 MI ²
IN-SERVICE DATE	08/15/1996		
PERIOD OF AVAILABLE RECORD	08/15/1996 - CURRENT YEAR		
SPILLWAY CAPACITY	143 ACRE-FEET		
WY 2012 PEAK	29.2 AC-FT	7.29 FEET	07/14/2012
EXTREME FOR PERIOD OF RECORD	65.0 AC-FT	11.30 FEET	09/26/1997
Surface Water Streamflow	Pool Level Data		

Flood Control District of Maricopa County ALERT System
Volume, in acre-feet, Water Year October 2011 to September 2012

Daily Mean Values

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14										7		
15										5		
16												
17												
18												
19												
20												
21												
22						---						
23											1	
24												
25						---						
26						---						
27												
28												
29												
30						---						
31		---			---		---		---			---
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	29	4	0
MIN	0	0	0	0	0	0	0	---	0	0	0	0
WTR YR 2012	MEAN	0		MAX	29	MIN	0					

See also Surface Water Streamflow and Pool Level data.

CASANDRO DAM - ALL VOLUMETRIC DATA

